

SOMMAIRE - SUMMARY - SUMARIO - INHALTSANGABE

NORME	PIÈCE	DÉSIGNATION	A2 et autres nuances inox	A4	A4-L	A4-80	AISI 310	AISI 410	Acier	Laiton	Nylon
NORM NORM NORMA	PIECE STÜCK PIEZA	DESIGNATION BESCHUNG DESIGNACION									

DIN 933 (similar ISO 4017, NFE 25-114, UNI 5739)		VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL	62101 p. 51	64101 p. 54		65101 p. 57					
ISO 4017		VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL				65104 p. 58					
DIN 931 (similar ISO 4014, NFE 25-112, UNI 5737)		VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL	62102 p. 59	64102 p. 62							
UNC (Unified National Coarse)		VIS A METAUX TETE HEXAGONALE -UNC-	62103 p. 65								
DIN 6921		VIS A METAUX TETE HEXAGONALE A EMBASE CRANTÉE	62107 p. 66								
DIN 963 (similar ISO 2009, NFE 25-123, UNI 6109)		VIS A METAUX TETE FRAISEE FENDUE	62208 p. 67	64208 p. 69							
DIN 964 (similar ISO 2010, NFE 25-124, UNI 6110)		VIS A METAUX TETE FRAISEE BOMBEE FENDUE	62209 p. 71	64209 p. 72							
DIN 965 (similar ISO 7046, NFE 25-119, UNI 7688)		VIS A METAUX TETE FRAISEE POZIDRIVE	62214 p. 73	64214 p. 74							
DIN 965 (similar ISO 7046, NFE 25-119, UNI 7688)		VIS A METAUX TETE FRAISEE PHILLIPS	62215 p. 75								
ISO 14581 (similar DIN 965)		VIS A METAUX TETE FRAISEE SIX LOBES	62230 p. 76	64230 p. 77							
DIN 966 (similar ISO 7047, NFE 25-120, UNI 7689)		VIS A METAUX TETE FRAISEE BOMBEE POZIDRIVE	62221 p. 78								
DIN 84 (similar ISO 1207, NFE 25-127, UNI 6107)		VIS A METAUX TETE CYLINDRIQUE FENDUE	62210 p. 79	64210 p. 81							
DIN 85 (similar ISO 1580, NFE 25-128, UNI 6108)		VIS A METAUX TETE CYLINDRIQUE LARGE FENDUE	62211 p. 83	64211 p. 85							
DIN 7985 (similar ISO 7045, NFE 25-121, UNI 7687)		VIS A METAUX TETE CYLINDRIQUE POZIDRIVE	62216 p. 86	64216 p. 87							
DIN 7985 (similar ISO 7045, NFE 25-121, UNI 7687)		VIS A METAUX TETE CYLINDRIQUE PHILLIPS	62217 p. 88								
ISO 14583 (similar DIN 7985)		VIS A METAUX TETE CYLINDRIQUE SIX LOBES	62231 p. 89	64231 p. 90							

SOMMAIRE - SUMMARY - SUMARIO - INHALTSANGABE

NORME	PIÈCE	DÉSIGNATION	A2 et autres nuances inox	A4	A4-L	A4-80	AISI 310	AISI 410	Acier	Laiton	Nylon
NORM NORM NORMA	PIECE STÜCK PIEZA	DESIGNATION BESCHUNG DESIGNACION									

DIN 603 (NFE 27-351, UNI 5731)		VIS A METAUX TETE RONDE COLLET CARRE	62213 p. 91	64213 p. 93							
NFE 25-129		VIS A METAUX TETE RONDE LARGE -POELIER- FENDUE	62212 p. 94	64212 p. 95							
DIN 444 B (ISO 7349, NFE 27-191)		VIS A METAUX A OEIL	62233 p. 96								
DIN 464		VIS MOLETEES TYPE HAUT	62235 p. 97								
DIN 7500 CZ (tête selon ISO 7045)		VIS AUTOTARAUDEUSES TETE CYLINDRIQUE POZIDRIVE	62222 p. 98								
DIN 7500 MZ (tête selon ISO 7046)		VIS AUTOTARAUDEUSES TETE FRAISEE POZIDRIVE	62223 p. 99								
Similar DIN 316		VIS A OREILLES FORME AMERICAINE	62218 p. 100								
		VIS VIOLON	62234 p. 101								
DIN 912 (similar ISO 4762, NFE 25-125, UNI 5931)		VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX	62201 p. 102	64201 p. 105		65201 p. 108					
UNC (Unified National Coarse)		VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX -UNC-	62228 p. 109								
DIN 6912		VIS A METAUX TETE CYLINDRIQUE REDUITE SIX PANS CREUX AVEC TROU DE GUIDAGE	62219 p. 110								
DIN 7984 (UNI 9327)		VIS A METAUX TETE CYLINDRIQUE REDUITE SIX PANS CREUX	62220 p. 111								
ISO 14580		VIS A METAUX TETE CYLINDRIQUE BASSE SIX LOBES	62264 p. 112								
ISO 10642 (similar DIN 7991)		VIS A METAUX TETE FRAISEE SIX PANS CREUX	62203 p. 113	64203 p. 115							
ISO 7380-1		VIS A METAUX TETE BOMBEE SIX PANS CREUX	62202 p. 117	64202 p. 118							
ISO 7380-1		VIS A METAUX TETE BOMBEE SIX LOBES	62236 p. 119								
ISO 7380-2		VIS A METAUX TETE BOMBEE SIX PANS CREUX A EMBASE	62225 p. 120								
ISO 4026 (similar DIN 913, NFE 27-180, UNI 5923)		VIS SANS TETE SIX PANS CREUX BOUT PLAT	62204 p. 121	64204 p. 123							

SOMMAIRE - SUMMARY - SUMARIO - INHALTSANGABE

NORME	PIÈCE	DÉSIGNATION	A2 et autres nuances Inox	A4	A4-L	A4-80	AISI 310	AISI 410	Acier	Laiton	Nylon
NORM NORM NORMA	PIECE STÜCK PIEZA	DESIGNATION BESCHUNG DESIGNACION									

ISO 4027 (similar DIN 914, NFE 27-181, UNI 5927)		VIS SANS TETE SIX PANS CREUX BOUT POINTEAU HEXAGON SOCKET SET SCREWS CONE POINT GEWINDESTIFTE MIT INNENSECHSKANT UND SPITZE ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA CONICA	62205 p. 124	64205 p. 125							
ISO 4028 (similar DIN 915, NFE 27-182, UNI 5925)		VIS SANS TETE SIX PANS CREUX BOUT TETON HEXAGON SOCKET SET SCREWS DOG POINT GEWINDESTIFTE MIT INNENSECHSKANT UND ZAPPEN ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR PUNTA PIVOTE	62206 p. 126								
ISO 4029 (similar DIN 916, NFE 27-183, UNI 5929)		VIS SANS TETE SIX PANS CREUX BOUT CUVETTE HEXAGON SOCKET SET SCREWS CUP POINT GEWINDESTIFTE MIT INNENSECHSKANT UND RINGSCHNEIDE ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA HUECA	62207 p. 127	64207 p. 129							
DIN 976 (NFE 25-136)		TIGES FILETEES - LONGUEUR 1 METRE THREADED RODS - 1 METER LENGTH GEWINDESTANGEN - 1 METER LANG VARILLAS ROSCADAS - LARGO 1 METRO	62650 p. 130	64650 p. 131	66650 p. 132	65650 p. 132	62659 p. 135				
DIN 976 (NFE 25-136)		TIGES FILETEES - LONGUEUR 2 METRES THREADED RODS - 2 METERS LENGTH GEWINDESTANGEN - 2 METER LANG VARILLAS ROSCADAS - LARGO 2 METROS	62651 p. 133	64651 p. 133							
DIN 976 (NFE 25-136)		TIGES FILETEES - LONGUEUR 3 METRES THREADED RODS - 3 METERS LENGTH GEWINDESTANGEN - 3 METER LANG VARILLAS ROSCADAS - LARGO 3 METROS	62652 p. 134	64652 p. 134							
DIN 976 (NFE 25-136)		TIGES FILETEES PAS A GAUCHE - LONGUEUR 1 METRE THREADED RODS LEFT HAND THREAD - 1 METER LENGTH GEWINDESTANGEN LINKSGEWINDE - 1 METER LANG VARILLAS ROSCADAS ROSCA IZQUIERDA - LARGO 1 METRO	62649 p. 135								
UNC (Unified National Coarse)		TIGES FILETEES -UNC- LONGUEUR 3 PIEDS THREADED RODS -UNC- 3 FEET LENGTH GEWINDESTAGEN -UNC- 3 FUSS LANG VARILLAS ROSCADAS -UNC- LARGO 3 PIES	62655 p. 136								

Inox A2

62 101

DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL


HEXAGON HEAD SCREWS FULL THREAD

SECHSKANTSCHRAUBEN VOLLGEWINDE

TORNILLOS CABEZA HEXAGONAL ROSCA TOTAL

Disponible en petit conditionnement
Voir chapitre Coffrets / Artinox

ARTINOX
SPECIAL PACKAGING



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
e	4,32	5,45	6,01	7,66	8,79	11,05	14,38	18,9	21,1	24,49	26,75	30,14	33,53	35,72	39,98	45,2	50,85	55,37	60,79
k	1,4	1,7	2	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5
s	4	5	5,5	7	8	10	13	17	19	22	24	27	30	32	36	41	46	50	55
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5	2,5	2,5	3	3	3,5	3,5	4

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	621012X4	100	0,021	4X70	621014X70	100	0,628
2X5	621012X5	100	0,023	5X6	621015X6	200	0,218
2X6	621012X6	100	0,025	5X8	621015X8	200	0,238
2X8	621012X8	100	0,029	5X10	621015X10	200	0,263
2X10	621012X10	100	0,033	5X12	621015X12	200	0,287
2X12	621012X12	100	0,036	5X14	621015X14	200	0,312
2X16	621012X16	100	0,042	5X16	621015X16	200	0,337
2X20	621012X20	100	0,046	5X18	621015X18	200	0,362
2,5X4	621012,5X4	100	0,040	5X20	621015X20	200	0,387
2,5X5	621012,5X5	100	0,043	5X22	621015X22	200	0,412
2,5X6	621012,5X6	100	0,046	5X25	621015X25	200	0,449
2,5X8	621012,5X8	100	0,052	5X30	621015X30	200	0,511
2,5X10	621012,5X10	100	0,058	5X35	621015X35	200	0,573
2,5X12	621012,5X12	100	0,064	5X40	621015X40	200	0,635
2,5X16	621012,5X16	100	0,076	5X45	621015X45	200	0,699
2,5X20	621012,5X20	100	0,088	5X50	621015X50	200	0,759
3X5	621013X5	200	0,053	5X55	621015X55	200	0,821
3X6	621013X6	200	0,057	5X60	621015X60	200	0,883
3X8	621013X8	200	0,066	5X70	621015X70	200	1,010
3X10	621013X10	200	0,075	5X80	621015X80	200	1,130
3X12	621013X12	200	0,084	6X8	621016X8	200	0,374
3X14	621013X14	200	0,092	6X10	621016X10	200	0,408
3X16	621013X16	200	0,100	6X12	621016X12	200	0,442
3X18	621013X18	200	0,109	6X14	621016X14	200	0,476
3X20	621013X20	200	0,118	6X16	621016X16	200	0,511
3X22	621013X22	200	0,127	6X18	621016X18	200	0,545
3X25	621013X25	200	0,140	6X20	621016X20	200	0,580
3X30	621013X30	200	0,161	6X22	621016X22	200	0,615
3X35	621013X35	200	0,182	6X25	621016X25	200	0,665
3X40	621013X40	200	0,201	6X30	621016X30	200	0,751
4X6	621014X6	200	0,133	6X35	621016X35	200	0,837
4X8	621014X8	200	0,149	6X40	621016X40	200	0,923
4X10	621014X10	200	0,164	6X45	621016X45	100	1,010
4X12	621014X12	200	0,180	6X50	621016X50	100	1,100
4X14	621014X14	200	0,195	6X55	621016X55	100	1,190
4X16	621014X16	200	0,210	6X60	621016X60	100	1,270
4X18	621014X18	200	0,225	6X65	621016X65	100	1,360
4X20	621014X20	200	0,241	6X70	621016X70	100	1,440
4X22	621014X22	200	0,256	6X75	621016X75	100	1,530
4X25	621014X25	200	0,280	6X80	621016X80	100	1,620
4X30	621014X30	200	0,319	6X90	621016X90	100	1,788
4X35	621014X35	200	0,357	6X100	621016X100	100	1,957
4X40	621014X40	200	0,396	6X110	621016X110	100	2,130
4X45	621014X45	200	0,434	6X120	621016X120	100	2,306
4X50	621014X50	200	0,473	8X10	621018X10	200	0,910
4X60	621014X60	200	0,550	8X12	621018X12	200	0,980

PAGE SUIVANTE

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
8X14	621018X14	200	1,050	10X200	6210110X200	25	11,000
8X16	621018X16	200	1,110	12X16	6210112X16	100	2,770
8X18	621018X18	200	1,170	12X20	6210112X20	100	3,100
8X20	621018X20	200	1,230	12X25	6210112X25	100	3,410
8X22	621018X22	100	1,290	12X30	6210112X30	100	3,770
8X25	621018X25	100	1,390	12X35	6210112X35	100	4,130
8X30	621018X30	100	1,550	12X40	6210112X40	50	4,490
8X35	621018X35	100	1,710	12X45	6210112X45	50	4,850
8X40	621018X40	100	1,870	12X50	6210112X50	50	5,200
8X45	621018X45	100	2,030	12X55	6210112X55	50	5,560
8X50	621018X50	100	2,180	12X60	6210112X60	50	5,820
8X55	621018X55	100	2,340	12X65	6210112X65	50	6,280
8X60	621018X60	100	2,500	12X70	6210112X70	50	6,640
8X65	621018X65	100	2,660	12X75	6210112X75	50	7,000
8X70	621018X70	100	2,820	12X80	6210112X80	50	7,360
8X75	621018X75	100	2,980	12X85	6210112X85	50	7,720
8X80	621018X80	100	3,140	12X90	6210112X90	50	8,080
8X90	621018X90	100	3,460	12X100	6210112X100	50	8,800
8X100	621018X100	100	3,770	12X110	6210112X110	25	9,520
8X110	621018X110	50	4,090	12X120	6210112X120	25	10,200
8X120	621018X120	50	4,290	12X130	6210112X130	25	10,900
8X130	621018X130	50	4,620	12X140	6210112X140	25	11,600
8X140	621018X140	50	4,890	12X150	6210112X150	25	12,300
8X150	621018X150	50	5,220	12X160	6210112X160	25	13,100
8X160	621018X160	50	5,600	12X170	6210112X170	25	13,900
8X170	621018X170	50	5,870	12X180	6210112X180	25	14,700
8X180	621018X180	50	6,180	12X190	6210112X190	25	15,250
8X190	621018X190	50	6,445	12X200	6210112X200	25	16,000
8X200	621018X200	50	6,780	14X20	6210114X20	50	4,800

ISO 4017

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

10X10	6210110X10	100	1,620	14X25	6210114X25	50	5,300
10X12	6210110X12	100	1,720	14X30	6210114X30	50	5,790
10X16	6210110X16	100	1,920	14X35	6210114X35	50	6,290
10X20	6210110X20	100	2,120	14X40	6210114X40	50	6,790
10X25	6210110X25	100	2,370	14X45	6210114X45	50	7,290
10X30	6210110X30	100	2,620	14X50	6210114X50	50	7,790
10X35	6210110X35	100	2,870	14X55	6210114X55	50	8,280
10X40	6210110X40	100	3,120	14X60	6210114X60	50	8,780
10X45	6210110X45	100	3,370	14X65	6210114X65	50	9,280
10X50	6210110X50	100	3,620	14X70	6210114X70	50	9,790
10X55	6210110X55	100	3,870	14X75	6210114X75	50	10,200
10X60	6210110X60	50	4,130	14X80	6210114X80	50	10,700
10X65	6210110X65	50	4,380	14X90	6210114X90	50	11,700
10X70	6210110X70	50	4,630	14X100	6210114X100	25	12,700
10X75	6210110X75	50	4,880	14X110	6210114X110	25	13,700
10X80	6210110X80	50	5,130	14X120	6210114X120	25	14,700
10X85	6210110X85	50	5,380	14X130	6210114X130	25	15,700
10X90	6210110X90	50	5,630	14X140	6210114X140	25	16,700
10X100	6210110X100	50	6,130	14X150	6210114X150	25	17,700
10X110	6210110X110	50	6,640	16X20	6210116X20	50	6,350
10X120	6210110X120	50	7,140	16X25	6210116X25	50	7,020
10X130	6210110X130	50	7,640	16X30	6210116X30	50	7,690
10X140	6210110X140	50	8,140	16X35	6210116X35	50	8,350
10X150	6210110X150	50	8,640	16X40	6210116X40	50	9,020
10X160	6210110X160	50	9,100	16X45	6210116X45	50	9,710
10X170	6210110X170	25	9,700	16X50	6210116X50	25	10,300
10X180	6210110X180	25	10,100	16X55	6210116X55	25	11,000
10X190	6210110X190	25	10,540	16X60	6210116X60	25	11,700
				16X65	6210116X65	25	12,300
				16X70	6210116X70	25	13,000
				16X75	6210116X75	25	13,700
				16X80	6210116X80	25	14,400
				16X85	6210116X85	25	15,000

PAGE SUIVANTE

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
16X90	6210116X90	25	15,700	22X70	6210122X70	10	26,900
16X100	6210116X100	25	17,000	22X80	6210122X80	10	29,500
16X110	6210116X110	25	18,400	22X90	6210122X90	10	32,100
16X120	6210116X120	25	19,700	22X100	6210122X100	10	34,600
16X130	6210116X130	25	21,000	22X110	6210122X110	10	37,100
16X140	6210116X140	25	22,400	22X120	6210122X120	10	39,700
16X150	6210116X150	25	23,700	22X130	6210122X130	10	42,100
16X160	6210116X160	25	24,600	22X140	6210122X140	10	44,800
16X170	6210116X170	25	26,100	22X150	6210122X150	10	47,300
16X180	6210116X180	25	27,400	24X40	6210124X40	10	24,400
16X190	6210116X190	25	28,600	24X50	6210124X50	10	27,400
16X200	6210116X200	25	30,000	24X55	6210124X55	10	28,900
18X30	6210118X30	25	10,400	24X60	6210124X60	10	30,400
18X35	6210118X35	25	11,200	24X65	6210124X65	10	31,900
18X40	6210118X40	25	12,000	24X70	6210124X70	10	33,400
18X45	6210118X45	25	12,800	24X75	6210124X75	10	34,800
18X50	6210118X50	25	13,600	24X80	6210124X80	10	36,300
18X55	6210118X55	25	14,500	24X90	6210124X90	10	39,300
18X60	6210118X60	25	15,300	24X100	6210124X100	10	42,300
18X65	6210118X65	25	16,100	24X110	6210124X110	10	45,300
18X70	6210118X70	25	16,900	24X120	6210124X120	10	48,300
18X80	6210118X80	25	18,600	24X130	6210124X130	10	51,300
18X90	6210118X90	25	20,200	24X140	6210124X140	10	54,300
18X100	6210118X100	25	21,800	24X150	6210124X150	10	57,200
18X110	6210118X110	25	23,500	24X160	6210124X160	10	60,200
18X120	6210118X120	25	25,100	24X170	6210124X170	10	63,200
18X130	6210118X130	25	26,800	24X180	6210124X180	10	66,200
18X140	6210118X140	25	28,400	24X190	6210124X190	10	69,200
18X150	6210118X150	25	30,000	24X200	6210124X200	10	72,200
20X30	6210120X30	25	13,400	27X50	6210127X50	10	37,700
20X35	6210120X35	25	14,500	27X60	6210127X60	10	41,600
20X40	6210120X40	25	15,500	27X70	6210127X70	10	45,400
20X45	6210120X45	25	16,500	27X80	6210127X80	10	49,200
20X50	6210120X50	25	17,600	27X90	6210127X90	10	53,100
20X55	6210120X55	25	18,600	27X100	6210127X100	10	56,900
20X60	6210120X60	25	19,600	27X110	6210127X110	10	60,800
20X65	6210120X65	25	20,700	27X120	6210127X120	10	64,700
20X70	6210120X70	25	21,700	27X130	6210127X130	10	68,500
20X75	6210120X75	25	22,700	27X140	6210127X140	10	72,400
20X80	6210120X80	25	23,800	27X150	6210127X150	10	76,200
20X85	6210120X85	25	24,700	30X50	6210130X50	10	49,600
20X90	6210120X90	25	25,800	30X60	6210130X60	10	54,300
20X100	6210120X100	25	27,900	30X70	6210130X70	10	59,000
20X110	6210120X110	10	30,000	30X80	6210130X80	10	63,700
20X120	6210120X120	10	32,000	30X90	6210130X90	10	68,500
20X130	6210120X130	10	34,000	30X100	6210130X100	10	73,200
20X140	6210120X140	10	36,100	30X110	6210130X110	10	77,900
20X150	6210120X150	10	38,100	30X120	6210130X120	10	82,700
20X160	6210120X160	10	40,200	30X130	6210130X130	10	87,400
20X170	6210120X170	10	42,200	30X140	6210130X140	10	92,100
20X180	6210120X180	10	44,200	30X150	6210130X150	10	96,900
20X190	6210120X190	10	46,200	33X90	6210133X90	5	86,600
20X200	6210120X200	10	48,400	33X100	6210133X100	5	92,000

ISO 4017

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

22X40	6210122X40	10	19,300	36X100	6210136X100	5	114,000
22X45	6210122X45	10	20,600	36X110	6210136X110	5	120,000
22X50	6210122X50	10	21,900	36X120	6210136X120	5	126,000
22X55	6210122X55	10	23,200	36X130	6210136X130	5	133,000
22X60	6210122X60	10	24,400	36X150	6210136X150	5	147,000

Inox A4

64 101


DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

HEXAGON HEAD SCREWS FULL THREAD

SECHSKANTSCHRAUBEN VOLLGEWINDE

TORNILLOS CABEZA HEXAGONAL ROSCA TOTAL



d	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
e	5,45	6,01	7,66	8,79	11,05	14,38	18,9	21,1	24,49	26,75	30,14	33,53	35,72	39,98	45,2	50,85	55,37	60,79
k	1,7	2	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5
s	5	5,5	7	8	10	13	17	19	22	24	27	30	32	36	41	46	50	55
Pas	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5	2,5	2,5	3	3	3,5	3,5	4

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2,5X4	641012,5X4	100	0,040	5X55	641015X55	200	0,821
2,5X5	641012,5X5	100	0,043	5X60	641015X60	200	0,883
2,5X6	641012,5X6	100	0,046	5X70	641015X70	200	1,010
2,5X8	641012,5X8	100	0,052	5X80	641015X80	200	1,130
2,5X10	641012,5X10	100	0,058	6X8	641016X8	200	0,374
2,5X12	641012,5X12	100	0,064	6X10	641016X10	200	0,408
2,5X16	641012,5X16	100	0,076	6X12	641016X12	200	0,442
2,5X20	641012,5X20	100	0,088	6X14	641016X14	200	0,476
3X6	641013X6	200	0,057	6X16	641016X16	200	0,511
3X8	641013X8	200	0,066	6X18	641016X18	200	0,545
3X10	641013X10	200	0,075	6X20	641016X20	200	0,580
3X12	641013X12	200	0,084	6X25	641016X25	200	0,665
3X16	641013X16	200	0,100	6X30	641016X30	200	0,751
3X20	641013X20	200	0,118	6X35	641016X35	200	0,837
3X25	641013X25	200	0,140	6X40	641016X40	200	0,923
3X30	641013X30	200	0,161	6X45	641016X45	100	1,010
3X35	641013X35	200	0,182	6X50	641016X50	100	1,100
3X40	641013X40	200	0,201	6X55	641016X55	100	1,190
4X6	641014X6	200	0,133	6X60	641016X60	100	1,270
4X8	641014X8	200	0,149	6X65	641016X65	100	1,360
4X10	641014X10	200	0,164	6X70	641016X70	100	1,440
4X12	641014X12	200	0,180	6X75	641016X75	100	1,530
4X16	641014X16	200	0,210	6X80	641016X80	100	1,620
4X20	641014X20	200	0,241	6X90	641016X90	100	1,788
4X25	641014X25	200	0,280	6X100	641016X100	100	1,957
4X30	641014X30	200	0,319	6X110	641016X110	100	2,130
4X35	641014X35	200	0,357	6X120	641016X120	100	2,306
4X40	641014X40	200	0,396	8X10	641018X10	200	0,910
4X45	641014X45	200	0,434	8X12	641018X12	200	0,980
4X50	641014X50	200	0,473	8X16	641018X16	200	1,110
4X60	641014X60	200	0,550	8X18	641018X18	200	1,170
4X70	641014X70	100	0,628	8X20	641018X20	200	1,230
5X6	641015X6	200	0,218	8X25	641018X25	100	1,390
5X8	641015X8	200	0,238	8X30	641018X30	100	1,550
5X10	641015X10	200	0,263	8X35	641018X35	100	1,710
5X12	641015X12	200	0,287	8X40	641018X40	100	1,870
5X14	641015X14	200	0,312	8X45	641018X45	100	2,030
5X16	641015X16	200	0,337	8X50	641018X50	100	2,180
5X18	641015X18	200	0,362	8X55	641018X55	100	2,340
5X20	641015X20	200	0,387	8X60	641018X60	100	2,500
5X25	641015X25	200	0,449	8X65	641018X65	100	2,660
5X30	641015X30	200	0,511	8X70	641018X70	100	2,820
5X35	641015X35	200	0,573	8X75	641018X75	100	2,980
5X40	641015X40	200	0,635	8X80	641018X80	100	3,140
5X45	641015X45	200	0,699	8X90	641018X90	100	3,460
5X50	641015X50	200	0,759	8X100	641018X100	100	3,770

PAGE SUIVANTE

Tél. : +33 (0)4 77 73 35 43 - Fax : +33 (0)4 77 73 15 74 - www.acton.fr

Création Acton - Tous droits de reproduction réservés

Inox A4

64 101

DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
8X110	641018X110	50	4,090	12X170	6410112X170	25	13,900
8X120	641018X120	50	4,290	12X180	6410112X180	25	14,700
8X130	641018X130	50	4,620	12X190	6410112X190	25	15,250
8X140	641018X140	50	4,890	12X200	6410112X200	25	16,000
8X150	641018X150	50	5,220	14X20	6410114X20	50	4,800
8X160	641018X160	50	5,600	14X25	6410114X25	50	5,300
8X170	641018X170	50	5,870	14X30	6410114X30	50	5,790
8X180	641018X180	50	6,180	14X35	6410114X35	50	6,290

ISO 4017

Ø 10 S=16 - Ø 12 S=18

Ø 14 S=21 - Ø 22 S=34

10X16	6410110X16	100	1,920	14X40	6410114X40	50	6,790
10X20	6410110X20	100	2,120	14X45	6410114X45	50	7,290
10X25	6410110X25	100	2,370	14X50	6410114X50	50	7,790
10X30	6410110X30	100	2,620	14X55	6410114X55	50	8,280
10X35	6410110X35	100	2,870	14X60	6410114X60	50	8,780
10X40	6410110X40	100	3,120	14X65	6410114X65	50	9,280
10X45	6410110X45	100	3,370	14X70	6410114X70	50	9,790
10X50	6410110X50	100	3,620	14X80	6410114X80	50	10,700
10X55	6410110X55	100	3,870	14X90	6410114X90	50	11,700
10X60	6410110X60	50	4,130	14X100	6410114X100	25	12,700
10X65	6410110X65	50	4,380	14X110	6410114X110	25	13,700
10X70	6410110X70	50	4,630	14X120	6410114X120	25	14,700
10X75	6410110X75	50	4,880	14X130	6410114X130	25	15,700
10X80	6410110X80	50	5,130	14X140	6410114X140	25	16,700
10X85	6410110X85	50	5,380	14X150	6410114X150	25	17,700
10X90	6410110X90	50	5,630	16X20	6410116X20	50	6,350
10X100	6410110X100	50	6,130	16X25	6410116X25	50	7,020
10X110	6410110X110	50	6,640	16X30	6410116X30	50	7,690
10X120	6410110X120	50	7,140	16X35	6410116X35	50	8,350
10X130	6410110X130	50	7,640	16X40	6410116X40	50	9,020
10X140	6410110X140	50	8,140	16X45	6410116X45	50	9,710
10X150	6410110X150	50	8,640	16X50	6410116X50	25	10,300
10X160	6410110X160	50	9,100	16X55	6410116X55	25	11,000
10X170	6410110X170	25	9,700	16X60	6410116X60	25	11,700
10X180	6410110X180	25	10,100	16X65	6410116X65	25	12,300
10X190	6410110X190	25	10,540	16X70	6410116X70	25	13,000
10X200	6410110X200	25	11,000	16X75	6410116X75	25	13,700
12X16	6410112X16	100	2,770	16X80	6410116X80	25	14,400
12X20	6410112X20	100	3,100	16X90	6410116X90	25	15,700
12X25	6410112X25	100	3,410	16X100	6410116X100	25	17,000
12X30	6410112X30	100	3,770	16X110	6410116X110	25	18,400
12X35	6410112X35	100	4,130	16X120	6410116X120	25	19,700
12X40	6410112X40	50	4,490	16X130	6410116X130	25	21,000
12X45	6410112X45	50	4,850	16X140	6410116X140	25	22,400
12X50	6410112X50	50	5,200	16X150	6410116X150	25	23,700
12X55	6410112X55	50	5,560	16X160	6410116X160	25	24,600
12X60	6410112X60	50	5,820	16X170	6410116X170	25	26,100
12X65	6410112X65	50	6,280	16X180	6410116X180	25	27,400
12X70	6410112X70	50	6,640	16X190	6410116X190	25	28,600
12X75	6410112X75	50	7,000	16X200	6410116X200	25	30,000
12X80	6410112X80	50	7,360	18X30	6410118X30	25	10,400
12X90	6410112X90	50	8,080	18X35	6410118X35	25	11,200
12X100	6410112X100	50	8,800	18X40	6410118X40	25	12,000
12X110	6410112X110	25	9,520	18X45	6410118X45	25	12,800
12X120	6410112X120	25	10,200	18X50	6410118X50	25	13,600
12X130	6410112X130	25	10,900	18X55	6410118X55	25	14,500
12X140	6410112X140	25	11,600	18X60	6410118X60	25	15,300
12X150	6410112X150	25	12,300	18X65	6410118X65	25	16,100
12X160	6410112X160	25	13,100	18X70	6410118X70	25	16,900

PAGE SUIVANTE

Les côtes d'encombrement (mm) sont susceptibles de varier. Merci de nous consulter en cas de côtes précises. Prix hors taxes - Informations techniques et illustrations non contractuelles.

Dimensions (mm) can change without notice. Please get in contact with us for precise sizes. Prices without taxes - Technical details and pictures are not contractual.

Inox A4**64 101**

DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
18X130	6410118X130	25	26,800	24X80	6410124X80	10	36,300
18X140	6410118X140	25	28,400	24X90	6410124X90	10	39,300
18X150	6410118X150	25	30,000	24X100	6410124X100	10	42,300
20X30	6410120X30	25	13,400	24X110	6410124X110	10	45,300
20X35	6410120X35	25	14,500	24X120	6410124X120	10	48,300
20X40	6410120X40	25	15,700	24X130	6410124X130	10	51,300
20X45	6410120X45	25	16,500	24X140	6410124X140	10	54,300
20X50	6410120X50	25	17,600	24X150	6410124X150	10	57,200
20X55	6410120X55	25	18,600	24X160	6410124X160	10	60,200
20X60	6410120X60	25	19,600	24X170	6410124X170	10	63,200
20X65	6410120X65	25	20,700	24X180	6410124X180	10	66,200
20X70	6410120X70	25	21,900	24X190	6410124X190	10	69,200
20X75	6410120X75	25	22,700	24X200	6410124X200	10	72,200
20X80	6410120X80	25	23,800	27X50	6410127X50	10	37,700
20X90	6410120X90	25	25,800	27X60	6410127X60	10	41,600
20X100	6410120X100	25	27,900	27X70	6410127X70	10	45,400
20X110	6410120X110	10	30,000	27X80	6410127X80	10	49,200
20X120	6410120X120	10	32,000	27X90	6410127X90	10	53,100
20X130	6410120X130	10	34,000	27X100	6410127X100	10	56,900
20X140	6410120X140	10	36,100	27X110	6410127X110	10	60,800
20X150	6410120X150	10	38,100	27X120	6410127X120	10	64,700
20X160	6410120X160	10	40,200	27X130	6410127X130	10	68,500
20X170	6410120X170	10	42,200	27X140	6410127X140	10	72,400
20X180	6410120X180	10	44,200	27X150	6410127X150	10	76,200
20X190	6410120X190	10	46,200	30X60	6410130X60	10	54,300
20X200	6410120X200	10	48,400	30X70	6410130X70	10	59,000

ISO 4017

Ø 10 S=16 - Ø 12 S=18

Ø 14 S=21 - Ø 22 S=34

22X50	6410122X50	10	21,900	30X130	6410130X130	10	87,400
22X60	6410122X60	10	24,400	30X140	6410130X140	10	92,100
22X70	6410122X70	10	26,900	30X150	6410130X150	5	96,900
22X80	6410122X80	10	29,500	33X90	6410133X90	5	86,600
22X90	6410122X90	10	32,100	33X100	6410133X100	5	92,000
22X100	6410122X100	10	34,600	33X110	6410133X110	5	97,800
22X110	6410122X110	10	37,100	33X120	6410133X120	5	104,000
22X120	6410122X120	10	39,700	33X150	6410133X150	5	98,000
24X40	6410124X40	10	24,400	36X90	6410136X90	5	106,000
24X50	6410124X50	10	27,400	36X100	6410136X100	5	114,000
24X55	6410124X55	10	28,900	36X110	6410136X110	5	120,000
24X60	6410124X60	10	30,400	36X120	6410136X120	5	126,000
24X65	6410124X65	10	31,900	36X130	6410136X130	5	133,000
24X70	6410124X70	10	33,400	36X140	6410136X140	5	140,000
24X75	6410124X75	10	34,800	36X150	6410136X150	5	147,000

Inox A4-80**65 101**


DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

HEXAGON HEAD SCREWS FULL THREAD

SECHSKANTSCHRAUBEN VOLLGEWINDE

TORNILLOS CABEZA HEXAGONAL ROSCA TOTAL



d	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20
e	8,79	11,05	14,38	18,9	21,1	24,49	26,75	33,53
k	3,5	4	5,3	6,4	7,5	8,8	10	12,5
s	8	10	13	17	19	22	24	30
Pas	0,8	1	1,25	1,5	1,75	2	2	2,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X8	651015X8	200	0,253	10X16	6510110X16	100	1,920
5X10	651015X10	200	0,263	10X20	6510110X20	100	2,120
5X12	651015X12	200	0,287	10X25	6510110X25	100	2,370
5X16	651015X16	200	0,337	10X30	6510110X30	100	2,620
5X20	651015X20	200	0,387	10X35	6510110X35	100	2,870
5X25	651015X25	200	0,449	10X40	6510110X40	100	3,120
5X30	651015X30	200	0,511	10X45	6510110X45	100	3,370
5X35	651015X35	200	0,573	10X50	6510110X50	100	3,620
5X40	651015X40	200	0,635	10X55	6510110X55	100	3,870
5X45	651015X45	200	0,699	10X60	6510110X60	50	4,130
5X50	651015X50	200	0,759	10X65	6510110X65	50	4,380
6X10	651016X10	200	0,408	10X70	6510110X70	50	4,630
6X12	651016X12	200	0,442	10X80	6510110X80	50	5,130
6X16	651016X16	200	0,511	10X90	6510110X90	50	5,630
6X20	651016X20	200	0,580	10X100	6510110X100	50	6,130
6X25	651016X25	200	0,665	10X110	6510110X110	50	6,640
6X30	651016X30	200	0,751	10X120	6510110X120	50	7,140
6X35	651016X35	200	0,837	12X20	6510112X20	100	3,100
6X40	651016X40	200	0,923	12X25	6510112X25	100	3,410
6X45	651016X45	100	1,010	12X30	6510112X30	100	3,770
6X50	651016X50	100	1,100	12X35	6510112X35	100	4,130
6X60	651016X60	100	1,270	12X40	6510112X40	50	4,490
6X70	651016X70	100	1,440	12X45	6510112X45	50	4,850
6X80	651016X80	100	1,620	12X50	6510112X50	50	5,200
6X90	651016X90	100	1,790	12X55	6510112X55	50	5,560
8X10	651018X10	200	0,910	12X60	6510112X60	50	5,820
8X12	651018X12	200	0,980	12X65	6510112X65	50	6,280
8X16	651018X16	200	1,110	12X70	6510112X70	50	6,640
8X20	651018X20	200	1,230	12X80	6510112X80	50	7,360
8X25	651018X25	100	1,390	12X90	6510112X90	50	8,080
8X30	651018X30	100	1,550	12X100	6510112X100	50	8,800
8X35	651018X35	100	1,710	12X110	6510112X110	25	10,200
8X40	651018X40	100	1,870	14X20	6510114X20	50	4,800
8X45	651018X45	100	2,030	14X25	6510114X25	50	5,300
8X50	651018X50	100	2,180	14X30	6510114X30	50	5,790
8X55	651018X55	100	2,340	14X35	6510114X35	50	6,290
8X60	651018X60	100	2,500	14X40	6510114X40	50	6,790
8X70	651018X70	100	2,820	14X45	6510114X45	50	7,290
8X80	651018X80	100	3,140	14X50	6510114X50	50	7,790
8X90	651018X90	100	3,460	14X55	6510114X55	50	8,210
8X100	651018X100	100	3,770	14X60	6510114X60	50	8,780

ISO 4017

Ø 10 S=16 - Ø 12 S=18 - Ø 14 S=21

PAGE SUIVANTE

Inox A4-80

65 101

DIN 933 - (similar ISO 4017, NFE 25-114, UNI 5739)

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
16X30	6510116X30	50	7,690	20X30	6510120X30	25	13,400
16X35	6510116X35	50	8,350	20X35	6510120X35	25	14,500
16X40	6510116X40	50	8,470	20X40	6510120X40	25	15,500
16X45	6510116X45	50	9,710	20X45	6510120X45	25	16,500
16X50	6510116X50	25	10,300	20X50	6510120X50	25	17,600
16X55	6510116X55	25	11,000	20X55	6510120X55	25	18,600
16X60	6510116X60	25	11,700	20X60	6510120X60	25	19,600
16X65	6510116X65	25	12,300	20X65	6510120X65	25	20,700
16X70	6510116X70	25	13,000	20X70	6510120X70	25	21,700
16X80	6510116X80	25	14,400	20X80	6510120X80	25	23,800
16X90	6510116X90	25	15,700	20X90	6510120X90	25	25,800
16X100	6510116X100	25	17,000	20X100	6510120X100	25	27,900
16X110	6510116X110	25	18,568	20X120	6510120X120	10	32,000
16X120	6510116X120	25	19,700	20X130	6510120X130	10	34,884
16X130	6510116X130	25	21,00	20X140	6510120X140	10	36,100
16X140	6510116X140	25	22,400				


Inox A4-80

65 104

ISO 4017

VIS A METAUX TETE HEXAGONALE FILETAGE TOTAL

HEXAGON HEAD SCREWS FULL THREAD
SECHSKANTSCHRAUBEN VOLLGEWINDE
TORNILLOS CABEZA HEXAGONAL ROSCA TOTAL



d	M 10	M 12
e	17,77	20,03
k	6,4	7,5
s	16	18
Pas	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
10X20	6510410X20	100	2,120	10X100	6510410X100	50	6,130
10X25	6510410X25	100	2,370	12X20	6510412X20	100	3,100
10X30	6510410X30	100	2,620	12X25	6510412X25	100	3,410
10X35	6510410X35	100	2,870	12X30	6510412X30	100	3,770
10X40	6510410X40	100	3,120	12X35	6510412X35	100	4,130
10X45	6510410X45	100	3,370	12X40	6510412X40	50	4,490
10X50	6510410X50	100	3,620	12X45	6510412X45	50	4,850
10X60	6510410X60	50	4,130	12X50	6510412X50	50	5,200
10X70	6510410X70	50	4,630	12X60	6510412X60	50	5,820
10X80	6510410X80	50	5,130	12X70	6510412X70	50	6,640
10X90	6510410X90	50	5,630	12X80	6510412X80	50	7,360


Inox A2

62 102

DIN 931 - (similar ISO 4014, NFE 25-112, UNI 5737)

VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL

HEXAGON HEAD BOLTS PARTIAL THREAD
SECHSKANTSCHRAUBEN TEILGEWINDE
TORNILLOS CABEZA HEXAGONAL ROSCA PARCIAL



d	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
e	8,79	11,05	14,38	18,9	21,1	24,49	26,75	30,14	33,53	35,72	39,98	45,2	50,85	55,37	60,79
k	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	21	22,5
s	8	10	13	17	19	22	24	27	30	32	36	41	46	50	55
Pas	0,8	1	1,25	1,5	1,75	2	2	2,5	2,5	2,5	3	3	3,5	3,5	4
b (L<= 125)	16	18	22	26	30	34	38	42	46	50	54	60	66	72	78
b (125-200)	22	24	28	32	36	40	44	48	52	56	60	66	72	78	84
b (L>200)	-	-	-	45	49	53	57	61	65	69	73	79	85	91	97

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X25	621025X25	200	0,486	8X85	621028X85	50	3,760
5X30	621025X30	200	0,564	8X90	621028X90	50	3,960
5X35	621025X35	200	0,642	8X100	621028X100	50	4,350
5X40	621025X40	100	0,720	8X110	621028X110	50	4,550
5X45	621025X45	100	0,798	8X120	621028X120	50	4,750
5X50	621025X50	100	0,876	8X130	621028X130	50	4,950
5X55	621025X55	100	0,890	8X140	621028X140	50	5,150
5X60	621025X60	100	1,030	8X150	621028X150	50	5,350
5X70	621025X70	100	1,180	8X160	621028X160	50	5,560
5X80	621025X80	100	1,340	8X170	621028X170	50	6,820
6X25	621026X25	100	0,700	8X180	621028X180	50	5,960
6X30	621026X30	100	0,806	8X190	621028X190	50	6,160
6X35	621026X35	100	0,913	8X200	621028X200	50	8,100
6X40	621026X40	100	1,020	8X210	621028X210	25	6,550
6X45	621026X45	100	1,130	8X220	621028X220	25	6,750
6X50	621026X50	100	1,230				
6X55	621026X55	100	1,340				
6X60	621026X60	100	1,440				
6X65	621026X65	100	1,540				
6X70	621026X70	100	1,650				
6X75	621026X75	100	1,750				
6X80	621026X80	100	1,860				
6X90	621026X90	100	2,070				
6X100	621026X100	100	2,280				
6X110	621026X110	100	2,480				
6X120	621026X120	100	2,690				
6X130	621026X130	100	2,890				
6X140	621026X140	100	3,100				
6X150	621026X150	100	3,300				
6X160	621026X160	50	3,510				
6X170	621026X170	50	3,710				
6X180	621026X180	50	3,920				
8X30	621028X30	100	1,530				
8X35	621028X35	100	1,820				
8X40	621028X40	100	2,030				
8X45	621028X45	100	2,220				
8X50	621028X50	100	2,420				
8X55	621028X55	100	2,580				
8X60	621028X60	100	2,780				
8X65	621028X65	100	2,980				
8X70	621028X70	50	3,180				
8X75	621028X75	50	3,370				
8X80	621028X80	50	3,570				

ISO 4014

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

10X35	6210210X35	100	3,020
10X40	6210210X40	100	3,500
10X45	6210210X45	100	3,800
10X50	6210210X50	100	4,110
10X55	6210210X55	100	4,380
10X60	6210210X60	50	4,690
10X65	6210210X65	50	5,000
10X70	6210210X70	50	5,310
10X75	6210210X75	50	5,620
10X80	6210210X80	50	5,930
10X85	6210210X85	50	6,240
10X90	6210210X90	50	6,550
10X100	6210210X100	50	7,170
10X110	6210210X110	50	7,790
10X120	6210210X120	50	8,410
10X130	6210210X130	50	9,030
10X140	6210210X140	50	9,650
10X150	6210210X150	50	10,270
10X160	6210210X160	25	10,890
10X170	6210210X170	25	11,510
10X180	6210210X180	25	12,130
10X190	6210210X190	25	12,750
10X200	6210210X200	25	13,370

PAGE SUIVANTE

VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100
10X210	6210210X210	25	13,990
10X220	6210210X220	25	14,610

ISO 4014

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

12X40	6210212X40	50	4,770
12X45	6210212X45	50	5,360
12X50	6210212X50	50	5,810
12X55	6210212X55	50	6,260
12X60	6210212X60	50	6,700
12X65	6210212X65	50	7,030
12X70	6210212X70	50	7,410
12X75	6210212X75	50	7,910
12X80	6210212X80	50	8,360
12X85	6210212X85	50	8,810
12X90	6210212X90	50	9,240
12X100	6210212X100	50	10,100
12X110	6210212X110	25	10,900
12X120	6210212X120	25	11,800
12X130	6210212X130	25	12,700
12X140	6210212X140	25	13,600
12X150	6210212X150	25	14,500
12X160	6210212X160	25	15,400
12X170	6210212X170	25	16,300
12X180	6210212X180	25	17,200
12X190	6210212X190	25	18,100
12X200	6210212X200	25	19,000
12X210	6210212X210	10	19,900
12X220	6210212X220	10	20,800
12X230	6210212X230	10	21,700
12X240	6210212X240	10	22,600
12X250	6210212X250	10	23,500
12X260	6210212X260	10	24,400
12X270	6210212X270	10	25,300
12X280	6210212X280	10	26,200
12X290	6210212X290	10	27,000
12X300	6210212X300	10	28,000
14X45	6210214X45	50	7,285
14X50	6210214X50	50	8,200
14X55	6210214X55	50	8,810
14X60	6210214X60	50	9,410
14X65	6210214X65	50	9,880
14X70	6210214X70	50	10,500
14X75	6210214X75	25	11,100
14X80	6210214X80	25	11,700
14X90	6210214X90	25	12,700
14X100	6210214X100	25	13,900
14X110	6210214X110	25	15,100
14X120	6210214X120	25	16,400
14X130	6210214X130	25	17,400
14X140	6210214X140	25	18,500
14X150	6210214X150	25	19,600
14X160	6210214X160	25	20,700
14X180	6210214X180	25	23,550
14X200	6210214X200	25	26,000
16X45	6210216X45	25	9,750
16X50	6210216X50	25	10,400
16X55	6210216X55	25	11,500
16X60	6210216X60	25	12,300
16X65	6210216X65	25	13,100

16X70	6210216X70	25	13,900
16X75	6210216X75	25	14,700
16X80	6210216X80	25	15,500
16X85	6210216X85	25	16,300
16X90	6210216X90	25	17,100
16X100	6210216X100	25	18,600
16X110	6210216X110	25	20,200
16X120	6210216X120	25	21,800
16X130	6210216X130	25	23,000
16X140	6210216X140	25	24,600
16X150	6210216X150	25	26,200
16X160	6210216X160	10	27,800
16X170	6210216X170	10	29,400
16X180	6210216X180	10	31,000
16X190	6210216X190	10	32,600
16X200	6210216X200	10	34,200
16X210	6210216X210	10	35,800
16X220	6210216X220	10	37,400
16X230	6210216X230	10	39,000
16X240	6210216X240	10	40,600
16X250	6210216X250	10	42,200
16X260	6210216X260	10	43,800
16X270	6210216X270	10	45,400
16X280	6210216X280	10	47,000
16X290	6210216X290	10	48,600
16X300	6210216X300	10	50,200
18X60	6210218X60	25	16,100
18X65	6210218X65	25	17,100
18X70	6210218X70	25	18,100
18X80	6210218X80	25	20,000
18X90	6210218X90	25	22,000
18X100	6210218X100	25	24,000
18X110	6210218X110	25	26,000
18X120	6210218X120	25	28,000
18X130	6210218X130	25	29,600
18X140	6210218X140	25	31,600
18X150	6210218X150	25	33,600
18X160	6210218X160	10	35,600
18X170	6210218X170	10	37,600
18X180	6210218X180	10	39,600
18X190	6210218X190	10	41,500
18X200	6210218X200	10	43,500
20X60	6210220X60	25	20,700
20X65	6210220X65	25	21,900
20X70	6210220X70	25	23,100
20X75	6210220X75	25	24,300
20X80	6210220X80	25	25,500
20X85	6210220X85	25	26,700
20X90	6210220X90	25	27,900
20X100	6210220X100	25	30,300
20X110	6210220X110	10	32,700
20X120	6210220X120	10	35,100
20X130	6210220X130	10	37,400
20X140	6210220X140	10	39,800
20X150	6210220X150	10	42,200
20X160	6210220X160	10	44,600
20X170	6210220X170	10	47,000
20X180	6210220X180	10	49,400
20X190	6210220X190	10	51,900
20X200	6210220X200	10	54,400
20X210	6210220X210	10	56,800
20X220	6210220X220	10	59,400

PAGE SUIVANTE

VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100
20X230	6210220X230	10	61,800
20X240	6210220X240	10	64,400
20X250	6210220X250	10	66,500
20X260	6210220X260	10	69,400
20X270	6210220X270	10	71,900
20X280	6210220X280	10	74,400
20X290	6210220X290	10	76,900
20X300	6210220X300	10	79,400

ISO 4014

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

22X70	6210222X70	10	28,100
22X80	6210222X80	10	31,100
22X90	6210222X90	10	34,100
22X100	6210222X100	10	37,000
22X110	6210222X110	10	40,000
22X120	6210222X120	10	43,000
22X130	6210222X130	10	45,000
22X140	6210222X140	10	48,000
22X150	6210222X150	10	51,000
22X160	6210222X160	10	54,000
22X170	6210222X170	10	57,000
22X180	6210222X180	10	60,000
22X190	6210222X190	10	63,000
22X200	6210222X200	10	66,000
24X70	6210224X70	10	33,900
24X80	6210224X80	10	39,200
24X90	6210224X90	10	42,800
24X100	6210224X100	10	46,400
24X110	6210224X110	10	50,000
24X120	6210224X120	10	53,500
24X130	6210224X130	10	56,000
24X140	6210224X140	10	59,500
24X150	6210224X150	10	63,000
24X160	6210224X160	10	66,500
24X170	6210224X170	10	70,000
24X180	6210224X180	10	73,500
24X190	6210224X190	10	77,000
24X200	6210224X200	10	80,500
24X210	6210224X210	10	84,000
24X220	6210224X220	10	87,000
24X230	6210224X230	10	90,200
24X240	6210224X240	10	93,500
24X250	6210224X250	10	96,700
24X260	6210224X260	5	99,900
24X270	6210224X270	5	103,100
24X280	6210224X280	5	106,400
24X290	6210224X290	5	109,700
24X300	6210224X300	5	113,000
27X80	6210227X80	10	51,100
27X90	6210227X90	10	55,700
27X100	6210227X100	10	60,300
27X110	6210227X110	10	65,000
27X120	6210227X120	10	69,500
27X130	6210227X130	10	72,000
27X140	6210227X140	10	76,500

27X150	6210227X150	10	81,000
27X160	6210227X160	10	85,500
27X170	6210227X170	10	90,000
27X180	6210227X180	10	94,500
27X190	6210227X190	10	99,000
27X200	6210227X200	10	103,000
27X210	6210227X210	5	108,000
27X220	6210227X220	5	113,000
27X230	6210227X230	5	118,000
27X240	6210227X240	5	122,000
27X250	6210227X250	5	127,000
30X80	6210230X80	10	65,700
30X90	6210230X90	10	71,200
30X100	6210230X100	10	76,700
30X110	6210230X110	10	82,300
30X120	6210230X120	10	88,000
30X130	6210230X130	10	92,000
30X140	6210230X140	10	97,500
30X150	6210230X150	10	103,000
30X160	6210230X160	5	108,500
30X170	6210230X170	5	114,000
30X180	6210230X180	5	120,000
30X190	6210230X190	5	125,000
30X200	6210230X200	5	131,000
30X210	6210230X210	5	136,500
30X220	6210230X220	5	142,000
30X230	6210230X230	5	147,500
30X240	6210230X240	5	153,000
30X250	6210230X250	5	158,500
33X100	6210233X100	5	95,100
33X110	6210233X110	5	102,000
33X120	6210233X120	5	109,000
33X130	6210233X130	5	115,000
33X140	6210233X140	5	122,000
33X150	6210233X150	5	129,000
33X160	6210233X160	5	135,000
33X170	6210233X170	5	141,000
33X180	6210233X180	5	148,000
33X190	6210233X190	5	154,000
33X200	6210233X200	5	161,000
36X100	6210236X100	5	116,000
36X110	6210236X110	5	124,000
36X120	6210236X120	5	132,000
36X130	6210236X130	5	139,000
36X140	6210236X140	5	147,000
36X150	6210236X150	5	155,000
36X160	6210236X160	5	163,000
36X170	6210236X170	5	171,000
36X180	6210236X180	5	179,000
36X190	6210236X190	5	187,000
36X200	6210236X200	5	195,000
36X210	6210236X210	5	203,000
36X220	6210236X220	5	211,000
36X230	6210236X230	5	219,000
36X240	6210236X240	5	227,000
36X250	6210236X250	5	243,000
36X300	6210236X300	5	275,000

64 102


Inox A4

64 102

DIN 931 - (similar ISO 4014, NFE 25-112, UNI 5737)

VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL

PAGE PRECEDENTE



d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X30	641025X30	200	0,564	8X130	641028X130	50	4,950
5X35	641025X35	200	0,642	8X140	641028X140	50	5,150
5X40	641025X40	100	0,720	8X150	641028X150	50	5,350
5X45	641025X45	100	0,798	8X160	641028X160	50	5,560
5X50	641025X50	100	0,876	8X170	641028X170	50	6,820
5X55	641025X55	100	0,954	8X180	641028X180	50	5,960
5X60	641025X60	100	1,030	8X190	641028X190	50	6,160
5X70	641025X70	100	1,180	8X200	641028X200	50	8,100
5X80	641025X80	100	1,340	8X210	641028X210	25	6,555
6X30	641026X30	100	0,800	8X220	641028X220	25	6,750
6X35	641026X35	100	0,806	! ISO 4014 Ø 10 S=16 - Ø 12 S=18 Ø 14 S=21 - Ø 22 S=34			
6X40	641026X40	100	0,913				
6X45	641026X45	100	1,020				
6X50	641026X50	100	1,130				
6X55	641026X55	100	1,230				
6X60	641026X60	100	1,340	10X35	6410210X35	100	3,200
6X65	641026X65	100	1,440	10X40	6410210X40	100	3,500
6X70	641026X70	100	1,650	10X45	6410210X45	100	3,800
6X75	641026X75	100	1,750	10X50	6410210X50	100	4,110
6X80	641026X80	100	1,860	10X55	6410210X55	100	4,380
6X90	641026X90	100	2,070	10X60	6410210X60	50	4,690
6X100	641026X100	100	2,280	10X65	6410210X65	50	5,000
6X110	641026X110	100	2,480	10X70	6410210X70	50	5,310
6X120	641026X120	100	2,690	10X75	6410210X75	50	5,620
6X130	641026X130	100	2,890	10X80	6410210X80	50	5,930
6X140	641026X140	100	3,100	10X85	6410210X85	50	6,240
6X150	641026X150	100	3,300	10X90	6410210X90	50	6,550
8X30	641028X30	100	1,630	10X100	6410210X100	50	7,170
8X35	641028X35	100	1,820	10X110	6410210X110	50	7,190
8X40	641028X40	100	2,030	10X120	6410210X120	50	8,410
8X45	641028X45	100	2,220	10X130	6410210X130	50	9,030
8X50	641028X50	100	2,420	10X140	6410210X140	50	9,650
8X55	641028X55	100	2,580	10X150	6410210X150	50	10,270
8X60	641028X60	100	2,780	10X160	6410210X160	25	10,890
8X65	641028X65	100	2,980	10X170	6410210X170	25	11,510
8X70	641028X70	50	3,180	10X180	6410210X180	25	12,130
8X75	641028X75	50	3,370	10X190	6410210X190	25	12,750
8X80	641028X80	50	3,570	10X200	6410210X200	25	13,370
8X90	641028X90	50	3,960	10X210	6410210X210	25	13,990
8X100	641028X100	50	4,350	10X220	6410210X220	25	14,610
8X110	641028X110	50	4,550	12X40	6410212X40	50	4,770
8X120	641028X120	50	4,750	12X45	6410212X45	50	5,360

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

10X35	6410210X35	100	3,200
10X40	6410210X40	100	3,500
10X45	6410210X45	100	3,800
10X50	6410210X50	100	4,110
10X55	6410210X55	100	4,380
10X60	6410210X60	50	4,690
10X65	6410210X65	50	5,000
10X70	6410210X70	50	5,310
10X75	6410210X75	50	5,620
10X80	6410210X80	50	5,930
10X85	6410210X85	50	6,240
10X90	6410210X90	50	6,550
10X100	6410210X100	50	7,170
10X110	6410210X110	50	7,190
10X120	6410210X120	50	8,410
10X130	6410210X130	50	9,030
10X140	6410210X140	50	9,650
10X150	6410210X150	50	10,270
10X160	6410210X160	25	10,890
10X170	6410210X170	25	11,510
10X180	6410210X180	25	12,130
10X190	6410210X190	25	12,750
10X200	6410210X200	25	13,370
10X210	6410210X210	25	13,990
10X220	6410210X220	25	14,610
12X40	6410212X40	50	4,770
12X45	6410212X45	50	5,360

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

14X45	6410214X45	50	7,285
14X50	6410214X50	50	8,200
14X55	6410214X55	50	8,810
14X60	6410214X60	50	9,410
14X65	6410214X65	50	9,880
14X70	6410214X70	50	10,500
14X80	6410214X80	25	11,700
14X90	6410214X90	25	12,700
14X100	6410214X100	25	13,900
14X110	6410214X110	25	15,100
14X120	6410214X120	25	16,400
14X130	6410214X130	25	17,400
14X140	6410214X140	25	18,500
14X150	6410214X150	25	19,600
14X160	6410214X160	25	20,700
16X50	6410216X50	25	10,700
16X55	6410216X55	25	11,500
16X60	6410216X60	25	12,300
16X65	6410216X65	25	13,100
16X70	6410216X70	25	13,900
16X75	6410216X75	25	14,700
16X80	6410216X80	25	15,500
16X85	6410216X85	25	16,280
16X90	6410216X90	25	17,100
16X100	6410216X100	25	18,600
16X110	6410216X110	25	20,200
16X120	6410216X120	25	21,800
16X130	6410216X130	25	23,000

PAGE SUIVANTE

VIS A METAUX TETE HEXAGONALE FILETAGE PARTIEL


PAGE PRECEDENTE

ISO 4014

Ø 10 S=16 - Ø 12 S=18
Ø 14 S=21 - Ø 22 S=34

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
22X80	6410222X80	10	31,100	27X160	6410227X160	10	85,500
22X90	6410222X90	10	34,100	27X170	6410227X170	10	90,000
22X100	6410222X100	10	37,000	27X180	6410227X180	10	94,500
22X110	6410222X110	10	40,000	27X190	6410227X190	10	99,000
22X120	6410222X120	10	43,000	27X200	6410227X200	10	103,000
22X130	6410222X130	10	45,000	27X210	6410227X210	5	108,000
22X140	6410222X140	10	48,000	27X220	6410227X220	5	113,000
22X150	6410222X150	10	51,000	27X230	6410227X230	5	118,000
22X160	6410222X160	10	54,000	27X240	6410227X240	5	122,000
22X170	6410222X170	10	57,000	27X250	6410227X250	5	127,000
22X180	6410222X180	10	60,000	30X90	6410230X90	10	71,200
22X190	6410222X190	10	63,000	30X100	6410230X100	10	76,700
22X200	6410222X200	10	66,000	30X110	6410230X110	10	82,300
24X70	6410224X70	10	33,900	30X120	6410230X120	10	88,000
24X80	6410224X80	10	39,200	30X130	6410230X130	10	92,000
24X85	6410224X85	10	40,760	30X140	6410230X140	10	97,500
24X90	6410224X90	10	42,800	30X150	6410230X150	10	103,000
24X100	6410224X100	10	46,400	30X160	6410230X160	5	108,500
24X110	6410224X110	10	50,000	30X170	6410230X170	5	114,000
24X120	6410224X120	10	53,500	30X180	6410230X180	5	120,000
24X130	6410224X130	10	56,000	30X190	6410230X190	5	125,000
24X140	6410224X140	10	59,500	30X200	6410230X200	5	131,000
24X150	6410224X150	10	63,000	30X210	6410230X210	5	136,000
24X160	6410224X160	10	66,500	30X220	6410230X220	5	142,000
24X170	6410224X170	10	70,000	30X230	6410230X230	5	147,500
24X180	6410224X180	10	73,500	30X240	6410230X240	5	153,000
24X190	6410224X190	10	77,000	30X250	6410230X250	5	158,500
24X200	6410224X200	10	80,500	33X90	6410233X90	5	64,000
24X210	6410224X210	10	84,000	33X100	6410233X100	5	95,100
24X220	6410224X220	10	87,000	33X110	6410233X110	5	102,000
24X230	6410224X230	10	90,200	33X120	6410233X120	5	109,000
24X240	6410224X240	10	93,500	33X130	6410233X130	5	115,000
24X250	6410224X250	10	96,700	33X140	6410233X140	5	122,000
24X260	6410224X260	5	99,900	33X150	6410233X150	5	129,000
24X270	6410224X270	5	103,100	33X160	6410233X160	5	135,000
24X280	6410224X280	5	106,400	33X170	6410233X170	5	141,000
24X300	6410224X300	5	113,000	33X180	6410233X180	5	148,000
27X80	6410227X80	10	51,100	33X190	6410233X190	5	154,000
27X90	6410227X90	10	55,700	33X200	6410233X200	5	161,000
27X100	6410227X100	10	60,300	36X100	6410236X100	5	116,000
27X110	6410227X110	10	65,000	36X110	6410236X110	5	124,000
27X120	6410227X120	10	69,500	36X120	6410236X120	5	132,000
27X130	6410227X130	10	72,000	36X130	6410236X130	5	139,000
27X140	6410227X140	10	76,500	36X140	6410236X140	5	147,000
27X150	6410227X150	10	81,000	36X150	6410236X150	5	155,000
				36X160	6410236X160	5	163,000
				36X170	6410236X170	5	171,000
				36X180	6410236X180	5	179,000
				36X190	6410236X190	5	198,000
				36X200	6410236X200	5	195,000

VIS A METAUX TETE HEXAGONALE -UNC-

HEXAGON CAP SCREWS -UNC-
SECHSKANTSCHRAUBEN -UNC-
TORNILLOS DE CABEZA HEXAGONAL -UNC-

d	1/4	5/16	3/8	1/2	5/8
e	12,8	14,6	16,5	21,7	27
k	4	5	6	8	10
s	11	12,5	14,3	19	23,5
Pas	20	18	16	13	11

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1/4X3/4	621031/4X3/4	200	0,673	3/8X2-1/2	621033/8X2-1/2	50	3,626
1/4X1	621031/4X1	200	0,783	3/8X3	621033/8X3	50	4,050
1/4X1-1/2	621031/4X1-1/2	200	1,003	1/2X1-1/4	621031/2X1-1/4	50	4,280
1/4X2	621031/4X2	200	1,230	1/2X1-1/2	621031/2X1-1/2	50	4,750
1/4X2-1/2	621031/4X2-1/2	200	1,524	1/2X2	621031/2X2	50	5,800
1/4X3	621031/4X3	200	1,742	1/2X2-1/2	621031/2X2-1/2	50	6,800
5/16X1	621035/16X1	100	1,288	1/2X3	621031/2X3	50	8,036
5/16X1-1/2	621035/16X1-1/2	100	1,715	1/2X3-1/2	621031/2X3-1/2	50	8,830
5/16X2	621035/16X2	100	2,040	1/2X4	621031/2X4	50	10,372
5/16X2-1/2	621035/16X2-1/2	100	2,420	5/8X1-1/2	621035/8X1-1/2	50	8,230
5/16X3	621035/16X3	100	2,780	5/8X2	621035/8X2	25	9,856
3/8X3/4	621033/8X3/4	100	1,600	5/8X2-1/2	621035/8X2-1/2	25	11,500
3/8X1	621033/8X1	100	1,916	5/8X3	621035/8X3	25	13,030
3/8X1-1/2	621033/8X1-1/2	100	2,420	5/8X3-1/2	621035/8X3-1/2	25	14,581
3/8X2	621033/8X2	100	2,965	5/8X4	621035/8X4	25	17,180



RAPPEL/REMINDER : 1 pouce (inch) = 25,4 mm

Inox A2


62 107
DIN 6921

VIS A METAUX TETE HEXAGONALE A EMBASE CRANTÉE

HEXAGON HEAD MACHINE SCREW WITH SERRATED FLANGE

SECHSKANTSCHRAUBEN MIT FLANSCH MIT VERZÄHNUNG

TORNILLOS CABEZA HEXAGONAL GRAFILADOS CON GRAFILADO VALONA



d	M 5	M 6	M 8	M 10
e	8,71	10,95	14,26	16,5
k	5,4	6,6	8,1	9,2
s	8	10	13	15
b (min)	16	18	22	26
d1	11,8	14,2	18	22,3
Pas	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X10	621075X10	200	0,390	8X16	621078X16	100	1,450
5X20	621075X20	200	0,525	8X20	621078X20	100	1,661
5X25	621075X25	200	0,625	8X25	621078X25	100	1,657
5X30	621075X30	200	0,625	8X30	621078X30	100	1,971
5X35	621075X35	200	0,650	8X40	621078X40	50	2,281
5X40	621075X40	200	0,680	8X50	621078X50	50	2,749
6X10	621076X10	100	0,686	8X60	621078X60	50	3,217
6X12	621076X12	100	0,720	10X20	6210710X20	50	2,647
6X16	621076X16	100	0,788	10X25	6210710X25	50	2,829
6X20	621076X20	100	0,857	10X30	6210710X30	50	3,137
6X25	621076X25	100	0,943	10X35	6210710X35	50	3,382
6X30	621076X30	100	1,028	10X40	6210710X40	50	4,090
6X40	621076X40	100	1,444	10X50	6210710X50	50	4,590
6X50	621076X50	100	1,777	10X60	6210710X60	50	5,120

Inox A2

62 208


DIN 963 - (similar ISO 2009, NFE 25-123, UNI 6109)

VIS A METAUX TETE FRAISEE FENDUE

SLOTTED COUNTERSUNK HEAD MACHINE SCREWS

SENKSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA AVELLANADA RANURADA



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dk	3	3,8	4,7	5,6	7,5	9,2	11	14,5	18	22
k	0,96	1,2	1,5	1,65	2,2	2,5	3	4	5	6
n	0,4	0,5	0,6	0,8	1	1,2	1,6	2	2,5	3
t (min)	0,32	0,4	0,5	0,6	0,8	1	1,2	1,6	2	2,4
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X4	622081,6X4	500	0,070	4X12	622084X12	200	0,122
1,6X5	622081,6X5	500	0,008	4X14	622084X14	200	0,137
1,6X6	622081,6X6	500	0,090	4X16	622084X16	200	0,153
1,6X8	622081,6X8	500	0,012	4X18	622084X18	200	0,168
1,6X10	622081,6X10	500	0,014	4X20	622084X20	200	0,184
1,6X12	622081,6X12	500	0,016	4X25	622084X25	200	0,222
1,6X16	622081,6X16	500	0,021	4X30	622084X30	200	0,261
2X4	622082X4	500	0,012	4X35	622084X35	200	0,299
2X5	622082X5	500	0,014	4X40	622084X40	200	0,336
2X6	622082X6	500	0,015	4X45	622084X45	200	0,374
2X8	622082X8	500	0,019	4X50	622084X50	200	0,412
2X10	622082X10	500	0,023	4X55	622084X55	200	0,447
2X12	622082X12	500	0,027	4X60	622084X60	200	0,488
2X14	622082X14	500	0,031	4X70	622084X70	200	0,550
2X16	622082X16	500	0,034	4X80	622084X80	200	0,618
2X20	622082X20	500	0,042	5X6	622085X6	200	0,121
2,5X4	622082,5X4	500	0,021	5X8	622085X8	200	0,145
2,5X5	622082,5X5	500	0,024	5X10	622085X10	200	0,170
2,5X6	622082,5X6	500	0,027	5X12	622085X12	200	0,195
2,5X8	622082,5X8	500	0,033	5X14	622085X14	200	0,219
2,5X10	622082,5X10	500	0,029	5X16	622085X16	200	0,244
2,5X12	622082,5X12	500	0,044	5X18	622085X18	200	0,269
2,5X14	622082,5X14	500	0,051	5X20	622085X20	200	0,294
2,5X16	622082,5X16	500	0,057	5X25	622085X25	200	0,355
2,5X20	622082,5X20	500	0,069	5X30	622085X30	200	0,416
2,5X25	622082,5X25	500	0,080	5X35	622085X35	200	0,476
3X4	622083X4	200	0,029	5X40	622085X40	200	0,539
3X5	622083X5	200	0,034	5X45	622085X45	200	0,602
3X6	622083X6	200	0,038	5X50	622085X50	200	0,665
3X8	622083X8	200	0,047	5X55	622085X55	200	0,750
3X10	622083X10	200	0,056	5X60	622085X60	200	0,791
3X12	622083X12	200	0,064	5X65	622085X65	200	0,850
3X14	622083X14	200	0,072	5X70	622085X70	200	0,920
3X16	622083X16	200	0,082	5X80	622085X80	200	1,050
3X18	622083X18	200	0,091	5X90	622085X90	100	1,170
3X20	622083X20	200	0,100	5X100	622085X100	100	1,270
3X25	622083X25	200	0,122	6X8	622086X8	200	0,219
3X30	622083X30	200	0,144	6X10	622086X10	200	0,254
3X35	622083X35	200	0,166	6X12	622086X12	200	0,289
3X40	622083X40	200	0,188	6X16	622086X16	200	0,361
3X50	622083X50	200	0,250	6X20	622086X20	200	0,431
4X6	622084X6	200	0,075	6X25	622086X25	200	0,466
4X8	622084X8	200	0,090	6X30	622086X30	200	0,608
4X10	622084X10	200	0,106	6X35	622086X35	200	0,696

Disponible en petit conditionnement
Voir chapitre Coffrets / Artinox

ARTINOX
SPECIAL PACKAGING

PAGE SUIVANTE


VIS A METAUX TETE FRAISEE FENDUE

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6X40	622086X40	200	0,784	8X100	622088X100	100	3,450
6X45	622086X45	200	0,873	10X16	6220810X16	100	1,160
6X50	622086X50	100	0,961	10X20	6220810X20	100	1,360
6X55	622086X55	100	1,042	10X25	6220810X25	100	1,610
6X60	622086X60	100	1,138	10X30	6220810X30	100	1,860
6X65	622086X65	100	1,220	10X35	6220810X35	100	2,110
6X70	622086X70	100	1,315	10X40	6220810X40	100	2,360
6X80	622086X80	100	1,580	10X45	6220810X45	100	2,610
6X90	622086X90	100	1,757	10X50	6220810X50	50	2,860
6X100	622086X100	100	1,850	10X60	6220810X60	50	3,370
8X10	622088X10	200	0,503	10X70	6220810X70	50	3,880
8X12	622088X12	200	0,567	10X80	6220810X80	50	4,390
8X16	622088X16	200	0,694	10X90	6220810X90	50	4,900
8X20	622088X20	200	0,821	10X100	6220810X100	50	5,410
8X25	622088X25	100	0,980	10X120	6220810X120	50	6,430
8X30	622088X30	100	1,140	12X25	6220812X25	50	2,440
8X35	622088X35	100	1,300	12X30	6220812X30	50	2,810
8X40	622088X40	100	1,460	12X35	6220812X35	50	3,170
8X45	622088X45	100	1,620	12X40	6220812X40	50	3,530
8X50	622088X50	100	1,780	12X50	6220812X50	50	4,260
8X55	622088X55	100	1,940	12X60	6220812X60	50	4,980
8X60	622088X60	100	2,100	12X70	6220812X70	50	5,170
8X65	622088X65	100	2,260	12X80	6220812X80	50	6,440
8X70	622088X70	100	2,420	12X100	6220812X100	50	6,820
8X80	622088X80	100	2,740	12X120	6220812X120	50	9,025
8X90	622088X90	100	3,060				

VIS A METAUX TETE FRAISEE FENDUE

SLOTTED COUNTERSUNK HEAD MACHINE SCREWS
SENKSCRAUBEN MIT SCHLITZ
TORNILLOS CABEZA AVELLANADA RANURADA



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dk	3	3,8	4,7	5,6	7,5	9,2	11	14,5	18	22
k	0,96	1,2	1,5	1,65	2,2	2,5	3	4	5	6
n	0,4	0,5	0,6	0,8	1	1,2	1,6	2	2,5	3
t (min)	0,32	0,4	0,5	0,6	0,8	1	1,2	1,6	2	2,4
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X4	642081,6X4	500	0,007	4X30	642084X30	200	0,261
1,6X5	642081,6X5	500	0,008	4X35	642084X35	200	0,299
1,6X6	642081,6X6	500	0,009	4X40	642084X40	200	0,336
1,6X8	642081,6X8	500	0,012	4X45	642084X45	200	0,374
1,6X10	642081,6X10	500	0,014	4X50	642084X50	200	0,412
2X4	642082X4	500	0,012	4X60	642084X60	200	0,488
2X5	642082X5	500	0,014	5X8	642085X8	200	0,145
2X6	642082X6	500	0,015	5X10	642085X10	200	0,170
2X8	642082X8	500	0,019	5X12	642085X12	200	0,195
2X10	642082X10	500	0,023	5X14	642085X14	200	0,219
2X12	642082X12	500	0,027	5X16	642085X16	200	0,244
2X16	642082X16	500	0,034	5X18	642085X18	200	0,269
2X20	642082X20	500	0,042	5X20	642085X20	200	0,294
2,5X4	642082,5X4	500	0,021	5X25	642085X25	200	0,355
2,5X5	642082,5X5	500	0,024	5X30	642085X30	200	0,416
2,5X6	642082,5X6	500	0,027	5X35	642085X35	200	0,476
2,5X8	642082,5X8	500	0,033	5X40	642085X40	200	0,539
2,5X10	642082,5X10	500	0,029	5X45	642085X45	200	0,602
2,5X12	642082,5X12	500	0,044	5X50	642085X50	200	0,665
2,5X16	642082,5X16	500	0,057	5X60	642085X60	200	0,791
2,5X20	642082,5X20	500	0,069	5X70	642085X70	200	0,917
2,5X25	642082,5X25	500	0,080	5X80	642085X80	200	1,043
3X4	642083X4	200	0,029	5X90	642085X90	100	1,169
3X5	642083X5	200	0,034	5X100	642085X100	100	1,270
3X6	642083X6	200	0,038	6X8	642086X8	200	0,219
3X8	642083X8	200	0,047	6X10	642086X10	200	0,254
3X10	642083X10	200	0,056	6X12	642086X12	200	0,289
3X12	642083X12	200	0,064	6X16	642086X16	200	0,361
3X14	642083X14	200	0,072	6X20	642086X20	200	0,431
3X16	642083X16	200	0,082	6X25	642086X25	200	0,466
3X20	642083X20	200	0,100	6X30	642086X30	200	0,608
3X25	642083X25	200	0,122	6X35	642086X35	200	0,696
3X30	642083X30	200	0,144	6X40	642086X40	200	0,784
3X35	642083X35	200	0,166	6X45	642086X45	200	0,873
3X40	642083X40	200	0,188	6X50	642086X50	100	0,961
3X45	642083X45	200	0,210	6X60	642086X60	100	1,138
3X50	642083X50	200	0,232	6X70	642086X70	100	1,315
4X5	642084X5	200	0,067	6X75	642086X75	100	1,403
4X6	642084X6	200	0,075	6X80	642086X80	100	1,580
4X8	642084X8	200	0,090	6X90	642086X90	100	1,757
4X10	642084X10	200	0,106	6X100	642086X100	100	1,934
4X12	642084X12	200	0,122	8X10	642088X10	200	0,503
4X16	642084X16	200	0,153	8X12	642088X12	200	0,567
4X20	642084X20	200	0,184	8X16	642088X16	200	0,694
4X25	642084X25	200	0,222	8X20	642088X20	200	0,821

PAGE SUIVANTE

Inox A4

64 208

DIN 963 - (similar ISO 2009, NFE 25-123, UNI 6109)

Acton

VIS A METAUX TETE FRAISEE FENDUE

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
8X25	642088X25	100	0,980	10X50	6420810X50	50	2,860
8X30	642088X30	100	1,140	10X60	6420810X60	50	3,370
8X35	642088X35	100	1,300	10X70	6420810X70	50	3,880
8X40	642088X40	100	1,460	10X80	6420810X80	50	4,390
8X45	642088X45	100	1,620	10X90	6420810X90	50	4,900
8X50	642088X50	100	1,780	10X100	6420810X100	50	5,410
8X60	642088X60	100	2,100	10X120	6420810X120	50	6,430
8X70	642088X70	100	2,420	12X25	6420812X25	50	2,440
8X80	642088X80	100	2,740	12X30	6420812X30	50	2,810
8X90	642088X90	100	3,060	12X35	6420812X35	50	3,170
8X100	642088X100	100	3,380	12X40	6420812X40	50	3,530
8X120	642088X120	50	3,900	12X50	6420812X50	50	4,260
10X16	6420810X16	100	1,160	12X60	6420812X60	50	4,980
10X20	6420810X20	100	1,360	12X70	6420812X70	50	5,170
10X25	6420810X25	100	1,610	12X80	6420812X80	50	6,440
10X30	6420810X30	100	1,860	12X90	6420812X90	50	6,630
10X35	6420810X35	50	2,110	12X100	6420812X100	50	6,820
10X40	6420810X40	50	2,360	12X120	6420812X120	50	7,440
10X45	6420810X45	50	2,610				

Inox A2

62 209

DIN 964 - (similar ISO 2010, NFE 25-124, UNI 6110)


Acton

VIS A METAUX TETE FRAISEE BOMBEE FENDUE

SLOTTED RAISED COUNTERSUNK HEAD MACHINE SCREWS

LINSENKENSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA AVELLANADA ABOMBADA RANURADA




d	M 3	M 4	M 5	M 6	M 8	M 10
dk	5,6	7,5	9,2	11	14,5	18
k	1,65	2,2	2,5	3	4	5
f	0,75	1	1,25	1,5	2	2,5
n	0,8	1	1,2	1,6	2	2,5
t (min)	1,2	1,6	2	2,4	3,2	4
Pas	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X6	622093X6	200	0,044	6X12	622096X12	200	0,336
3X8	622093X8	200	0,053	6X16	622096X16	200	0,407
3X10	622093X10	200	0,062	6X20	622096X20	200	0,478
3X12	622093X12	200	0,070	6X25	622096X25	200	0,566
3X16	622093X16	200	0,088	6X30	622096X30	200	0,655
3X20	622093X20	200	0,106	6X35	622096X35	200	0,743
3X25	622093X25	200	0,128	6X40	622096X40	200	0,831
3X30	622093X30	200	0,150	6X45	622096X45	200	0,920
3X35	622093X35	200	0,172	6X50	622096X50	100	1,010
3X40	622093X40	200	0,199	6X60	622096X60	100	1,190
4X6	622094X6	200	0,090	6X70	622096X70	100	1,370
4X8	622094X8	200	0,106	6X80	622096X80	100	1,550
4X10	622094X10	200	0,121	6X90	622096X90	100	1,730
4X12	622094X12	200	0,137	6X100	622096X100	100	1,910
4X16	622094X16	200	0,168	8X12	622098X12	100	0,678
4X20	622094X20	200	0,199	8X16	622098X16	100	0,805
4X22	622094X22	200	0,214	8X20	622098X20	100	0,932
4X25	622094X25	200	0,237	8X25	622098X25	100	1,090
4X30	622094X30	200	0,276	8X30	622098X30	100	1,250
4X35	622094X35	200	0,315	8X35	622098X35	100	1,410
4X40	622094X40	200	0,353	8X40	622098X40	100	1,570
4X45	622094X45	200	0,391	8X45	622098X45	100	1,730
4X50	622094X50	200	0,433	8X50	622098X50	100	1,890
4X60	622094X60	200	0,510	8X60	622098X60	100	2,210
5X8	622095X8	200	0,173	8X65	622098X65	100	2,400
5X10	622095X10	200	0,198	8X70	622098X70	100	2,530
5X12	622095X12	200	0,223	8X80	622098X80	100	2,850
5X16	622095X16	200	0,272	8X90	622098X90	100	3,170
5X20	622095X20	200	0,322	8X100	622098X100	100	3,490
5X25	622095X25	200	0,383	10X16	6220910X16	100	1,370
5X30	622095X30	200	0,444	10X20	6220910X20	100	1,570
5X35	622095X35	200	0,493	10X25	6220910X25	100	1,820
5X40	622095X40	200	0,568	10X30	6220910X30	100	2,070
5X45	622095X45	200	0,643	10X35	6220910X35	100	2,370
5X50	622095X50	200	0,718	10X40	6220910X40	100	2,570
5X60	622095X60	200	0,730	10X45	6220910X45	100	2,820
5X70	622095X70	200	1,018	10X50	6220910X50	100	3,070
5X80	622095X80	200	1,168	10X60	6220910X60	100	3,580
5X90	622095X90	200	1,285	10X70	6220910X70	100	4,090
5X100	622095X100	200	1,413	10X80	6220910X80	50	4,600
6X8	622096X8	200	0,266	10X90	6220910X90	50	5,500
6X10	622096X10	200	0,301	10X100	6220910X100	50	6,400

Inox A4**64209****DIN 964 - (similar ISO 2010, NFE 25-124, UNI 6110)****VIS A METAUX TETE FRAISEE BOMBEE FENDUE**

SLOTTED RAISED COUNTERSUNK HEAD MACHINE SCREWS
 LINSENKENSCHRAUBEN MIT SCHLITZ
 TORNILLOS CABEZA AVELLANADA ABOMBADA RANURADA




d	M 3	M 4	M 5	M 6	M 8	M 10
dk	5,6	7,5	9,2	11	14,5	18
k	1,65	2,2	2,5	3	4	5
f	0,75	1	1,25	1,5	2	2,5
n	0,8	1	1,2	1,6	2	2,5
t (min)	1,2	1,6	2	2,4	3,2	4
Pas	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X6	642093X6	200	0,038	6X10	642096X10	200	0,241
3X8	642093X8	200	0,046	6X12	642096X12	200	0,276
3X10	642093X10	200	0,055	6X16	642096X16	200	0,344
3X12	642093X12	200	0,063	6X20	642096X20	200	0,413
3X16	642093X16	200	0,080	6X25	642096X25	200	0,499
3X20	642093X20	200	0,097	6X30	642096X30	200	0,585
3X25	642093X25	200	0,118	6X35	642096X35	200	0,671
3X30	642093X30	200	0,139	6X40	642096X40	200	0,757
3X35	642093X35	200	0,161	6X45	642096X45	200	0,843
3X40	642093X40	200	0,182	6X50	642096X50	100	0,928
4X6	642094X6	200	0,075	6X60	642096X60	100	1,100
4X8	642094X8	200	0,090	6X70	642096X70	100	1,272
4X10	642094X10	200	0,105	6X80	642096X80	100	1,444
4X12	642094X12	200	0,120	6X90	642096X90	100	1,616
4X16	642094X16	200	0,150	6X100	642096X100	100	1,787
4X20	642094X20	200	0,180	8X16	642098X16	100	0,713
4X25	642094X25	200	0,218	8X20	642098X20	100	0,837
4X30	642094X30	200	0,255	8X25	642098X25	100	0,993
4X35	642094X35	200	0,293	8X30	642098X30	100	1,149
4X40	642094X40	200	0,330	8X35	642098X35	100	1,305
4X50	642094X50	200	0,405	8X40	642098X40	100	1,461
4X60	642094X60	200	0,480	8X45	642098X45	100	1,617
5X8	642095X8	200	0,150	8X50	642098X50	100	1,773
5X10	642095X10	200	0,174	8X60	642098X60	100	2,085
5X12	642095X12	200	0,198	8X70	642098X70	100	2,396
5X16	642095X16	200	0,246	8X80	642098X80	100	2,708
5X20	642095X20	200	0,294	8X90	642098X90	100	3,020
5X25	642095X25	200	0,354	8X100	642098X100	100	3,332
5X30	642095X30	200	0,414	10X30	6420910X30	100	1,840
5X35	642095X35	200	0,474	10X35	6420910X35	100	2,087
5X40	642095X40	200	0,535	10X40	6420910X40	100	2,333
5X45	642095X45	200	0,595	10X45	6420910X45	100	2,580
5X50	642095X50	200	0,655	10X50	6420910X50	100	2,826
5X60	642095X60	200	0,775	10X60	6420910X60	100	3,319
5X70	642095X70	200	0,895	10X70	6420910X70	100	3,812
5X80	642095X80	200	1,016	10X80	6420910X80	50	4,305
5X90	642095X90	200	1,136	10X90	6420910X90	50	4,798

Inox A2**62214****DIN 965 - (similar ISO7046, NFE 25-119, UNI 7688)****VIS A METAUX TETE FRAISEE POZIDRIVE**

POZIDRIVE COUNTERSUNK HEAD MACHINE SCREWS
 POZIDRIVE SENKSCHRAUBEN
 TORNILLOS CABEZA AVELLANADA POZIDRIVE



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	3,8	4,7	5,6	7,5	9,2	11	14,5
k	1,2	1,5	1,65	2,2	2,5	3	4
a	0,8	0,9	1	1,4	1,6	2	2,5
+	1	1	1	2	2	3	4
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	622142X4	500	0,109	4X45	622144X45	200	0,352
2X5	622142X5	500	0,011	4X50	622144X50	200	0,390
2X6	622142X6	500	0,013	4X60	622144X60	200	0,465
2X8	622142X8	500	0,016	5X8	622145X8	200	0,127
2X10	622142X10	500	0,020	5X10	622145X10	200	0,151
2X12	622142X12	500	0,023	5X12	622145X12	200	0,175
2X16	622142X16	500	0,030	5X16	622145X16	200	0,224
2X20	622142X20	500	0,038	5X20	622145X20	200	0,272
2,5X4	622142,5X4	500	0,017	5X25	622145X25	200	0,332
2,5X5	622142,5X5	500	0,019	5X30	622145X30	200	0,420
2,5X6	622142,5X6	500	0,022	5X35	622145X35	200	0,452
2,5X8	622142,5X8	500	0,028	5X40	622145X40	200	0,512
2,5X10	622142,5X10	500	0,034	5X45	622145X45	200	0,572
2,5X12	622142,5X12	500	0,040	5X50	622145X50	200	0,633
2,5X16	622142,5X16	500	0,051	5X60	622145X60	200	0,753
2,5X20	622142,5X20	500	0,063	5X70	622145X70	200	0,873
3X4	622143X4	200	0,026	5X80	622145X80	200	0,994
3X5	622143X5	200	0,030	6X8	622146X8	200	0,180
3X6	622143X6	200	0,034	6X10	622146X10	200	0,214
3X8	622143X8	200	0,042	6X12	622146X12	200	0,248
3X10	622143X10	200	0,051	6X16	622146X16	200	0,317
3X12	622143X12	200	0,059	6X20	622146X20	200	0,386
3X16	622143X16	200	0,076	6X25	622146X25	200	0,472
3X20	622143X20	200	0,093	6X30	622146X30	200	0,558
3X25	622143X25	200	0,115	6X35	622146X35	200	0,644
3X30	622143X30	200	0,136	6X40	622146X40	200	0,729
3X35	622143X35	200	0,157	6X45	622146X45	200	0,815
3X40	622143X40	200	0,178	6X50	622146X50	100	0,901
4X6	622144X6	200	0,060	6X60	622146X60	100	1,073
4X8	622144X8	200	0,075	6X70	622146X70	100	1,245
4X10	622144X10	200	0,090	6X80	622146X80	100	1,417
4X12	622144X12	200	0,105	8X16	622148X16	100	0,585
4X16	622144X16	200	0,135	8X20	622148X20	100	0,710
4X20	622144X20	200	0,165	8X25	622148X25	100	0,866
4X25	622144X25	200	0,202	8X30	622148X30	100	1,022
4X30	622144X30	200	0,240	8X35	622148X35	100	1,178
4X35	622144X35	200	0,277	8X40	622148X40	100	1,334
4X40	622144X40	200	0,315	8X50	622148X50	100	1,645



Inox A4

64214

DIN 965 - (similar ISO7046, NFE 25-119, UNI 7688)


Acton

VIS A METAUX TETE FRAISEE POZIDRIVE

POZIDRIVE COUNTERSUNK HEAD MACHINE SCREWS

POZIDRIVE SENKSCHRAUBEN

TORNILLOS CABEZA AVELLANADA POZIDRIVE



d	M 2	M 2,5	M 3	M 4	M 5	M 6
dk	3,8	4,7	5,6	7,5	9,2	11
k	1,2	1,5	1,65	2,2	2,5	3
a	0,8	0,9	1	1,4	1,6	2
	1	1	1	2	2	3
Pas	0,4	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	642142X4	500	0,012	4X16	642144X16	200	0,153
2X5	642142X5	500	0,014	4X20	642144X20	200	0,184
2X6	642142X6	500	0,015	4X25	642144X25	200	0,222
2X8	642142X8	500	0,019	4X30	642144X30	200	0,261
2X10	642142X10	500	0,023	4X35	642144X35	200	0,299
2X12	642142X12	500	0,027	4X40	642144X40	200	0,336
2X16	642142X16	500	0,034	4X50	642144X50	200	0,410
2X20	642142X20	500	0,042	5X8	642145X8	200	0,145
2,5X4	642142,5X4	500	0,021	5X10	642145X10	200	0,170
2,5X5	642142,5X5	500	0,024	5X12	642145X12	200	0,195
2,5X6	642142,5X6	500	0,027	5X16	642145X16	200	0,244
2,5X8	642142,5X8	500	0,033	5X20	642145X20	200	0,294
2,5X10	642142,5X10	500	0,039	5X25	642145X25	200	0,355
2,5X12	642142,5X12	500	0,045	5X30	642145X30	200	0,420
2,5X16	642142,5X16	500	0,057	5X35	642145X35	200	0,476
2,5X20	642142,5X20	500	0,069	5X40	642145X40	200	0,539
3X4	642143X4	200	0,029	5X50	642145X50	200	0,665
3X5	642143X5	200	0,033	5X60	642145X60	200	0,791
3X6	642143X6	200	0,038	6X10	642146X10	200	0,254
3X8	642143X8	200	0,047	6X12	642146X12	200	0,289
3X10	642143X10	200	0,056	6X16	642146X16	200	0,361
3X12	642143X12	200	0,064	6X20	642146X20	200	0,431
3X16	642143X16	200	0,082	6X25	642146X25	200	0,519
3X20	642143X20	200	0,100	6X30	642146X30	200	0,608
3X25	642143X25	200	0,122	6X35	642146X35	200	0,696
3X30	642143X30	200	0,144	6X40	642146X40	200	0,784
4X6	642144X6	200	0,075	6X45	642146X45	200	0,815
4X8	642144X8	200	0,090	6X50	642146X50	100	0,961
4X10	642144X10	200	0,106	6X60	642146X60	100	1,138
4X12	642144X12	200	0,122				

Inox A2

62215

DIN 965 - (similar ISO7046, NFE 25-119, UNI 7688)


Acton

VIS A METAUX TETE FRAISEE PHILLIPS

PHILLIPS COUNTERSUNK HEAD MACHINE SCREWS

PHILLIPS SENKSCHRAUBEN

TORNILLOS CABEZA AVELLANADA PLANA PHILLIPS



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	3,8	4,7	5,6	7,5	9,2	11	14,5
k	1,2	1,5	1,65	2,2	2,5	3	4
a	0,8	0,9	1	1,4	1,6	2	2,5
	1	1	1	2	2	3	4
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	622152X4	500	0,009	4X60	622154X60	200	0,465
2X5	622152X5	500	0,011	5X8	622155X8	200	0,127
2X6	622152X6	500	0,013	5X10	622155X10	200	0,151
2X8	622152X8	500	0,016	5X12	622155X12	200	0,175
2X10	622152X10	500	0,020	5X16	622155X16	200	0,224
2X12	622152X12	500	0,023	5X20	622155X20	200	0,272
2X16	622152X16	500	0,030	5X25	622155X25	200	0,332
2X20	622152X20	500	0,038	5X30	622155X30	200	0,392
2,5X4	622152,5X4	500	0,017	5X35	622155X35	200	0,452
2,5X5	622152,5X5	500	0,019	5X40	622155X40	200	0,512
2,5X6	622152,5X6	500	0,022	5X45	622155X45	200	0,572
2,5X8	622152,5X8	500	0,028	5X50	622155X50	200	0,633
2,5X10	622152,5X10	500	0,034	5X55	622155X55	200	0,721
2,5X12	622152,5X12	500	0,040	5X60	622155X60	200	0,753
2,5X16	622152,5X16	500	0,051	5X70	622155X70	200	0,873
2,5X20	622152,5X20	200	0,063	5X80	622155X80	200	0,994
3X4	622153X4	200	0,026	6X10	622156X10	200	0,214
3X5	622153X5	200	0,030	6X12	622156X12	200	0,248
3X6	622153X6	200	0,034	6X16	622156X16	200	0,317
3X8	622153X8	200	0,042	6X20	622156X20	200	0,386
3X10	622153X10	200	0,051	6X25	622156X25	200	0,472
3X12	622153X12	200	0,059	6X30	622156X30	200	0,558
3X16	622153X16	200	0,076	6X35	622156X35	200	0,644
3X20	622153X20	200	0,093	6X40	622156X40	200	0,729
3X25	622153X25	200	0,115	6X45	622156X45	200	0,815
3X30	622153X30	200	0,136	6X50	622156X50	100	0,901
3X35	622153X35	200	0,157	6X60	622156X60	100	1,073
3X40	622153X40	200	0,178	6X70	622156X70	100	1,245
4X6	622154X6	200	0,060	6X80	622156X80	100	1,417
4X8	622154X8	200	0,075	8X16	622158X16	100	0,585
4X10	622154X10	200	0,090	8X20	622158X20	100	0,710
4X12	622154X12	200	0,105	8X25	622158X25	100	0,866
4X16	622154X16	200	0,135	8X30	622158X30	100	1,022
4X20	622154X20	200	0,165	8X35	622158X35	100	1,178
4X25	622154X25	200	0,202	8X40	622158X40	100	1,334
4X30	622154X30	200	0,240	8X45	622158X45	100	1,489
4X35	622154X35	200	0,277	8X50	622158X50	100	1,645
4X40	622154X40	200	0,315	8X60	622158X60	100	1,957
4X45	622154X45	200	0,352	8X70	622158X70	100	2,269
4X50	622154X50	200	0,390	8X80	622158X80	100	2,581






Inox A2

62 230
ISO 14581 - (similar DIN 965)

Acton

VIS A METAUX TETE FRAISEE SIX LOBES

SIX LOBE COUNTERSUNK HEAD MACHINE SCREWS
SENKSCRAUBEN MIT INNENSECHSRUND
TORNILLOS CABEZA AVELLANADA SEIS LOBULADOS



d	M 2	M 2,5	M 3	M 4	M 5	M 6
dk	3,8	4,7	5,5	8,4	9,3	11,3
k	1,2	1,5	1,65	2,7	2,7	3,3
a	0,8	0,9	1	1,4	1,6	2
	6	8	10	20	25	30
Pas	0,4	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100
2X5	622302X5	500	0,011
2X6	622302X6	500	0,013
2X8	622302X8	500	0,016
2X10	622302X10	500	0,020
2X12	622302X12	500	0,023
2X16	622302X16	500	0,030
2X20	622302X20	500	0,038
2,5X5	622302,5X5	500	0,019
2,5X6	622302,5X6	500	0,022
2,5X8	622302,5X8	500	0,028
2,5X10	622302,5X10	500	0,033
2,5X12	622302,5X12	500	0,040
2,5X16	622302,5X16	500	0,051
2,5X20	622302,5X20	500	0,063
3X5	622303X5	200	0,030
3X6	622303X6	200	0,034
3X8	622303X8	200	0,042
3X10	622303X10	200	0,051
3X12	622303X12	200	0,059
3X16	622303X16	200	0,076
3X20	622303X20	200	0,093
3X25	622303X25	200	0,115
3X30	622303X30	200	0,136
3X40	622303X40	200	0,178
4X6	622304X6	200	0,060
4X8	622304X8	200	0,075
4X10	622304X10	200	0,090
4X12	622304X12	200	0,105
4X16	622304X16	200	0,135
4X20	622304X20	200	0,165
4X25	622304X25	200	0,202

d x L	Code	Cond.	kg/100
4X30	622304X30	200	0,240
4X35	622304X35	200	0,277
4X40	622304X40	200	0,315
4X50	622304X50	200	0,390
4X60	622304X60	200	0,465
5X8	622305X8	200	0,127
5X10	622305X10	200	0,151
5X12	622305X12	200	0,175
5X16	622305X16	200	0,224
5X20	622305X20	200	0,272
5X25	622305X25	200	0,332
5X30	622305X30	200	0,392
5X35	622305X35	200	0,452
5X40	622305X40	200	0,512
5X45	622305X45	200	0,572
5X50	622305X50	200	0,633
5X60	622305X60	200	0,753
5X70	622305X70	200	0,873
5X80	622305X80	200	0,994
6X10	622306X10	200	0,214
6X12	622306X12	200	0,248
6X16	622306X16	200	0,317
6X20	622306X20	200	0,386
6X25	622306X25	200	0,472
6X30	622306X30	200	0,558
6X35	622306X35	200	0,644
6X40	622306X40	200	0,729
6X50	622306X50	100	0,901
6X60	622306X60	100	1,073
6X70	622306X70	100	1,245
6X80	622306X80	100	1,417


Inox A4

64 230
ISO 14581 - (similar DIN 965)

Acton

VIS A METAUX TETE FRAISEE SIX LOBES

SIX LOBE COUNTERSUNK HEAD MACHINE SCREWS
SENKSCRAUBEN MIT INNENSECHSRUND
TORNILLOS CABEZA AVELLANADA SEIS LOBULADOS



d	M 2	M 2,5	M 3	M 4	M 5	M 6
dk	3,8	4,7	5,5	8,4	9,3	11,3
k	1,2	1,5	1,65	2,7	2,7	3,3
a	0,8	0,9	1	1,4	1,6	2
	6	8	10	20	25	30
Pas	0,4	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100
2X5	642302X5	500	0,011
2X6	642302X6	500	0,013
2X8	642302X8	500	0,016
2X10	642302X10	500	0,020
2X12	642302X12	500	0,023
2X16	642302X16	500	0,030
2X20	642302X20	500	0,038
2,5X5	642302,5X5	500	0,019
2,5X6	642302,5X6	500	0,022
2,5X8	642302,5X8	500	0,028
2,5X10	642302,5X10	500	0,034
2,5X12	642302,5X12	500	0,040
2,5X16	642302,5X16	500	0,051
2,5X20	642302,5X20	500	0,063
3X5	642303X5	200	0,030
3X6	642303X6	200	0,034
3X8	642303X8	200	0,042
3X10	642303X10	200	0,051
3X12	642303X12	200	0,059
3X16	642303X16	200	0,076
3X20	642303X20	200	0,093
3X25	642303X25	200	0,115
3X30	642303X30	200	0,136
3X40	642303X40	200	0,178
4X6	642304X6	200	0,060
4X8	642304X8	200	0,075
4X10	642304X10	200	0,090
4X12	642304X12	200	0,105
4X16	642304X16	200	0,135
4X20	642304X20	200	0,165
4X25	642304X25	200	0,202

d x L	Code	Cond.	kg/100
4X30	642304X30	200	0,240
4X35	642304X35	200	0,277
4X40	642304X40	200	0,315
4X50	642304X50	200	0,390
4X60	642304X60	200	0,465
5X8	642305X8	200	0,127
5X10	642305X10	200	0,151
5X12	642305X12	200	0,175
5X16	642305X16	200	0,224
5X20	642305X20	200	0,272
5X25	642305X25	200	0,332
5X30	642305X30	200	0,392
5X35	642305X35	200	0,452
5X40	642305X40	200	0,512
5X50	642305X50	200	0,633
5X60	642305X60	200	0,753
5X70	642305X70	200	0,873
5X80	642305X80	200	0,994
6X10	642306X10	200	0,214
6X12	642306X12	200	0,248
6X16	642306X16	200	0,317
6X20	642306X20	200	0,386
6X25	642306X25	200	0,472
6X30	642306X30	200	0,558
6X35	642306X35	200	0,644
6X40	642306X40	200	0,729
6X50	642306X50	100	0,901
6X60	642306X60	100	1,073
6X70	642306X70	100	1,245
6X80	642306X80	100	1,417



Inox A2

62221


DIN 966 - (similar ISO7047, NFE 25-120, UNI 7689)

VIS A METAUX TETE FRAISEE BOMBEE POZIDRIVE

POZIDRIVE RAISED COUNTERSUNK HEAD MACHINE SCREWS

POZIDRIVE LINSENSENKSCHRAUBEN

TORNILLOS CABEZA AVELLANADA ABOMBADA POZIDRIVE



d	M 2,5	M 3	M 4	M 5	M 6
dk	4,7	5,6	7,5	9,2	11
k	1,5	1,65	2,2	2,5	3
a	0,9	1	1,4	1,6	2
f	0,6	0,75	1	1,25	1,5
•	1	1	2	2	3
Pas	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2,5X8	622212,5X8	200	0,036	5X10	622215X10	200	0,190
3X6	622213X6	200	0,040	5X12	622215X12	200	0,220
3X8	622213X8	200	0,050	5X16	622215X16	200	0,272
3X10	622213X10	200	0,060	5X20	622215X20	200	0,320
3X12	622213X12	200	0,070	5X25	622215X25	200	0,383
3X16	622213X16	200	0,080	5X30	622215X30	200	0,444
3X20	622213X20	200	0,100	5X35	622215X35	200	0,493
3X25	622213X25	200	0,128	5X40	622215X40	200	0,560
3X30	622213X30	200	0,150	5X50	622215X50	200	0,676
4X6	622214X6	200	0,090	6X8	622216X8	200	0,266
4X8	622214X8	200	0,100	6X10	622216X10	200	0,301
4X10	622214X10	200	0,121	6X12	622216X12	200	0,330
4X12	622214X12	200	0,142	6X16	622216X16	200	0,400
4X16	622214X16	200	0,168	6X20	622216X20	200	0,470
4X20	622214X20	200	0,199	6X25	622216X25	200	0,560
4X25	622214X25	200	0,237	6X30	622216X30	200	0,655
4X30	622214X30	200	0,275	6X35	622216X35	200	0,740
4X35	622214X35	200	0,315	6X40	622216X40	200	0,830
4X40	622214X40	200	0,353	6X50	622216X50	100	1,010
5X8	622215X8	200	0,173	6X60	622216X60	100	1,190

Inox A2

62210


DIN 84 - (similar ISO 1207, NFE 25-127, UNI 6107)

VIS A METAUX TETE CYLINDRIQUE FENDUE

SLOTTED CHEESE HEAD MACHINE SCREWS

ZYLINDERSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA CILINDRICA RANURADA



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10
dk	3	3,8	4,5	5,5	7	8,5	10	13	16
k	1	1,3	1,6	2	2,6	3,3	3,9	5	6
n	0,4	0,5	0,6	0,8	1,2	1,2	1,6	2	2,5
t (min)	0,45	0,6	0,7	0,85	1,1	1,3	1,6	2	2,4
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X3	622101,6X3	500	0,008	3X35	622103X35	200	0,188
1,6X4	622101,6X4	500	0,090	3X40	622103X40	200	0,210
1,6X5	622101,6X5	500	0,011	3X45	622103X45	200	0,230
1,6X6	622101,6X6	500	0,012	3X50	622103X50	200	0,254
1,6X8	622101,6X8	500	0,014	4X4	622104X4	200	0,100
1,6X10	622101,6X10	500	0,016	4X5	622104X5	200	0,109
1,6X12	622101,6X12	500	0,019	4X6	622104X6	200	0,117
1,6X14	622101,6X14	500	0,021	4X8	622104X8	200	0,133
1,6X16	622101,6X16	500	0,023	4X10	622104X10	200	0,147
2X3	622102X3	500	0,016	4X12	622104X12	200	0,163
2X4	622102X4	500	0,018	4X14	622104X14	200	0,179
2X5	622102X5	500	0,020	4X16	622104X16	200	0,195
2X6	622102X6	500	0,022	4X18	622104X18	200	0,210
2X8	622102X8	500	0,025	4X20	622104X20	200	0,225
2X10	622102X10	500	0,029	4X25	622104X25	200	0,264
2X12	622102X12	500	0,033	4X30	622104X30	200	0,302
2X14	622102X14	500	0,036	4X35	622104X35	200	0,341
2X16	622102X16	500	0,040	4X40	622104X40	200	0,380
2X20	622102X20	500	0,048	4X45	622104X45	200	0,419
2X25	622102X25	500	0,050	4X50	622104X50	200	0,458
2,5X3	622102,5X3	500	0,027	4X60	622104X60	200	0,536
2,5X4	622102,5X4	500	0,030	4X70	622104X70	200	0,589
2,5X5	622102,5X5	500	0,033	4X80	622104X80	200	0,648
2,5X6	622102,5X6	500	0,036	5X6	622105X6	200	0,206
2,5X8	622102,5X8	500	0,042	5X8	622105X8	200	0,230
2,5X10	622102,5X10	500	0,048	5X10	622105X10	200	0,255
2,5X12	622102,5X12	500	0,054	5X12	622105X12	200	0,280
2,5X14	622102,5X14	500	0,060	5X14	622105X14	200	0,305
2,5X16	622102,5X16	500	0,066	5X16	622105X16	200	0,330
2,5X20	622102,5X20	500	0,078	5X18	622105X18	200	0,354
2,5X25	622102,5X25	500	0,093	5X20	622105X20	200	0,378
2,5X30	622102,5X30	500	0,100	5X25	622105X25	200	0,440
3X4	622103X4	200	0,052	5X30	622105X30	200	0,502
3X5	622103X5	200	0,056	5X35	622105X35	200	0,562
3X6	622103X6	200	0,060	5X40	622105X40	200	0,625
3X8	622103X8	200	0,069	5X45	622105X45	200	0,688
3X10	622103X10	200	0,068	5X50	622105X50	200	0,750
3X12	622103X12	200	0,087	5X55	622105X55	200	0,814
3X14	622103X14	200	0,096	5X60	622105X60	200	0,877
3X16	622103X16	200	0,104	5X70	622105X70	200	0,998
3X18	622103X18	200	0,113	5X80	622105X80	200	1,122
3X20	622103X20	200	0,122	5X90	622105X90	200	1,246
3X25	622103X25	200	0,144	5X100	622105X100	200	1,370
3X30	622103X30	200	0,166	6X8	622106X8	200	0,356

PAGE SUIVANTE

VIS A METAUX TETE CYLINDRIQUE FENDUE

PAGE PRECEDENTE


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6X10	622106X10	200	0,392	8X25	622108X25	100	1,260
6X12	622106X12	200	0,427	8X30	622108X30	100	1,420
6X14	622106X14	200	0,462	8X35	622108X35	100	1,580
6X16	622106X16	200	0,498	8X40	622108X40	100	1,740
6X18	622106X18	200	0,534	8X45	622108X45	100	1,890
6X20	622106X20	200	0,569	8X50	622108X50	100	2,060
6X25	622106X25	200	0,656	8X55	622108X55	100	2,208
6X30	622106X30	200	0,745	8X60	622108X60	100	2,370
6X35	622106X35	200	0,825	8X70	622108X70	50	2,680
6X40	622106X40	200	0,920	8X80	622108X80	50	2,980
6X45	622106X45	200	1,000	8X90	622108X90	50	3,280
6X50	622106X50	100	1,090	8X100	622108X100	50	3,740
6X55	622106X55	100	1,101	10X16	6221010X16	50	1,660
6X60	622106X60	100	1,270	10X20	6221010X20	50	1,860
6X70	622106X70	100	1,450	10X25	6221010X25	50	2,110
6X80	622106X80	100	1,630	10X30	6221010X30	50	2,360
6X90	622106X90	100	1,810	10X35	6221010X35	50	2,610
6X100	622106X100	100	1,873	10X40	6221010X40	50	2,860
8X10	622108X10	100	0,785	10X45	6221010X45	50	3,110
8X12	622108X12	100	0,847	10X50	6221010X50	50	3,360
8X16	622108X16	100	0,977	10X60	6221010X60	50	3,860
8X20	622108X20	100	1,100	10X70	6221010X70	50	4,360

VIS A METAUX TETE CYLINDRIQUE FENDUE

SLOTTED CHEESE HEAD MACHINE SCREWS

ZYLINDERSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA CILINDRICA RANURADA



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10
dk	3	3,8	4,5	5,5	7	8,5	10	13	16
k	1	1,3	1,6	2	2,6	3,3	3,9	5	6
n	0,4	0,5	0,6	0,8	1,2	1,2	1,6	2	2,5
t (min)	0,45	0,6	0,7	0,85	1,1	1,3	1,6	2	2,4
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X3	642101,6X3	500	0,009	3X40	642103X40	200	0,208
1,6X4	642101,6X4	500	0,010	4X5	642104X5	200	0,120
1,6X5	642101,6X5	500	0,011	4X6	642104X6	200	0,127
1,6X6	642101,6X6	500	0,012	4X8	642104X8	200	0,142
1,6X8	642101,6X8	500	0,014	4X10	642104X10	200	0,157
1,6X10	642101,6X10	500	0,016	4X12	642104X12	200	0,172
1,6X12	642101,6X12	500	0,019	4X14	642104X14	200	0,187
1,6X16	642101,6X16	500	0,023	4X16	642104X16	200	0,202
2X3	642102X3	500	0,017	4X20	642104X20	200	0,232
2X4	642102X4	500	0,019	4X25	642104X25	200	0,270
2X5	642102X5	500	0,020	4X30	642104X30	200	0,307
2X6	642102X6	500	0,022	4X35	642104X35	200	0,345
2X8	642102X8	500	0,026	4X40	642104X40	200	0,382
2X10	642102X10	500	0,029	4X45	642104X45	200	0,419
2X12	642102X12	500	0,033	4X50	642104X50	200	0,457
2X14	642102X14	500	0,036	5X6	642105X6	200	0,224
2X16	642102X16	500	0,040	5X8	642105X8	200	0,248
2X20	642102X20	500	0,047	5X10	642105X10	200	0,390
2X25	642102X25	500	0,056	5X12	642105X12	200	0,296
2X30	642102X30	500	0,065	5X14	642105X14	200	0,320
2,5X3	642102,5X3	500	0,029	5X16	642105X16	200	0,344
2,5X4	642102,5X4	500	0,032	5X20	642105X20	200	0,392
2,5X5	642102,5X5	500	0,035	5X25	642105X25	200	0,452
2,5X6	642102,5X6	500	0,037	5X30	642105X30	200	0,512
2,5X8	642102,5X8	500	0,043	5X35	642105X35	200	0,573
2,5X10	642102,5X10	500	0,049	5X40	642105X40	200	0,633
2,5X12	642102,5X12	500	0,055	5X45	642105X45	200	0,693
2,5X14	642102,5X14	500	0,060	5X50	642105X50	200	0,753
2,5X16	642102,5X16	500	0,066	5X60	642105X60	200	0,873
2,5X20	642102,5X20	500	0,078	5X70	642105X70	200	0,993
2,5X25	642102,5X25	500	0,092	5X80	642105X80	200	1,114
2,5X30	642102,5X30	500	0,106	5X90	642105X90	200	1,234
3X4	642103X4	200	0,055	5X100	642105X100	200	1,354
3X5	642103X5	200	0,060	6X8	642106X8	200	0,390
3X6	642103X6	200	0,064	6X10	642106X10	200	0,424
3X8	642103X8	200	0,072	6X12	642106X12	200	0,458
3X10	642103X10	200	0,081	6X16	642106X16	200	0,527
3X12	642103X12	200	0,089	6X20	642106X20	200	0,596
3X14	642103X14	200	0,098	6X25	642106X25	200	0,682
3X16	642103X16	200	0,106	6X30	642106X30	200	0,768
3X20	642103X20	200	0,123	6X35	642106X35	200	0,854
3X25	642103X25	200	0,144	6X40	642106X40	200	0,939
3X30	642103X30	200	0,166	6X45	642106X45	200	1,025
3X35	642103X35	200	0,187	6X50	642106X50	100	1,111

PAGE SUIVANTE

Inox A4

64210

DIN 84 - (similar ISO 1207, NFE 25-127, UNI 6107)

Acton

VIS A METAUX TETE CYLINDRIQUE FENDUE

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6X60	642106X60	100	1,283	8X60	642108X60	100	2,416
6X70	642106X70	100	1,455	8X70	642108X70	50	2,728
6X80	642106X80	100	1,627	8X80	642108X80	50	3,040
6X90	642106X90	100	1,798	8X90	642108X90	50	3,352
6X100	642106X100	100	1,970	8X100	642108X100	50	3,664
8X10	642108X10	100	0,857	10X16	6421010X16	50	1,787
8X12	642108X12	100	0,920	10X20	6421010X20	50	1,984
8X16	642108X16	100	1,045	10X25	6421010X25	50	2,231
8X20	642108X20	100	1,169	10X30	6421010X30	50	2,477
8X25	642108X25	100	1,325	10X35	6421010X35	50	2,724
8X30	642108X30	100	1,481	10X40	6421010X40	50	2,970
8X35	642108X35	100	1,637	10X45	6421010X45	50	3,217
8X40	642108X40	100	1,793	10X50	6421010X50	50	3,463
8X45	642108X45	100	1,949	10X60	6421010X60	50	3,956
8X50	642108X50	100	2,105	10X70	6421010X70	50	4,449

Inox A2

62211

DIN 85 - (similar ISO 1580, NFE 25-128, UNI 6108)


Acton

VIS A METAUX TETE CYLINDRIQUE LARGE FENDUE

SLOTTED PAN HEAD MACHINE SCREWS

FLACHKOPFSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA ALOMADA CON RANURA



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10
dk	3	4	5	6	8	10	12	16	20
k	1	1,2	1,5	1,8	2,4	3	3,6	4,8	6
n	0,4	0,7	0,8	0,8	1,2	1,2	1,6	2	2,5
t (min)	0,35	0,5	0,6	0,7	1	1,2	1,4	1,9	2,4
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X5	622111,6X5	500	0,010	4X30	622114X30	200	0,310
1,6X6	622111,6X6	500	0,011	4X35	622114X35	200	0,348
1,6X8	622111,6X8	500	0,013	4X40	622114X40	200	0,387
1,6X10	622111,6X10	500	0,015	4X45	622114X45	200	0,426
2X4	622112X4	500	0,018	4X50	622114X50	200	0,465
2X5	622112X5	500	0,019	5X6	622115X6	200	0,227
2X6	622112X6	500	0,020	5X8	622115X8	200	0,252
2X8	622112X8	500	0,023	5X10	622115X10	200	0,276
2X10	622112X10	500	0,026	5X12	622115X12	200	0,300
2X12	622112X12	500	0,032	5X16	622115X16	200	0,350
2X14	622112X14	500	0,037	5X20	622115X20	200	0,400
2X16	622112X16	500	0,040	5X25	622115X25	200	0,462
2X20	622112X20	500	0,048	5X30	622115X30	200	0,524
2,5X4	622112,5X4	500	0,029	5X35	622115X35	200	0,586
2,5X5	622112,5X5	500	0,032	5X40	622115X40	200	0,648
2,5X6	622112,5X6	500	0,034	5X45	622115X45	200	0,710
2,5X8	622112,5X8	500	0,040	5X50	622115X50	200	0,772
2,5X10	622112,5X10	500	0,046	5X60	622115X60	200	0,896
2,5X12	622112,5X12	500	0,054	5X70	622115X70	200	1,020
2,5X14	622112,5X14	500	0,060	5X80	622115X80	200	1,144
2,5X16	622112,5X16	500	0,062	6X8	622116X8	200	0,402
2,5X20	622112,5X20	500	0,076	6X10	622116X10	200	0,437
2,5X25	622112,5X25	500	0,093	6X12	622116X12	200	0,472
3X4	622113X4	200	0,050	6X16	622116X16	200	0,545
3X5	622113X5	200	0,055	6X20	622116X20	200	0,614
3X6	622113X6	200	0,059	6X25	622116X25	200	0,701
3X8	622113X8	200	0,068	6X30	622116X30	200	0,790
3X10	622113X10	200	0,077	6X35	622116X35	200	0,878
3X12	622113X12	200	0,086	6X40	622116X40	200	0,966
3X16	622113X16	200	0,103	6X45	622116X45	200	1,050
3X20	622113X20	200	0,121	6X50	622116X50	100	1,140
3X25	622113X25	200	0,143	6X60	622116X60	100	1,320
3X30	622113X30	200	0,165	6X70	622116X70	100	1,500
3X35	622113X35	200	0,188	6X80	622116X80	100	1,680
3X40	622113X40	200	0,210	6X90	622116X90	100	1,860
3X50	622113X50	200	0,250	6X100	622116X100	100	2,040
4X5	622114X5	200	0,116	8X10	622118X10	100	0,938
4X6	622114X6	200	0,124	8X12	622118X12	100	1,000
4X8	622114X8	200	0,139	8X16	622118X16	100	1,120
4X10	622114X10	200	0,155	8X20	622118X20	100	1,260
4X12	622114X12	200	0,170	8X25	622118X25	100	1,410
4X16	622114X16	200	0,201	8X30	622118X30	100	1,570
4X20	622114X20	200	0,232	8X35	622118X35	100	1,730
4X25	622114X25	200	0,271	8X40	622118X40	100	1,890

PAGE SUIVANTE

VIS A METAUX TETE CYLINDRIQUE LARGE FENDUE

PAGE PRECEDENTE


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
8X45	622118X45	100	2,050	10X25	6221110X25	50	2,470
8X50	622118X50	100	2,210	10X30	6221110X30	50	2,600
8X60	622118X60	100	2,530	10X35	6221110X35	50	2,970
8X70	622118X70	50	2,850	10X40	6221110X40	50	3,220
8X80	622118X80	50	3,170	10X50	6221110X50	50	3,720
8X90	622118X90	50	3,480	10X60	6221110X60	50	4,220
10X16	6221110X16	50	2,000	10X70	6221110X70	50	4,720
10X20	6221110X20	50	2,220	10X80	6221110X80	50	5,220

VIS A METAUX TETE CYLINDRIQUE LARGE FENDUE

SLOTTED PAN HEAD MACHINE SCREWS

FLACHKOPFSCHRAUBEN MIT SCHLITZ

TORNILLOS CABEZA ALOMADA CON RANURA



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	4	5	6	8	10	12	16
k	1,2	1,5	1,8	2,4	3	3,6	4,8
n	0,7	0,8	0,8	1,2	1,2	1,6	2
t (min)	0,5	0,6	0,7	1	1,2	1,4	1,9
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	642112X4	500	0,018	4X50	642114X50	200	0,426
2X5	642112X5	500	0,019	5X6	642115X6	200	0,227
2X6	642112X6	500	0,020	5X8	642115X8	200	0,252
2X8	642112X8	500	0,023	5X10	642115X10	200	0,276
2X10	642112X10	500	0,026	5X12	642115X12	200	0,300
2X12	642112X12	500	0,029	5X16	642115X16	200	0,350
2X14	642112X14	500	0,030	5X20	642115X20	200	0,400
2X16	642112X16	500	0,034	5X25	642115X25	200	0,462
2X20	642112X20	500	0,040	5X30	642115X30	200	0,524
2,5X4	642112,5X4	500	0,029	5X35	642115X35	200	0,586
2,5X5	642112,5X5	500	0,032	5X40	642115X40	200	0,648
2,5X6	642112,5X6	500	0,034	5X45	642115X45	200	0,710
2,5X8	642112,5X8	500	0,040	5X50	642115X50	200	0,772
2,5X10	642112,5X10	500	0,046	5X60	642115X60	200	0,896
2,5X12	642112,5X12	500	0,051	5X70	642115X70	200	1,020
2,5X14	642112,5X14	500	0,060	5X80	642115X80	200	1,144
2,5X16	642112,5X16	500	0,062	6X10	642116X10	200	0,437
2,5X20	642112,5X20	500	0,076	6X12	642116X12	200	0,472
3X4	642113X4	200	0,050	6X16	642116X16	200	0,545
3X5	642113X5	200	0,055	6X20	642116X20	200	0,614
3X6	642113X6	200	0,059	6X25	642116X25	200	0,701
3X8	642113X8	200	0,068	6X30	642116X30	200	0,790
3X10	642113X10	200	0,077	6X35	642116X35	200	0,878
3X12	642113X12	200	0,086	6X40	642116X40	200	0,966
3X16	642113X16	200	0,103	6X45	642116X45	200	1,050
3X20	642113X20	200	0,121	6X50	642116X50	100	1,140
3X25	642113X25	200	0,143	6X60	642116X60	100	1,320
3X30	642113X30	200	0,165	8X12	642118X12	100	1,000
3X40	642113X40	200	0,209	8X16	642118X16	100	1,120
4X5	642114X5	200	0,116	8X20	642118X20	100	1,260
4X6	642114X6	200	0,124	8X25	642118X25	100	1,410
4X8	642114X8	200	0,139	8X30	642118X30	100	1,570
4X10	642114X10	200	0,155	8X35	642118X35	100	1,730
4X12	642114X12	200	0,170	8X40	642118X40	100	1,890
4X16	642114X16	200	0,201	8X45	642118X45	100	2,050
4X20	642114X20	200	0,232	8X50	642118X50	100	2,210
4X25	642114X25	200	0,271	8X60	642118X60	100	2,530
4X30	642114X30	200	0,310	8X70	642118X70	50	2,850
4X35	642114X35	200	0,348	8X80	642118X80	50	3,170
4X40	642114X40	200	0,387	8X90	642118X90	50	3,480




Inox A2

62216
DIN 7985 - (similar ISO 7045, NFE 25-121, UNI 7687)

Acton

VIS A METAUX TETE CYLINDRIQUE POZIDRIVE

POZIDRIVE PAN HEAD MACHINE SCREWS
POZIDRIVE LINSCHRAUBEN
TORNILLOS CABEZA CILINDRICA ABOMBADA POZIDRIVE



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	4	5	5,6	8	10	12	16
k	1,6	2,1	2,4	3,1	3,7	4,6	6
a	0,8	0,9	1	1,4	1,6	2	2,5
v	1,1	1,3	1,6	2	2,5	3	3,7
●	1	1	1	2	2	3	4
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100
2X4	622162X4	500	0,019
2X5	622162X5	500	0,021
2X6	622162X6	500	0,023
2X8	622162X8	500	0,027
2X10	622162X10	500	0,031
2X12	622162X12	500	0,034
2X16	622162X16	500	0,042
2X20	622162X20	500	0,049
2,5X4	622162,5X4	500	0,037
2,5X5	622162,5X5	500	0,040
2,5X6	622162,5X6	500	0,043
2,5X8	622162,5X8	500	0,049
2,5X10	622162,5X10	500	0,054
2,5X12	622162,5X12	500	0,060
2,5X16	622162,5X16	500	0,072
2,5X20	622162,5X20	500	0,083
2,5X25	622162,5X25	500	0,100
3X4	622163X4	200	0,064
3X5	622163X5	200	0,068
3X6	622163X6	200	0,064
3X8	622163X8	200	0,079
3X10	622163X10	200	0,087
3X12	622163X12	200	0,095
3X16	622163X16	200	0,111
3X20	622163X20	200	0,127
3X25	622163X25	200	0,147
3X30	622163X30	200	0,171
3X35	622163X35	200	0,240
3X40	622163X40	200	0,220
3X50	622163X50	200	0,250
4X6	622164X6	200	0,148
4X8	622164X8	200	0,163
4X10	622164X10	200	0,179
4X12	622164X12	200	0,194
4X16	622164X16	200	0,225
4X20	622164X20	200	0,256
4X25	622164X25	200	0,294

d x L	Code	Cond.	kg/100
4X30	622164X30	200	0,344
4X35	622164X35	200	0,394
4X40	622164X40	200	0,444
4X50	622164X50	200	0,530
4X60	622164X60	200	0,620
5X6	622165X6	200	0,266
5X8	622165X8	200	0,291
5X10	622165X10	200	0,316
5X12	622165X12	200	0,341
5X16	622165X16	200	0,391
5X20	622165X20	200	0,441
5X25	622165X25	200	0,503
5X30	622165X30	200	0,568
5X35	622165X35	200	0,643
5X40	622165X40	200	0,718
5X50	622165X50	200	0,868
5X60	622165X60	200	1,018
6X8	622166X8	200	0,479
6X10	622166X10	200	0,514
6X12	622166X12	200	0,549
6X16	622166X16	200	0,619
6X20	622166X20	200	0,689
6X25	622166X25	200	0,777
6X30	622166X30	200	0,864
6X35	622166X35	200	0,952
6X40	622166X40	200	1,050
6X50	622166X50	100	1,230
6X60	622166X60	100	1,410
6X70	622166X70	100	1,420
6X80	622166X80	100	1,490
8X16	622168X16	100	1,280
8X20	622168X20	100	1,420
8X25	622168X25	100	1,580
8X30	622168X30	100	1,750
8X35	622168X35	100	1,910
8X40	622168X40	100	2,070
8X50	622168X50	100	2,390


Inox A4

64216
DIN 7985 - (similar ISO 7045, NFE 25-121, UNI 7687)

Acton

VIS A METAUX TETE CYLINDRIQUE POZIDRIVE

POZIDRIVE PAN HEAD MACHINE SCREWS
POZIDRIVE LINSCHRAUBEN
TORNILLOS CABEZA CILINDRICA ABOMBADA POZIDRIVE



d	M 2	M 2,5	M 3	M 4	M 5	M 6
dk	4	5	5,6	8	10	12
k	1,6	2,1	2,4	3,1	3,7	4,6
a	0,8	0,9	1	1,4	1,6	2
v	1,1	1,3	1,6	2	2,5	3
●	1	1	1	2	2	3
Pas	0,4	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100
2X4	642162X4	500	0,019
2X5	642162X5	500	0,021
2X6	642162X6	500	0,023
2X8	642162X8	500	0,027
2X10	642162X10	500	0,031
2X12	642162X12	500	0,034
2X16	642162X16	500	0,042
2X20	642162X20	500	0,049
2,5X4	642162,5X4	500	0,037
2,5X5	642162,5X5	500	0,040
2,5X6	642162,5X6	500	0,043
2,5X8	642162,5X8	500	0,049
2,5X10	642162,5X10	500	0,054
2,5X12	642162,5X12	500	0,060
2,5X16	642162,5X16	500	0,072
2,5X20	642162,5X20	500	0,083
3X4	642163X4	200	0,064
3X5	642163X5	200	0,068
3X6	642163X6	200	0,064
3X8	642163X8	200	0,079
3X10	642163X10	200	0,087
3X12	642163X12	200	0,095
3X16	642163X16	200	0,111
3X20	642163X20	200	0,127
3X25	642163X25	200	0,147
3X30	642163X30	200	0,171
3X35	642163X35	200	0,240
3X40	642163X40	200	0,220
3X50	642163X50	200	0,460
4X6	642164X6	200	0,265
4X8	642164X8	200	0,163
4X10	642164X10	200	0,179

d x L	Code	Cond.	kg/100
4X12	642164X12	200	0,194
4X16	642164X16	200	0,225
4X20	642164X20	200	0,256
4X25	642164X25	200	0,294
4X30	642164X30	200	0,344
4X35	642164X35	200	0,394
4X40	642164X40	200	0,444
4X50	642164X50	200	0,530
4X60	642164X60	200	0,620
5X8	642165X8	200	0,291
5X10	642165X10	200	0,316
5X12	642165X12	200	0,341
5X16	642165X16	200	0,391
5X20	642165X20	200	0,441
5X25	642165X25	200	0,503
5X30	642165X30	200	0,568
5X35	642165X35	200	0,643
5X40	642165X40	200	0,718
5X50	642165X50	200	0,868
5X60	642165X60	200	0,960
6X10	642166X10	200	0,514
6X12	642166X12	200	0,549
6X16	642166X16	200	0,619
6X20	642166X20	200	0,689
6X25	642166X25	200	0,777
6X30	642166X30	200	0,864
6X35	642166X35	200	0,952
6X40	642166X40	200	1,050
6X50	642166X50	100	1,230
6X60	642166X60	100	1,360
6X70	642166X70	100	1,430






Inox A2

62217
DIN 7985 - (similar ISO 7045, NFE 25-121, UNI 7687)

Acton

VIS A METAUX TETE CYLINDRIQUE PHILLIPS

PHILLIPS PAN HEAD MACHINE SCREWS
PHILLIPS LINSCHRAUBEN
TORNILLOS CABEZA ALOMADA PHILLIPS



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	4	5	5,6	8	10	12	16
k	1,6	2,1	2,4	3,1	3,7	4,6	6
a	0,8	0,9	1	1,4	1,6	2	2,5
v	1,1	1,3	1,6	2	2,5	3	3,7
⌀	1	1	1	2	2	3	4
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100
2X4	622172X4	500	0,019
2X5	622172X5	500	0,021
2X6	622172X6	500	0,023
2X8	622172X8	500	0,027
2X10	622172X10	500	0,031
2X12	622172X12	500	0,034
2X16	622172X16	500	0,042
2X20	622172X20	500	0,049
2,5X4	622172,5X4	500	0,037
2,5X5	622172,5X5	500	0,040
2,5X6	622172,5X6	500	0,043
2,5X8	622172,5X8	500	0,049
2,5X10	622172,5X10	500	0,054
2,5X12	622172,5X12	500	0,060
2,5X16	622172,5X16	500	0,072
2,5X20	622172,5X20	500	0,083
3X4	622173X4	200	0,064
3X5	622173X5	200	0,068
3X6	622173X6	200	0,071
3X8	622173X8	200	0,079
3X10	622173X10	200	0,087
3X12	622173X12	200	0,095
3X16	622173X16	200	0,111
3X20	622173X20	200	0,127
3X25	622173X25	200	0,147
3X30	622173X30	200	0,171
3X35	622173X35	200	0,240
3X40	622173X40	200	0,340
3X50	622173X50	200	0,460
4X6	622174X6	200	0,148
4X8	622174X8	200	0,163
4X10	622174X10	200	0,179
4X12	622174X12	200	0,194
4X16	622174X16	200	0,225
4X20	622174X20	200	0,256
4X25	622174X25	200	0,294
4X30	622174X30	200	0,344
4X35	622174X35	200	0,394
4X40	622174X40	200	0,444

d x L	Code	Cond.	kg/100
4X50	622174X50	200	0,530
4X60	622174X60	200	0,620
5X8	622175X8	200	0,291
5X10	622175X10	200	0,316
5X12	622175X12	200	0,341
5X14	622175X14	200	0,366
5X16	622175X16	200	0,391
5X20	622175X20	200	0,425
5X25	622175X25	200	0,503
5X30	622175X30	200	0,568
5X35	622175X35	200	0,643
5X40	622175X40	200	0,718
5X50	622175X50	200	0,868
5X60	622175X60	200	1,018
6X8	622176X8	200	0,479
6X10	622176X10	200	0,514
6X12	622176X12	200	0,549
6X16	622176X16	200	0,619
6X20	622176X20	200	0,689
6X25	622176X25	200	0,777
6X30	622176X30	200	0,864
6X35	622176X35	200	0,952
6X40	622176X40	200	1,050
6X50	622176X50	100	1,230
6X60	622176X60	100	1,410
6X70	622176X70	100	1,420
6X80	622176X80	100	1,490
8X12	622178X12	100	1,150
8X16	622178X16	100	1,280
8X20	622178X20	100	1,420
8X25	622178X25	100	1,580
8X30	622178X30	100	1,750
8X35	622178X35	100	1,910
8X40	622178X40	100	2,070
8X50	622178X50	100	2,390
8X60	622178X60	100	2,710
8X70	622178X70	100	3,020
8X80	622178X80	100	3,340


Inox A2

62231
ISO 14583 - (similar DIN 7985)

Acton

VIS A METAUX TETE CYLINDRIQUE SIX LOBES

SIX LOBE PAN HEAD MACHINE SCREWS
LINSCHRAUBEN MIT INNENSECHSRUND
TORNILLOS CABEZA CILINDRICA ABOMBADA SEIS LOBULADOS



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8
dk	4	5	5,6	8	9,5	12	16
k	1,6	2,1	2,4	3,1	3,7	4,6	6
a	0,8	0,9	1	1,4	1,6	2	2,5
⌀	6	8	10	20	25	30	45
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100
2X4	622312X4	500	0,022
2X5	622312X5	500	0,022
2X6	622312X6	500	0,024
2X8	622312X8	500	0,028
2X10	622312X10	500	0,031
2X12	622312X12	500	0,035
2X16	622312X16	500	0,042
2,5X5	622312,5X5	500	0,042
2,5X6	622312,5X6	500	0,045
2,5X8	622312,5X8	500	0,051
2,5X10	622312,5X10	500	0,056
2,5X12	622312,5X12	500	0,062
2,5X16	622312,5X16	500	0,074
2,5X20	622312,5X20	500	0,085
3X5	622313X5	200	0,068
3X6	622313X6	200	0,072
3X8	622313X8	200	0,080
3X10	622313X10	200	0,089
3X12	622313X12	200	0,097
3X16	622313X16	200	0,114
3X20	622313X20	200	0,131
3X25	622313X25	200	0,153
3X30	622313X30	200	0,174
4X6	622314X6	200	0,151
4X8	622314X8	200	0,166
4X10	622314X10	200	0,181
4X12	622314X12	200	0,196
4X16	622314X16	200	0,226
4X20	622314X20	200	0,256
4X25	622314X25	200	0,294
4X30	622314X30	200	0,331
4X35	622314X35	200	0,369
4X40	622314X40	200	0,406
4X50	622314X50	200	0,481

d x L	Code	Cond.	kg/100
4X60	622314X60	200	0,556
5X6	622315X6	200	0,279
5X8	622315X8	200	0,303
5X10	622315X10	200	0,327
5X12	622315X12	200	0,351
5X16	622315X16	200	0,399
5X20	622315X20	200	0,447
5X25	622315X25	200	0,507
5X30	622315X30	200	0,567
5X35	622315X35	200	0,628
5X40	622315X40	200	0,688
5X50	622315X50	200	0,808
5X60	622315X60	200	0,929
6X10	622316X10	200	0,532
6X12	622316X12	200	0,566
6X16	622316X16	200	0,635
6X20	622316X20	200	0,704
6X25	622316X25	200	0,790
6X30	622316X30	200	0,876
6X35	622316X35	200	0,961
6X40	622316X40	200	1,047
6X50	622316X50	100	1,219
8X16	622318X16	100	0,666
8X20	622318X20	100	0,806
8X25	622318X25	100	1,041
8X30	622318X30	100	1,365
8X35	622318X35	100	1,698
8X40	622318X40	100	1,975
8X45	622318X45	100	1,958
8X50	622318X50	100	2,175
8X60	622318X60	100	2,507
8X70	622318X70	50	2,929
8X80	622318X80	50	3,295



Inox A4

64231

ISO 14583 - (similar DIN 7985)


Acton

VIS A METAUX TETE CYLINDRIQUE SIX LOBES

SIX LOBE PAN HEAD MACHINE SCREWS

LINSCHRAUBEN MIT INNENSECHSRUND

TORNILLOS CABEZA CILINDRICA ABOMBADA SEIS LOBULADOS



d	M 2	M 2,5	M 3	M 4	M 5	M 6
dk	4	5	5,6	8	9,5	12
k	1,6	2,1	2,4	3,1	3,7	4,6
a	0,8	0,9	1	1,4	1,6	2
	6	8	10	20	25	30
Pas	0,4	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X5	642312X5	500	0,022	4X20	642314X20	200	0,256
2X6	642312X6	500	0,024	4X25	642314X25	200	0,294
2X8	642312X8	500	0,028	4X30	642314X30	200	0,331
2X10	642312X10	500	0,031	4X35	642314X35	200	0,369
2X12	642312X12	500	0,035	4X40	642314X40	200	0,406
2X16	642312X16	500	0,042	4X50	642314X50	200	0,481
2,5X4	642312,5X4	500	0,039	4X60	642314X60	200	0,556
2,5X5	642312,5X5	500	0,042	5X6	642315X6	200	0,279
2,5X6	642312,5X6	500	0,045	5X8	642315X8	200	0,303
2,5X8	642312,5X8	500	0,051	5X10	642315X10	200	0,327
2,5X10	642312,5X10	500	0,056	5X12	642315X12	200	0,351
2,5X12	642312,5X12	500	0,062	5X16	642315X16	200	0,399
2,5X16	642312,5X16	500	0,074	5X20	642315X20	200	0,447
2,5X20	642312,5X20	500	0,085	5X25	642315X25	200	0,507
3X5	642313X5	200	0,068	5X30	642315X30	200	0,567
3X6	642313X6	200	0,072	5X35	642315X35	200	0,628
3X8	642313X8	200	0,080	5X40	642315X40	200	0,688
3X10	642313X10	200	0,089	5X50	642315X50	200	0,808
3X12	642313X12	200	0,097	6X10	642316X10	200	0,532
3X16	642313X16	200	0,114	6X12	642316X12	200	0,566
3X20	642313X20	200	0,131	6X16	642316X16	200	0,635
3X25	642313X25	200	0,153	6X20	642316X20	200	0,704
3X30	642313X30	200	0,174	6X25	642316X25	200	0,790
4X6	642314X6	200	0,151	6X30	642316X30	200	0,876
4X8	642314X8	200	0,166	6X35	642316X35	200	0,961
4X10	642314X10	200	0,181	6X40	642316X40	200	1,047
4X12	642314X12	200	0,196	6X50	642316X50	100	1,219
4X16	642314X16	200	0,226				

Inox A2

62213

DIN 603 - (NFE 27-351, UNI 5731)


Acton

VIS A METAUX TETE RONDE COLLET CARRE

MUSHROOM HEAD SQUARE NECK BOLTS

FLACHRUNDSCHRAUBEN MIT VIERKANTANSATZ

TORNILLOS CABEZA ABOMBADA CON CUELLO CUADRADO



d	M 5	M 6	M 8	M 10	M 12	M 16
dk	13,55	16,55	20,65	24,65	30,65	38,8
k	3,3	3,88	4,88	5,38	6,95	8,95
f	4,1	4,6	5,6	6,6	8,75	12,9
s	5,48	6,48	8,58	10,58	12,7	16,7
Pas	0,8	1	1,25	1,5	1,75	2

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X16	622135X16	200	0,400	8X120	622138X120	50	5,280
5X20	622135X20	200	0,450	8X130	622138X130	50	5,680
5X25	622135X25	200	0,510	8X140	622138X140	50	6,080
5X30	622135X30	200	0,590	8X150	622138X150	50	6,480
5X35	622135X35	200	0,670	10X20	6221310X20	100	2,270
5X40	622135X40	200	0,750	10X25	6221310X25	100	2,520
5X45	622135X45	200	0,830	10X30	6221310X30	50	2,770
5X50	622135X50	200	0,910	10X35	6221310X35	50	3,020
5X60	622135X60	200	1,070	10X40	6221310X40	50	3,270
5X70	622135X70	200	1,230	10X45	6221310X45	50	3,580
5X80	622135X80	200	1,390	10X50	6221310X50	50	3,890
6X12	622136X12	200	0,627	10X60	6221310X60	50	4,510
6X16	622136X16	200	0,690	10X65	6221310X65	50	4,820
6X20	622136X20	200	0,760	10X70	6221310X70	50	5,130
6X25	622136X25	200	0,850	10X80	6221310X80	50	5,750
6X30	622136X30	200	0,960	10X90	6221310X90	50	6,370
6X35	622136X35	200	1,070	10X100	6221310X100	50	6,990
6X40	622136X40	200	1,180	10X110	6221310X110	50	7,610
6X45	622136X45	200	1,290	10X120	6221310X120	50	8,230
6X50	622136X50	100	1,400	10X130	6221310X130	50	8,850
6X55	622136X55	100	1,510	10X140	6221310X140	50	9,500
6X60	622136X60	100	1,620	10X150	6221310X150	50	10,100
6X65	622136X65	100	1,730	10X160	6221310X160	25	10,700
6X70	622136X70	100	1,840	10X180	6221310X180	25	11,900
6X80	622136X80	100	2,060	10X200	6221310X200	25	13,100
6X90	622136X90	100	2,280	10X220	6221310X220	25	13,583
6X100	622136X100	100	2,500	10X240	6221310X240	25	14,747
6X110	622136X110	100	2,720	10X260	6221310X260	25	15,913
6X120	622136X120	100	2,940	12X30	6221312X30	50	4,570
8X16	622138X16	100	1,252	12X35	6221312X35	50	4,940
8X20	622138X20	100	1,380	12X40	6221312X40	50	5,310
8X25	622138X25	100	1,540	12X45	6221312X45	50	5,680
8X30	622138X30	100	1,700	12X50	6221312X50	50	6,120
8X35	622138X35	100	1,900	12X60	6221312X60	50	7,000
8X40	622138X40	100	2,100	12X70	6221312X70	50	7,880
8X45	622138X45	100	2,300	12X80	6221312X80	50	8,700
8X50	622138X50	100	2,500	12X90	6221312X90	50	9,600
8X55	622138X55	100	2,647	12X100	6221312X100	50	10,500
8X60	622138X60	100	2,890	12X110	6221312X110	25	11,400
8X70	622138X70	100	3,290	12X120	6221312X120	25	12,300
8X80	622138X80	50	3,680	12X130	6221312X130	25	13,200
8X90	622138X90	50	4,080	12X140	6221312X140	25	14,100
8X100	622138X100	50	4,480	12X150	6221312X150	25	15,000
8X110	622138X110	50	4,880	12X160	6221312X160	25	15,900

PAGE SUIVANTE

VIS A METAUX TETE RONDE COLLET CARRE

PAGE PRECEDENTE


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
12X180	6221312X180	25	17,700	16X70	6221316X70	25	14,900
12X200	6221312X200	25	19,500	16X80	6221316X80	25	16,500
12X220	6221312X220	25	20,216	16X90	6221316X90	25	18,100
12X240	6221312X240	25	21,891	16X100	6221316X100	25	19,700
12X260	6221312X260	25	23,569	16X120	6221316X120	25	22,900
16X40	6221316X40	25	10,500	16X140	6221316X140	25	26,100
16X50	6221316X50	25	11,900	16X150	6221316X150	25	27,700
16X60	6221316X60	25	13,300	16X160	6221316X160	25	28,630

VIS A METAUX TETE RONDE COLLET CARRE

MUSHROOM HEAD SQUARE NECK BOLTS

FLACHRUNDSCHRAUBEN MIT VIERKANTANSATZ

TORNILLOS CABEZA ABOMBADA CON CUELLO CUADRADO



d	M 5	M 6	M 8	M 10	M 12
dk	13,55	16,55	20,65	24,65	30,65
k	3,3	3,88	4,88	5,38	6,95
f	4,1	4,6	5,6	6,6	8,75
s	5,48	6,48	8,58	10,58	12,7
Pas	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X16	642135X16	200	0,400	8X140	642138X140	50	6,080
5X20	642135X20	200	0,450	8X150	642138X150	50	6,480
5X25	642135X25	200	0,510	10X20	6421310X20	100	2,270
5X30	642135X30	200	0,590	10X25	6421310X25	100	2,520
5X35	642135X35	200	0,670	10X30	6421310X30	50	2,770
5X40	642135X40	200	0,750	10X35	6421310X35	50	3,020
5X50	642135X50	200	0,910	10X40	6421310X40	50	3,270
5X60	642135X60	200	1,029	10X45	6421310X45	50	3,580
6X16	642136X16	200	0,690	10X50	6421310X50	50	3,890
6X20	642136X20	200	0,760	10X60	6421310X60	50	4,510
6X25	642136X25	200	0,850	10X70	6421310X70	50	5,130
6X30	642136X30	200	0,960	10X80	6421310X80	50	5,750
6X35	642136X35	200	1,070	10X90	6421310X90	50	6,370
6X40	642136X40	200	1,180	10X100	6421310X100	50	6,990
6X45	642136X45	200	1,290	10X110	6421310X110	50	7,610
6X50	642136X50	100	1,400	10X120	6421310X120	50	8,230
6X60	642136X60	100	1,620	10X130	6421310X130	50	8,850
6X70	642136X70	100	1,840	10X140	6421310X140	50	9,500
6X80	642136X80	100	2,060	10X150	6421310X150	50	10,100
6X100	642136X100	100	2,368	10X160	6421310X160	25	10,614
8X16	642138X16	100	1,252	10X180	6421310X180	25	11,377
8X20	642138X20	100	1,380	10X200	6421310X200	25	12,543
8X25	642138X25	100	1,540	12X30	6421312X30	50	4,570
8X30	642138X30	100	1,700	12X35	6421312X35	50	4,940
8X35	642138X35	100	1,900	12X40	6421312X40	50	5,310
8X40	642138X40	100	2,100	12X45	6421312X45	50	5,680
8X45	642138X45	100	2,300	12X50	6421312X50	50	6,120
8X50	642138X50	100	2,500	12X60	6421312X60	50	7,000
8X60	642138X60	100	2,890	12X70	6421312X70	50	7,880
8X70	642138X70	100	3,300	12X80	6421312X80	50	8,700
8X80	642138X80	50	3,680	12X90	6421312X90	50	9,600
8X90	642138X90	50	4,080	12X100	6421312X100	50	10,500
8X100	642138X100	50	4,480	12X120	6421312X120	25	12,073
8X110	642138X110	50	4,880	12X150	6421312X150	25	14,509
8X120	642138X120	50	5,280	12X180	6421312X180	25	17,031
8X130	642138X130	50	5,680	12X200	6421312X200	25	18,710


Inox A2

62212
NFE 25-129

Acton

VIS A METAUX TETE RONDE LARGE -POELIER- FENDUE

SLOTTED MUSHROOM HEAD MACHINE SCREWS
BECHERSCHRAUBEN
TORNILLOS CABEZA ABOMBADA ANCHA RANURADA



d	M 3*	M 4	M 5	M 6	M 8
d2	7	10	12,5	15	20
k	2	2,2	2,7	3,3	4,4
n	1	1,50	1,50	1,90	2,31
t (min)	1	1	1,2	1,5	2
Pas	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X5	622123X5	200	0,063	5X60	622125X60	200	0,882
3X6	622123X6	200	0,066	5X70	622125X70	200	1,002
3X8	622123X8	200	0,075	6X8	622126X8	200	0,401
3X10	622123X10	200	0,084	6X10	622126X10	200	0,435
3X12	622123X12	200	0,093	6X12	622126X12	200	0,474
3X16	622123X16	200	0,108	6X16	622126X16	200	0,542
3X20	622123X20	200	0,124	6X20	622126X20	200	0,615
3X30	622123X30	200	0,171	6X25	622126X25	200	0,701
4X8	622124X8	200	0,141	6X30	622126X30	200	0,787
4X10	622124X10	200	0,156	6X35	622126X35	200	0,873
4X12	622124X12	200	0,173	6X40	622126X40	200	0,959
4X16	622124X16	200	0,203	6X45	622126X45	200	1,044
4X20	622124X20	200	0,234	6X50	622126X50	100	1,130
4X25	622124X25	200	0,272	6X60	622126X60	100	1,306
4X30	622124X30	200	0,309	6X70	622126X70	100	1,478
4X35	622124X35	200	0,347	6X80	622126X80	100	1,650
4X40	622124X40	200	0,384	6X100	622126X100	100	1,997
4X50	622124X50	200	0,459	8X16	622128X16	100	1,118
4X60	622124X60	200	0,536	8X20	622128X20	100	1,250
5X8	622125X8	200	0,248	8X25	622128X25	100	1,406
5X10	622125X10	200	0,272	8X30	622128X30	100	1,562
5X12	622125X12	200	0,299	8X35	622128X35	100	1,717
5X16	622125X16	200	0,347	8X40	622128X40	100	1,873
5X20	622125X20	200	0,398	8X45	622128X45	100	2,029
5X25	622125X25	200	0,458	8X50	622128X50	100	2,185
5X30	622125X30	200	0,518	8X60	622128X60	100	2,504
5X35	622125X35	200	0,578	8X70	622128X70	100	2,816
5X40	622125X40	200	0,639	8X80	622128X80	100	3,128
5X45	622125X45	200	0,699	8X90	622128X90	100	3,446
5X50	622125X50	200	0,759	8X100	622128X100	100	3,758



* Le diamètre M 3 n'est pas couvert par la norme TYPE NFE 25129
* Diameter M 3 is not standardized by the norm TYPE NFE 25129


Inox A4

64212
NFE 25-129

Acton

VIS A METAUX TETE RONDE LARGE -POELIER- FENDUE

SLOTTED MUSHROOM HEAD MACHINE SCREWS
BECHERSCHRAUBEN
TORNILLOS CABEZA ABOMBADA ANCHA RANURADA



d	M 4	M 5	M 6	M 8
d2	10	12,5	15	20
k	2,2	2,7	3,3	4,4
n	1,50	1,50	1,90	2,31
t (min)	1	1,2	1,5	2
Pas	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
4X8	642124X8	200	0,141	6X16	642126X16	200	0,542
4X10	642124X10	200	0,156	6X20	642126X20	200	0,615
4X12	642124X12	200	0,173	6X25	642126X25	200	0,701
4X16	642124X16	200	0,203	6X30	642126X30	200	0,787
4X20	642124X20	200	0,234	6X40	642126X40	200	0,959
4X25	642124X25	200	0,272	8X16	642128X16	100	1,118
4X30	642124X30	200	0,309	8X20	642128X20	100	1,250
5X10	642125X10	200	0,272	8X25	642128X25	100	1,406
5X12	642125X12	200	0,299	8X30	642128X30	100	1,562
5X16	642125X16	200	0,347	8X40	642128X40	100	1,873
5X20	642125X20	200	0,820	8X50	642128X50	100	2,185
5X25	642125X25	200	0,458	8X60	642128X60	100	2,504
5X30	642125X30	200	0,518	8X70	642128X70	100	2,816
6X12	642126X12	200	0,474	8X80	642128X80	100	3,128


Les côtes d'encombrement (mm) sont susceptibles de varier. Merci de nous consulter en cas de côtes précises. Prix hors taxes - Informations techniques et illustrations non contractuelles.
Dimensions (mm) can change without notice. Please get in contact with us for precise sizes. Prices without taxes - Technical details and pictures are not contractual.

Inox A2

62 233
DIN 444 B - (ISO7349, NFE 27-191)

VIS A METAUX A OEIL

EYE BOLT
AUGENSCHRAUBEN
TORNILLOS CON OJO



d	M 6	M 8	M 10	M 12	M 16	M 20
d2	6	8	10	12	16	18
d3	14	18	20	25	32	40
s	7	9	12	14	17	22
Pas	1	1,25	1,5	1,75	2	2,5
b (L<=125)	18	22	26	30	38	46
b (125-200)	-	28	32	36	44	52
b (L>200)	-	-	-	49	57	65


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6X40	622336X40	50	1,370	12X60	6223312X60	25	7,140
6X50	622336X50	50	1,590	12X70	6223312X70	10	8,030
6X60	622336X60	50	1,810	12X80	6223312X80	10	8,920
8X40	622338X40	25	2,500	12X90	6223312X90	10	9,810
8X50	622338X50	25	2,890	12X100	6223312X100	10	10,600
8X60	622338X60	25	3,280	16X60	6223316X60	10	13,500
8X70	622338X70	25	3,680	16X70	6223316X70	10	14,900
8X80	622338X80	25	4,070	16X80	6223316X80	10	16,400
8x100	622338X100	25	4,570	16X90	6223316X90	10	18,000
10X50	6223310X50	25	3,910	16X100	6223316X100	10	19,600
10X60	6223310X60	25	4,530	16X110	6223316X110	5	21,200
10X70	6223310X70	25	5,150	16X120	6223316X120	5	22,800
10X80	6223310X80	25	5,760	20X100	6223320X100	5	33,400
10X90	6223310X90	25	6,380	20X110	6223320X110	5	35,900
10X100	6223310X100	25	7,000	20X150	6223320X150	5	45,700
12X50	6223312X50	25	6,320				

Inox A1

62 235
DIN 464

VIS MOLETEES TYPE HAUT

KNURLED THUMB SCREWS HIGH TYPE
RÄNDELSCHRAUBEN HOHE FORM
TORNILLOS MOLETEADOS FORMA ALTA



d	M 3	M 4	M 5	M 6	M 8
dk	12	16	20	24	30
k	2,5	3,5	4	5	6
ds	6	8	10	12	16
h	7,5	9,5	11,5	15	18
Pas	0,5	0,7	0,8	1	1,25


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X4	622353X4	50	0,350	5X8	622355X8	25	1,540
3X5	622353X5	50	0,354	5X10	622355X10	25	1,570
3X6	622353X6	50	0,359	5X12	622355X12	25	1,600
3X8	622353X8	50	0,368	5X16	622355X16	25	1,670
3X10	622353X10	50	0,377	5X20	622355X20	25	1,730
3X12	622353X12	50	0,386	5X25	622355X25	25	1,870
3X16	622353X16	50	0,420	6X10	622356X10	25	2,840
3X20	622353X20	50	0,452	6X12	622356X12	25	2,870
4X5	622354X5	50	0,828	6X16	622356X16	25	2,930
4X6	622354X6	50	0,836	6X20	622356X20	25	3,000
4X8	622354X8	50	0,851	6X25	622356X25	25	3,080
4X10	622354X10	50	0,866	6X30	622356X30	25	3,150
4X12	622354X12	50	0,881	8X16	622358X16	10	5,680
4X16	622354X16	50	0,910	8X20	622358X20	10	5,800
4X20	622354X20	50	0,958	8X25	622358X25	10	5,920
4X25	622354X25	50	1,010	8X30	622358X30	10	6,000
5X6	622355X6	25	1,520				

Inox A2

62 222
DIN 7500 CZ - (tête selon ISO7045)

VIS AUTOTARAUDEUSES TETE CYLINDRIQUE POZIDRIVE

POZIDRIVE PAN HEAD THREAD ROLLING SCREWS
POZIDRIVE GEWINDEFURCHENDE LINSCHRAUBEN
TORNILLOS AUTOROSCANTES CABEZA CILINDRICA POZIDRIVE



d	M 2,5	M 3	M 4	M 5	M 6
d2	5	5,6	8	9,5	12
k	2,1	2,4	3,1	3,8	4,6
m	2,6	3	4,3	5	6,7
	1	1	2	2	3
Pas	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2,5X5	622222,5X5	500	0,042	4X20	622224X20	200	0,253
2,5X6	622222,5X6	500	0,045	4X25	622224X25	200	0,291
2,5X8	622222,5X8	500	0,051	4X30	622224X30	200	0,328
2,5X10	622222,5X10	500	0,057	5X8	622225X8	200	0,277
2,5X12	622222,5X12	500	0,063	5X10	622225X10	200	0,301
3X5	622223X5	200	0,060	5X12	622225X12	200	0,326
3X6	622223X6	200	0,064	5X16	622225X16	200	0,374
3X8	622223X8	200	0,073	5X20	622225X20	200	0,422
3X10	622223X10	200	0,081	5X25	622225X25	200	0,482
3X12	622223X12	200	0,090	5X30	622225X30	200	0,542
3X16	622223X16	200	0,107	6X10	622226X10	200	0,524
3X20	622223X20	200	0,124	6X12	622226X12	200	0,558
4X6	622224X6	200	0,148	6X16	622226X16	200	0,627
4X8	622224X8	200	0,163	6X20	622226X20	200	0,696
4X10	622224X10	200	0,178	6X25	622226X25	200	0,781
4X12	622224X12	200	0,193	6X30	622226X30	200	0,867
4X16	622224X16	200	0,223				


Taraude seulement l'aluminium / Only tap aluminium
Avant trou (mm) :
M2,5 = 2,25 - 2,30
M3 = 2,70 - 2,75
M4 = 3,60 - 3,70
M5 = 4,50 - 4,65
M6 = 5,40 - 5,55

Inox A2

62 223
DIN 7500 MZ - (tête selon ISO7046)

VIS AUTOTARAUDEUSES TETE FRAISEE POZIDRIVE

POZIDRIVE COUNTERSUNK HEAD THREAD ROLLING SCREWS
POZIDRIVE GEWINDEFURCHENDE SENKSCHRAUBEN
TORNILLOS AUTOROSCANTES CABEZA AVELLANADA POZIDRIVE



d	M 2,5	M 3	M 4	M 5	M 6
d2	4,7	5,5	8,4	9,3	11,3
k	1,5	1,65	2,7	2,7	3,3
m	2,5	2,8	4	4,4	6,1
	1	1	2	2	3
Pas	0,45	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2,5X5	622232,5X5	500	0,024	4X16	622234X16	200	0,153
2,5X6	622232,5X6	500	0,027	4X20	622234X20	200	0,184
2,5X8	622232,5X8	500	0,033	5X10	622235X10	200	0,170
2,5X10	622232,5X10	500	0,039	5X12	622235X12	200	0,195
2,5X12	622232,5X12	500	0,045	5X16	622235X16	200	0,244
3X6	622233X6	200	0,038	5X20	622235X20	200	0,294
3X8	622233X8	200	0,047	5X25	622235X25	200	0,355
3X10	622233X10	200	0,056	5X30	622235X30	200	0,416
3X12	622233X12	200	0,064	6X12	622236X12	200	0,289
3X16	622233X16	200	0,082	6X16	622236X16	200	0,361
4X8	622234X8	200	0,090	6X20	622236X20	200	0,431
4X10	622234X10	200	0,106	6X25	622236X25	200	0,519
4X12	622234X12	200	0,122	6X30	622236X30	200	0,608

Taraude seulement l'aluminium / Only tap aluminium
Avant trou (mm) :
M2,5 = 2,25 - 2,30
M3 = 2,70 - 2,75
M4 = 3,60 - 3,70
M5 = 4,50 - 4,65
M6 = 5,40 - 5,55




Inox A2

62218
Similar DIN 316

VIS A OREILLES FORME AMERICAINE

WING SCREWS - AMERICAN FORM
FLÜGELSCHRAUBEN - AMERIKANISCHE FORM
TORNILLOS DE MARIPOSA - TIPO AMERICANO



d	M 4	M 5	M 6	M 8	M 10
d2	9,5	9,5	11,9	13,5	15,3
e	22,5	22,5	27,5	31	36,5
h	10,5	10,5	13	14,8	17,5
Pas	0,7	0,8	1	1,25	1,5


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
4X10	622184X10	200	0,310	6X30	622186X30	200	1,316
4X12	622184X12	200	0,330	6X35	622186X35	200	1,080
4X16	622184X16	200	0,390	6X40	622186X40	200	1,090
4X20	622184X20	200	0,440	6X50	622186X50	100	1,120
4X25	622184X25	200	0,480	8X16	622188X16	100	2,010
4X30	622184X30	200	0,520	8X20	622188X20	100	2,040
5X10	622185X10	200	0,500	8X25	622188X25	100	2,080
5X12	622185X12	200	0,570	8X30	622188X30	100	2,100
5X16	622185X16	200	0,630	8X35	622188X35	100	2,155
5X20	622185X20	200	0,690	8X40	622188X40	100	2,210
5X25	622185X25	200	0,760	8X50	622188X50	100	2,340
5X30	622185X30	200	0,810	8X60	622188X60	100	2,969
5X35	622185X35	200	0,840	10X16	6221810X16	50	2,910
5X40	622185X40	200	0,870	10X20	6221810X20	50	3,000
5X50	622185X50	200	0,950	10X25	6221810X25	50	3,210
6X10	622186X10	200	0,980	10X30	6221810X30	50	3,460
6X12	622186X12	200	1,010	10X35	6221810X35	50	3,620
6X16	622186X16	200	1,030	10X40	6221810X40	50	3,860
6X20	622186X20	200	1,050	10X50	6221810X50	50	4,190
6X25	622186X25	200	1,060	10X60	6221810X60	50	4,500

Inox A2

62234

VIS VIOLON

SHOULDERLESS THUMB SCREWS
LAPPENSCHRAUBEN
TORNILLOS VIOLA



d	M 4	M 5	M 6	M 8	M 10
a	12	15	18	23	28
b	9	12	14	18	22
c	1,9	2,2	3	4,5	5
Pas	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
4X10	622344X10	200	0,175	6X25	622346X25	100	0,760
4X12	622344X12	200	0,190	6X30	622346X30	100	0,845
4X16	622344X16	200	0,210	8X12	622348X12	100	1,033
4X20	622344X20	200	0,248	8X16	622348X16	100	1,125
5X10	622345X10	200	0,299	8X20	622348X20	100	1,279
5X12	622345X12	200	0,322	8X25	622348X25	100	1,433
5X16	622345X16	100	0,363	8X30	622348X30	100	1,587
5X20	622345X20	100	0,416	8X35	622348X35	100	1,741
5X25	622345X25	100	0,475	8X40	622348X40	100	1,895
5X30	622345X30	100	0,533	10X20	6223410X20	50	2,184
6X10	622346X10	100	0,505	10X25	6223410X25	50	2,425
6X12	622346X12	100	0,539	10X30	6223410X30	50	2,666
6X16	622346X16	100	0,599	10X40	6223410X40	50	3,148
6X20	622346X20	100	0,675	10X50	6223410X50	50	3,630



Inox A2

62 201

DIN 912 - (similar ISO 4762, NFE 25-125, UNI 5931)

Acton

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX


HEXAGON SOCKET HEAD CAP SCREWS

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT

TORNILLOS CABEZA CILINDRICA CON HUECO HEXAGONAL

Disponible en petit conditionnement
Voir chapitre Coffrets / Artinox

ARTINOX
SPECIAL PACKAGING



d	M 1,6	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 24
dk (min)	2,86	3,62	4,32	5,32	6,78	8,28	9,78	12,73	15,73	17,73	20,67	23,67	26,67	29,67	35,61
dk (max)	3,00	3,80	4,50	5,50	7,00	8,50	10,00	13,00	16,00	18,00	21,00	24,00	27,00	30,00	36,00
k	1,6	2	2,5	3	4	5	6	8	10	12	14	16	18	20	24
s	1,5	1,5	2	2,5	3	4	5	6	8	10	12	14	14	17	19
b	15	16	17	18	20	22	24	28	32	36	40	44	48	52	60
t (min)	0,7	1	1,1	1,3	2	2,5	3	4	5	6	7	8	9	10	12
Pas	0,35	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5	2,5	3

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1,6X3	622011,6X3	200	0,100	3X50	622013X50	200	0,293
1,6X4	622011,6X4	200	0,012	3X60	622013X60	200	0,335
1,6X5	622011,6X5	200	0,013	4X5	622014X5	200	0,133
1,6X6	622011,6X6	200	0,014	4X6	622014X6	200	0,149
1,6X8	622011,6X8	200	0,016	4X8	622014X8	200	0,164
1,6X10	622011,6X10	200	0,018	4X10	622014X10	200	0,179
1,6X12	622011,6X12	200	0,020	4X12	622014X12	200	0,194
1,6X16	622011,6X16	200	0,025	4X14	622014X14	200	0,209
2X3	622012X3	200	0,020	4X16	622014X16	200	0,224
2X4	622012X4	200	0,022	4X18	622014X18	200	0,239
2X5	622012X5	200	0,024	4X20	622014X20	200	0,254
2X6	622012X6	200	0,026	4X22	622014X22	200	0,269
2X8	622012X8	200	0,029	4X25	622014X25	200	0,291
2X10	622012X10	200	0,033	4X30	622014X30	200	0,346
2X12	622012X12	200	0,036	4X30/30	622014X30/30	200	0,346
2X14	622012X14	200	0,040	4X35	622014X35	200	0,393
2X16	622012X16	200	0,043	4X40	622014X40	200	0,440
2X20	622012X20	200	0,051	4X45	622014X45	200	0,487
2,5X4	622012,5X4	200	0,038	4X50	622014X50	200	0,535
2,5X5	622012,5X5	200	0,041	4X55	622014X55	200	0,582
2,5X6	622012,5X6	200	0,044	4X60	622014X60	200	0,629
2,5X8	622012,5X8	200	0,050	4X70	622014X70	200	0,723
2,5X10	622012,5X10	200	0,055	4X80	622014X80	200	0,817
2,5X12	622012,5X12	200	0,061	5X6	622015X6	200	0,261
2,5X14	622012,5X14	200	0,067	5X8	622015X8	200	0,285
2,5X16	622012,5X16	200	0,073	5X10	622015X10	200	0,310
2,5X20	622012,5X20	200	0,084	5X12	622015X12	200	0,334
3X4	622013X4	200	0,065	5X14	622015X14	200	0,358
3X5	622013X5	200	0,069	5X16	622015X16	200	0,382
3X6	622013X6	200	0,074	5X18	622015X18	200	0,406
3X8	622013X8	200	0,082	5X20	622015X20	200	0,430
3X10	622013X10	200	0,091	5X22	622015X22	200	0,454
3X12	622013X12	200	0,099	5X25	622015X25	200	0,490
3X14	622013X14	200	0,108	5X30	622015X30	200	0,569
3X16	622013X16	200	0,116	5X30/30	622015X30/30	200	0,569
3X18	622013X18	200	0,125	5X35	622015X35	200	0,643
3X20	622013X20	200	0,133	5X35/35	622015X35/35	200	0,643
3X25	622013X25	200	0,161	5X40	622015X40	200	0,718
3X30	622013X30	200	0,187	5X40/40	622015X40/40	200	0,718
3X35	622013X35	200	0,214	5X45	622015X45	200	0,792
3X40	622013X40	200	0,240	5X50	622015X50	200	0,866
3X45	622013X45	200	0,267	5X50/50	622015X50/50	200	0,866

PAGE SUIVANTE

Inox A2

62 201

DIN 912 - (similar ISO 4762, NFE 25-125, UNI 5931)

Acton

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
5X55	622015X55	200	0,941	8X70/70	622018X70/70	100	3,182
5X55/55	622015X55/55	200	0,941	8X75	622018X75	100	3,374
5X60	622015X60	200	1,015	8X80	622018X80	100	3,566
5X65	622015X65	100	1,050	8X80/80	622018X80/80	100	3,566
5X70	622015X70	100	1,164	8X90	622018X90	50	3,950
5X80	622015X80	100	1,312	8X100	622018X100	50	4,334
5X90	622015X90	100	1,461	8X110	622018X110	50	4,717
5X100	622015X100	100	1,610	8X120	622018X120	50	5,101
6X8	622016X8	200	0,446	8X130	622018X130	50	5,485
6X10	622016X10	200	0,480	8X140	622018X140	50	5,869
6X12	622016X12	200	0,515	8X150	622018X150	50	6,253
6X14	622016X14	200	0,549	10X12	6220110X12	100	1,890
6X16	622016X16	200	0,583	10X16	6220110X16	100	2,120
6X18	622016X18	200	0,618	10X20	6220110X20	100	2,318
6X20	622016X20	200	0,652	10X25	6220110X25	100	2,564
6X22	622016X22	200	0,686	10X30	6220110X30	100	2,811
6X25	622016X25	200	0,738	10X35	6220110X35	100	3,058
6X30	622016X30	200	0,824	10X40	6220110X40	100	3,304
6X35	622016X35	200	0,949	10X45	6220110X45	50	3,661
6X35/35	622016X35/35	200	0,949	10X50	6220110X50	50	3,962
6X40	622016X40	200	1,057	10X55	6220110X55	50	4,264
6X40/40	622016X40/40	200	1,057	10X60	6220110X60	50	4,565
6X45	622016X45	100	1,165	10X65	6220110X65	50	4,867
6X45/45	622016X45/45	100	1,165	10X70	6220110X70	50	5,169
6X50	622016X50	100	1,272	10X75	6220110X75	50	5,470
6X50/50	622016X50/50	100	1,272	10X80	6220110X80	50	5,772
6X55	622016X55	100	1,380	10X90	6220110X90	50	6,375
6X60	622016X60	100	1,488	10X100	6220110X100	50	6,978
6X60/60	622016X60/60	100	1,488	10X110	6220110X110	50	7,581
6X65	622016X65	100	1,596	10X120	6220110X120	50	8,184
6X70	622016X70	100	1,703	10X130	6220110X130	50	8,788
6X70/70	622016X70/70	100	1,760	10X140	6220110X140	50	9,391
6X75	622016X75	100	1,811	10X150	6220110X150	50	9,994
6X80	622016X80	100	1,919	10X160	6220110X160	50	10,598
6X90	622016X90	100	2,134	10X170	6220110X170	50	11,201
6X100	622016X100	100	2,350	10X180	6220110X180	50	11,804
6X110	622016X110	100	2,565	10X200	6220110X200	25	13,011
6X120	622016X120	100	2,780	10X220	6220110X220	25	14,217
6X130	622016X130	100	2,996	12X16	6220112X16	100	3,000
6X140	622016X140	100	3,211	12X20	6220112X20	100	3,384
6X150	622016X150	100	3,427	12X25	6220112X25	100	3,742
8X10	622018X10	100	1,025	12X30	6220112X30	100	4,100
8X12	622018X12	100	1,088	12X35	6220112X35	100	4,458
8X14	622018X14	100	1,150	12X40	6220112X40	50	4,815
8X16	622018X16	100	1,212	12X45	6220112X45	50	5,173
8X18	622018X18	100	1,275	12X50	6220112X50	50	5,531
8X20	622018X20	100	1,337	12X55	6220112X55	50	6,126
8X22	622018X22	100	1,400	12X60	6220112X60	50	6,560
8X25	622018X25	100	1,493	12X65	6220112X65	50	6,994
8X30	622018X30	100	1,649	12X70	6220112X70	50	7,428
8X35	622018X35	100	1,805	12X75	6220112X75	50	7,862
8X40	622018X40	100	2,030	12X80	6220112X80	50	8,296
8X40/40	622018X40/40	100	2,030	12X90	6220112X90	50	9,164
8X45	622018X45	100	2,222	12X100	6220112X100	50	10,032
8X45/45	622018X45/45	100	2,222	12X110	6220112X110	25	10,900
8X50	622018X50	100	2,414	12X120	6220112X120	25	11,769
8X50/50	622018X50/50	100	2,414	12X130	6220112X130	25	12,637
8X55	622018X55	100	2,606	12X140	6220112X140	25	13,505
8X60	622018X60	100	2,798	12X150	6220112X150	25	14,373
8X65	622018X65	100	2,990	12X160	6220112X160	25	15,243
8X70	622018X70	100	3,182	12X170	6220112X170	25	16,111

PAGE SUIVANTE

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

PAGE PRECEDENTE


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
12X180	6220112X180	25	16,979	18X40	6220118X40	10	14,537
14X20	6220114X20	50	5,030	18X50	6220118X50	10	16,170
14X25	6220114X25	50	5,520	18X60	6220118X60	10	17,804
14X30	6220114X30	50	6,010	18X65	6220118X65	10	18,621
14X35	6220114X35	50	6,500	18X70	6220118X70	10	19,999
14X40	6220114X40	50	6,990	18X80	6220118X80	10	21,966
14X45	6220114X45	50	7,480	18X90	6220118X90	10	23,935
14X50	6220114X50	50	7,970	18X100	6220118X100	10	25,902
14X55	6220114X55	50	8,460	18X110	6220118X110	10	27,870
14X60	6220114X60	50	9,278	18X120	6220118X120	10	29,838
14X70	6220114X70	50	10,463	18X130	6220118X130	10	31,806
14X80	6220114X80	25	11,648	18X140	6220118X140	10	33,774
14X90	6220114X90	25	12,834	18X150	6220118X150	10	35,742
14X100	6220114X100	25	14,019	20X40	6220120X40	25	17,260
14X110	6220114X110	25	15,204	20X45	6220120X45	25	18,289
14X120	6220114X120	25	16,390	20X50	6220120X50	25	19,319
14X130	6220114X130	25	17,575	20X55	6220120X55	25	20,350
14X140	6220114X140	10	18,761	20X60	6220120X60	25	21,379
14X150	6220114X150	10	19,946	20X70	6220120X70	25	23,438
16X20	6220116X20	50	6,480	20X80	6220120X80	25	26,337
16X25	6220116X25	50	8,878	20X90	6220120X90	25	28,763
16X30	6220116X30	50	8,330	20X100	6220120X100	25	31,189
16X35	6220116X35	50	10,194	20X110	6220120X110	10	33,615
16X40	6220116X40	50	10,851	20X120	6220120X120	10	36,040
16X45	6220116X45	50	11,509	20X130	6220120X130	10	38,467
16X50	6220116X50	50	12,167	20X140	6220120X140	10	40,892
16X55	6220116X55	50	12,825	20X150	6220120X150	10	43,318
16X60	6220116X60	25	13,483	20X160	6220120X160	10	45,747
16X65	6220116X65	25	14,541	20x200	6220120X200	10	54,00
16X70	6220116X70	25	15,317	24X50	6220124X50	10	30,921
16X75	6220116X75	25	16,093	24X60	6220124X60	10	33,890
16X80	6220116X80	25	16,869	24X70	6220124X70	10	36,858
16X90	6220116X90	25	18,421	24X80	6220124X80	10	39,825
16X100	6220116X100	25	19,973	24X90	6220124X90	10	44,063
16X110	6220116X110	25	21,525	24X100	6220124X100	10	47,566
16X120	6220116X120	25	23,077	24X110	6220124X110	10	51,069
16X130	6220116X130	25	24,629	24X120	6220124X120	10	54,572
16X140	6220116X140	10	26,181	24X130	6220124X130	10	58,075
16X150	6220116X150	10	27,733	24X140	6220124X140	10	61,578
16X160	6220116X160	10	29,287	24X150	6220124X150	10	65,080
16X180	6220116X180	10	32,391				

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

HEXAGON SOCKET HEAD CAP SCREWS

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT

TORNILLOS CABEZA CILINDRICA CON HUECO HEXAGONAL



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20	M 24
dk (min)	3,62	4,32	5,32	6,78	8,28	9,78	12,73	15,73	17,73	20,67	23,67	29,67	35,61
dk (max)	3,80	4,50	5,50	7,00	8,50	10,00	13,00	16,00	18,00	21,00	24,00	30,00	36,00
k	2	2,5	3	4	5	6	8	10	12	14	16	20	24
s	1,5	2	2,5	3	4	5	6	8	10	12	14	17	19
b	16	17	18	20	22	24	28	32	36	40	44	52	60
t (min)	1	1,1	1,3	2	2,5	3	4	5	6	7	8	10	12
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5	3

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X4	642012X4	200	0,022	4X40	642014X40	200	0,440
2X5	642012X5	200	0,024	4X45	642014X45	200	0,487
2X6	642012X6	200	0,026	4X50	642014X50	200	0,535
2X8	642012X8	200	0,029	4X60	642014X60	200	0,629
2X10	642012X10	200	0,033	4X70	642014X70	200	0,723
2X12	642012X12	200	0,036	5X8	642015X8	200	0,285
2X16	642012X16	200	0,043	5X10	642015X10	200	0,310
2X20	642012X20	200	0,051	5X12	642015X12	200	0,334
2,5X4	642012,5X4	200	0,038	5X14	642015X14	200	0,358
2,5X5	642012,5X5	200	0,041	5X16	642015X16	200	0,382
2,5X6	642012,5X6	200	0,044	5X20	642015X20	200	0,430
2,5X8	642012,5X8	200	0,050	5X25	642015X25	200	0,490
2,5X10	642012,5X10	200	0,055	5X30	642015X30	200	0,569
2,5X12	642012,5X12	200	0,061	5X35	642015X35	200	0,643
2,5X14	642012,5X14	200	0,067	5X40	642015X40	200	0,718
2,5X16	642012,5X16	200	0,073	5X45	642015X45	200	0,792
2,5X20	642012,5X20	200	0,084	5X50	642015X50	200	0,866
3X5	642013X5	200	0,069	5X55	642015X55	200	0,941
3X6	642013X6	200	0,074	5X60	642015X60	200	1,015
3X8	642013X8	200	0,082	5X70	642015X70	100	1,164
3X10	642013X10	200	0,091	5X80	642015X80	100	1,312
3X12	642013X12	200	0,099	5X90	642015X90	100	1,461
3X14	642013X14	200	0,108	5X100	642015X100	100	1,610
3X16	642013X16	200	0,116	6X8	642016X8	200	0,446
3X18	642013X18	200	0,125	6X10	642016X10	200	0,480
3X20	642013X20	200	0,133	6X12	642016X12	200	0,515
3X25	642013X25	200	0,161	6X14	642016X14	200	0,549
3X30	642013X30	200	0,187	6X16	642016X16	200	0,583
3X35	642013X35	200	0,214	6X20	642016X20	200	0,652
3X40	642013X40	200	0,240	6X25	642016X25	200	0,738
3X50	642013X50	200	0,293	6X30	642016X30	200	0,824
4X6	642014X6	200	0,149	6X35	642016X35	200	0,949
4X8	642014X8	200	0,164	6X40	642016X40	200	1,057
4X10	642014X10	200	0,179	6X45	642016X45	100	1,165
4X12	642014X12	200	0,194	6X50	642016X50	100	1,272
4X14	642014X14	200	0,209	6X55	642016X55	100	1,380
4X16	642014X16	200	0,224	6X60	642016X60	100	1,488
4X18	642014X18	200	0,239	6X70	642016X70	100	1,703
4X20	642014X20	200	0,254	6X80	642016X80	100	1,919
4X25	642014X25	200	0,291	6X90	642016X90	100	2,134
4X30	642014X30	200	0,346	6X100	642016X100	100	2,350
4X35	642014X35	200	0,393	6X110	642016X110	100	2,565

PAGE SUIVANTE



Inox A4

64 201
DIN 912 - (similar ISO 4762, NFE 25-125, UNI 5931)

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
6X120	642016X120	100	2,780	12X65	6420112X65	50	6,994
6X130	642016X130	100	2,996	12X70	6420112X70	50	7,428
6X140	642016X140	100	3,211	12X80	6420112X80	50	8,296
6X150	642016X150	100	3,427	12X90	6420112X90	50	9,164
8X10	642018X10	100	1,025	12X100	6420112X100	50	10,032
8X12	642018X12	100	1,088	12X110	6420112X110	25	10,900
8X14	642018X14	100	1,150	12X120	6420112X120	25	11,769
8X16	642018X16	100	1,212	12X130	6420112X130	25	12,637
8X18	642018X18	100	1,275	12X140	6420112X140	25	13,505
8X20	642018X20	100	1,337	12X150	6420112X150	25	14,373
8X25	642018X25	100	1,493	12X160	6420112X160	25	15,243
8X30	642018X30	100	1,649	12X180	6420112X180	25	16,979
8X35	642018X35	100	1,805	14X25	6420114X25	50	5,520
8X40	642018X40	100	2,030	14X30	6420114X30	50	6,010
8X45	642018X45	100	2,222	14X35	6420114X35	50	6,500
8X50	642018X50	100	2,414	14X40	6420114X40	50	6,990
8X55	642018X55	100	2,606	14X45	6420114X45	50	7,480
8X60	642018X60	100	2,798	14X50	6420114X50	50	7,970
8X65	642018X65	100	2,990	14X60	6420114X60	50	9,278
8X70	642018X70	100	3,182	14X70	6420114X70	50	10,463
8X80	642018X80	100	3,566	14X80	6420114X80	25	11,648
8X90	642018X90	50	3,950	14X90	6420114X90	25	12,834
8X100	642018X100	50	4,334	14X100	6420114X100	25	14,019
8X110	642018X110	50	4,717	14X110	6420114X110	25	15,204
8X120	642018X120	50	5,101	14X120	6420114X120	25	16,390
8X130	642018X130	50	5,485	14X130	6420114X130	25	17,575
8X140	642018X140	50	5,869	14X140	6420114X140	10	18,761
8X150	642018X150	50	6,253	14X150	6420114X150	10	19,946
10X12	6420110X12	100	1,890	16X25	6420116X25	50	8,878
10X16	6420110X16	100	2,120	16X30	6420116X30	50	8,330
10X20	6420110X20	100	2,318	16X35	6420116X35	50	10,194
10X25	6420110X25	100	2,564	16X40	6420116X40	50	10,851
10X30	6420110X30	100	2,811	16X45	6420116X45	50	11,509
10X35	6420110X35	100	3,058	16X50	6420116X50	50	12,167
10X40	6420110X40	100	3,304	16X55	6420116X55	50	12,825
10X45	6420110X45	50	3,661	16X60	6420116X60	25	13,483
10X50	6420110X50	50	3,962	16X65	6420116X65	25	14,541
10X55	6420110X55	50	4,264	16X70	6420116X70	25	15,317
10X60	6420110X60	50	4,565	16X80	6420116X80	25	16,869
10X65	6420110X65	50	4,867	16X85	6420116X85	25	17,645
10X70	6420110X70	50	5,169	16X90	6420116X90	25	18,421
10X80	6420110X80	50	5,772	16X100	6420116X100	25	19,973
10X90	6420110X90	50	6,375	16X110	6420116X110	25	21,525
10X100	6420110X100	50	6,978	16X120	6420116X120	25	23,077
10X110	6420110X110	50	7,581	16X130	6420116X130	25	24,629
10X120	6420110X120	50	8,184	16X140	6420116X140	25	26,181
10X130	6420110X130	50	8,788	16X150	6420116X150	25	27,733
10X140	6420110X140	50	9,391	16X160	6420116X160	25	29,287
10X150	6420110X150	50	9,994	20X30	6420120X30	25	15,200
10X160	6420110X160	50	10,598	20X40	6420120X40	25	17,260
10X170	6420110X170	50	11,201	20X45	6420120X45	25	18,289
10X180	6420110X180	50	11,804	20X50	6420120X50	25	19,319
12X20	6420112X20	100	3,384	20X55	6420120X55	25	20,350
12X25	6420112X25	100	3,742	20X60	6420120X60	25	21,379
12X30	6420112X30	100	4,100	20X70	6420120X70	25	23,438
12X35	6420112X35	100	4,458	20X80	6420120X80	25	26,337
12X40	6420112X40	50	4,815	20X90	6420120X90	25	28,763
12X45	6420112X45	50	5,173	20X100	6420120X100	25	31,189
12X50	6420112X50	50	5,531	20X110	6420120X110	10	33,615
12X55	6420112X55	50	6,126	20X120	6420120X120	10	36,040
12X60	6420112X60	50	6,560	20X130	6420120X130	10	38,467

PAGE SUIVANTE

Inox A4

64 201
DIN 912 - (similar ISO 4762, NFE 25-125, UNI 5931)

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
20X140	6420120X140	10	40,892	24X90	6420124X90	10	44,063
20X150	6420120X150	10	43,318	24X100	6420124X100	10	47,566
20X160	6420120X160	10	45,747	24X110	6420124X110	10	51,069
24X40	6420124X40	10	27,954	24X120	6420124X120	10	54,572
24X50	6420124X50	10	30,921	24X130	6420124X130	10	58,075
24X60	6420124X60	10	33,890	24X140	6420124X140	10	61,578
24X70	6420124X70	10	36,858	24X150	6420124X150	10	65,080
24X80	6420124X80	10	39,825				



Inox A4-80

65 201


DIN 912 - (similar ISO 4762, NFE 25-125, UNI 5931)

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX

HEXAGON SOCKET HEAD CAP SCREWS

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT

TORNILLOS CABEZA CILINDRICA CON HUECO HEXAGONAL



d	M 4	M 5	M 6	M 8	M 10	M 12	M 16
dk (min-max)	6,78-7,00	8,28-8,50	9,78-10,00	12,73-13,00	15,73-16,00	17,73-18,00	23,67-24,00
k	4	5	6	8	10	12	16
s	3	4	5	6	8	10	14
b	20	22	24	28	32	36	44
t (min)	2	2,5	3	4	5	6	8
Pas	0,7	0,8	1	1,25	1,5	1,75	2

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
4X10	652014X10	200	0,179	8X100	652018X100	50	4,334
4X12	652014X12	200	0,194	10X16	6520110X16	100	2,120
4X20	652014X20	200	0,254	10X20	6520110X20	100	2,318
5X10	652015X10	200	0,310	10X25	6520110X25	100	2,564
5X12	652015X12	200	0,334	10X30	6520110X30	100	2,811
5X16	652015X16	200	0,382	10X35	6520110X35	100	3,058
5X20	652015X20	200	0,430	10X40	6520110X40	100	3,304
5X25	652015X25	200	0,490	10X45	6520110X45	50	3,661
5X30	652015X30	200	0,569	10X50	6520110X50	50	3,962
5X35	652015X35	200	0,643	10X60	6520110X60	50	4,565
5X40	652015X40	200	0,718	10X70	6520110X70	50	5,169
5X45	652015X45	200	0,792	10X80	6520110X80	50	5,772
5X50	652015X50	200	0,863	10X90	6520110X90	50	6,375
6X10	652016X10	200	0,480	10X100	6520110X100	50	6,978
6X12	652016X12	200	0,515	12X25	6520112X25	100	3,570
6X16	652016X16	200	0,583	12X30	6520112X30	100	4,100
6X20	652016X20	200	0,652	12X35	6520112X35	100	4,458
6X25	652016X25	200	0,738	12X40	6520112X40	50	4,815
6X30	652016X30	200	0,824	12X45	6520112X45	50	5,173
6X35	652016X35	200	0,949	12X50	6520112X50	50	5,531
6X40	652016X40	200	1,057	12X60	6520112X60	50	6,560
6X45	652016X45	100	1,165	12X70	6520112X70	50	7,428
6X50	652016X50	100	1,272	12X80	6520112X80	50	8,296
6X60	652016X60	100	1,488	12X90	6520112X90	50	9,164
8X16	652018X16	100	1,212	12X100	6520112X100	50	10,032
8X20	652018X20	100	1,337	16X25	6520116X25	50	7,130
8X25	652018X25	100	1,493	16X30	6520116X30	50	9,535
8X30	652018X30	100	1,649	16X35	6520116X35	50	8,440
8X35	652018X35	100	1,805	16X40	6520116X40	50	9,100
8X40	652018X40	100	2,030	16X45	6520116X45	50	9,760
8X45	652018X45	100	2,222	16X50	6520116X50	50	12,167
8X50	652018X50	100	2,414	16X60	6520116X60	25	13,483
8X60	652018X60	100	2,798	16X70	6520116X70	25	13,800
8X70	652018X70	100	3,182	16X80	6520116X80	25	15,400
8X80	652018X80	100	3,566	16X100	6520116X100	25	19,973
8X90	652018X90	50	3,950				

Inox A2

62 228


UNC (Unified National Coarse) 

VIS A METAUX TETE CYLINDRIQUE SIX PANS CREUX -UNC-

HEXAGON SOCKET HEAD CAP SCREWS -UNC-

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT -UNC-

TORNILLOS DE CABEZA CILINDRICA CON HUECO HEXAGONAL UNC



d	1/4	5/16	3/8	1/2	5/8
dk	9,5	11,9	14,3	19	23,8
k	6,4	7,9	9,5	12,7	15,9
s	4,76	6,35	7,95	9,5	12,7
b (min)	25	28	32	38	45
Pas	20	18	16	13	11

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
1/4X1/2	622281/4X1/2	200	0,505	3/8X1-3/4*	622283/8X1-3/4	50	2,997
1/4X5/8	622281/4X5/8	200	0,576	3/8X2*	622283/8X2	50	3,240
1/4X3/4	622281/4X3/4	200	0,644	3/8X2-1/4*	622283/8X2-1/4	50	3,600
1/4X1	622281/4X1	200	0,760	3/8X2-1/2*	622283/8X2-1/2	50	3,940
1/4X1-1/4	622281/4X1-1/4	200	0,873	3/8X2-3/4*	622283/8X2-3/4	50	4,227
1/4X1-3/8	622281/4X1-3/8	200	0,946	3/8X3*	622283/8X3	50	4,573
1/4X1-1/2*	622281/4X1-1/2	200	1,018	1/2X1	622281/2X1	100	4,160
1/4X1-3/4*	622281/4X1-3/4	100	1,164	1/2X1-1/4	622281/2X1-1/4	100	4,650
1/4X2*	622281/4X2	100	1,360	1/2X1-1/2	622281/2X1-1/2	50	5,018
1/4X2-1/4*	622281/4X2-1/4	100	1,555	1/2X1-3/4	622281/2X1-3/4	50	5,618
1/4X2-1/2*	622281/4X2-1/2	100	1,720	1/2X2	622281/2X2	50	6,217
1/4X2-3/4*	622281/4X2-3/4	100	1,844	1/2X2-1/4*	622281/2X2-1/4	50	6,818
1/4X3*	622281/4X3	100	2,026	1/2X2-1/2*	622281/2X2-1/2	50	7,418
5/16X3/4	622285/16X3/4	100	1,070	1/2X2-3/4*	622281/2X2-3/4	50	8,018
5/16X1	622285/16X1	100	1,270	1/2X3*	622281/2X3	50	8,627
5/16X1-1/4	622285/16X1-1/4	100	1,432	1/2X3-1/4*	622281/2X3-1/4	50	9,490
5/16X1-3/8	622285/16X1-3/8	100	1,579	1/2X3-1/2*	622281/2X3-1/2	50	9,800
5/16X1-1/2	622285/16X1-1/2	100	1,659	1/2X4*	622281/2X4	50	11,598
5/16X1-3/4*	622285/16X1-3/4	100	1,895	5/8X1-1/2	622285/8X1-1/2	50	9,551
5/16X2*	622285/16X2	100	2,132	5/8X1-3/4	622285/8X1-3/4	50	10,418
5/16X2-1/4*	622285/16X2-1/4	100	2,359	5/8X2	622285/8X2	50	11,216
5/16X2-1/2*	622285/16X2-1/2	100	2,591	5/8X2-1/4	622285/8X2-1/4	50	12,083
5/16X2-3/4*	622285/16X2-3/4	100	2,818	5/8X2-1/2*	622285/8X2-1/2	50	13,343
5/16X3*	622285/16X3	100	3,050	5/8X2-3/4*	622285/8X2-3/4	50	14,247
3/8X3/4	622283/8X3/4	100	1,700	5/8X3*	622285/8X3	25	15,110
3/8X1	622283/8X1	100	1,980	5/8X3-1/4*	622285/8X3-1/4	25	16,129
3/8X1-1/4	622283/8X1-1/4	100	2,200	5/8X3-1/2*	622285/8X3-1/2	25	17,149
3/8X1-3/8	622283/8X1-3/8	100	2,384	5/8X4*	622285/8X4	25	19,336
3/8X1-1/2	622283/8X1-1/2	100	2,568				



* Filetage partiel / Partly threaded
RAPPEL / REMINDER : 1 pouce (inch) = 25,4 mm



Inox A2

62 219
DIN 6912


Acton

VIS A METAUX TETE CYLINDRIQUE REDUITE SIX PANS CREUX AVEC TROU DE GUIDAGE

HEXAGON SOCKET HEAD CAP SCREWS WITH CENTRE HOLE AND LOW HEAD

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT UND NIEDRIGEM KOPF MIT SCHLÜSSELFÜHRUNG

TORNILLOS CABEZA CILINDRICA BAJA CON HEXAGONO INTERIOR Y GUIA DE LLAVE



d	M 4	M 5	M 6	M 8	M 10	M 12
dk	7	8,5	10	13	16	18
k	2,8	3,5	4	5	6,5	7,5
s	3,1	4,12	5,14	6,14	8,18	10,18
t (min)	1,48	1,88	2,38	2,88	3,35	3,85
Pas	0,7	0,8	1	1,25	1,5	1,75
b (L<125)	14	16	18	22	26	30

d x L	Code	Cond.	kg/100
4X8	622194X8	200	0,100
4X10	622194X10	200	0,130
4X12	622194X12	200	0,150
4X16	622194X16	200	0,190
4X20	622194X20	200	0,230
4X25	622194X25	200	0,270
4X30	622194X30	200	0,320
4X40	622194X40	200	0,420
5X8	622195X8	200	0,200
5X10	622195X10	200	0,220
5X12	622195X12	200	0,250
5X16	622195X16	200	0,310
5X20	622195X20	200	0,370
5X25	622195X25	200	0,440
5X30	622195X30	200	0,510
5X35	622195X35	200	0,580
5X40	622195X40	200	0,660
5X50	622195X50	200	0,730
5X60	622195X60	200	0,900
6X8	622196X8	200	0,320
6X10	622196X10	200	0,360
6X12	622196X12	200	0,390
6X16	622196X16	200	0,450
6X20	622196X20	200	0,520
6X25	622196X25	200	0,620
6X30	622196X30	200	0,730
6X35	622196X35	200	0,830
6X40	622196X40	200	0,950
6X50	622196X50	100	1,150
6X60	622196X60	100	1,360
6X70	622196X70	100	1,570
6X80	622196X80	100	1,680
8X10	622198X10	100	0,700
8X12	622198X12	100	0,770
8X16	622198X16	100	0,880

d x L	Code	Cond.	kg/100
8X20	622198X20	100	1,020
8X25	622198X25	100	1,250
8X30	622198X30	100	1,400
8X35	622198X35	100	1,570
8X40	622198X40	100	1,750
8X50	622198X50	100	2,150
8X60	622198X60	100	2,530
8X70	622198X70	100	2,910
8X80	622198X80	100	3,280
8X90	622198X90	50	3,600
8X100	622198X100	50	4,000
10X16	6221910X16	100	1,550
10X20	6221910X20	100	1,790
10X25	6221910X25	100	2,020
10X30	6221910X30	100	2,200
10X35	6221910X35	100	2,550
10X40	6221910X40	100	2,850
10X50	6221910X50	50	3,480
10X60	6221910X60	50	4,003
10X70	6221910X70	50	4,600
10X80	6221910X80	50	5,250
10X90	6221910X90	50	5,780
10X100	6221910X100	50	6,500
12X20	6221912X20	50	2,550
12X25	6221912X25	50	2,950
12X30	6221912X30	50	3,250
12X35	6221912X35	50	3,650
12X40	6221912X40	50	4,000
12X45	6221912X45	50	4,480
12X50	6221912X50	50	4,800
12X60	6221912X60	50	5,700
12X70	6221912X70	50	6,500
12X80	6221912X80	50	7,200
12X90	6221912X90	50	8,000
12X100	6221912X100	50	8,800

Inox A2

62 220
DIN 7984 - (UNI 9327)


Acton

VIS A METAUX TETE CYLINDRIQUE REDUITE SIX PANS CREUX

HEXAGON SOCKET HEAD CAP SCREWS LOW HEAD

ZYLINDERSCHRAUBEN MIT INNENSECHSKANT UND NIEDRIGEM KOPF

TORNILLOS CABEZA CILINDRICA BAJA CON HEXAGONO INTERIOR



d	M 3	M 4	M 5	M 6	M 8	M 10
dk	5,5	7	8,5	10	13	16
k	2	2,8	3,5	4	5	6
s	2	2,5	3	4	5	7
t (min)	1,38	2,18	2,58	2,88	3,65	4,35
Pas	0,5	0,7	0,8	1	1,25	1,5
b (L<125)	12	14	16	18	22	26

d x L	Code	Cond.	kg/100
3X6	622203X6	200	0,061
3X8	622203X8	200	0,070
3X10	622203X10	200	0,078
3X12	622203X12	200	0,087
3X16	622203X16	200	0,104
3X20	622203X20	200	0,128
3X25	622203X25	200	0,155
3X30	622203X30	200	0,181
4X6	622204X6	200	0,096
4X8	622204X8	200	0,142
4X10	622204X10	200	0,157
4X12	622204X12	200	0,172
4X16	622204X16	200	0,201
4X20	622204X20	200	0,232
4X25	622204X25	200	0,288
4X30	622204X30	200	0,335
4X35	622204X35	200	0,382
4X40	622204X40	200	0,429
5X8	622205X8	200	0,247
5X10	622205X10	200	0,271
5X12	622205X12	200	0,295
5X16	622205X16	200	0,343
5X20	622205X20	200	0,392
5X25	622205X25	200	0,452
5X30	622205X30	200	0,547
5X35	622205X35	200	0,622
5X40	622205X40	200	0,696

d x L	Code	Cond.	kg/100
5X50	622205X50	200	0,845
6X10	622206X10	200	0,413
6X12	622206X12	200	0,447
6X16	622206X16	200	0,516
6X20	622206X20	200	0,585
6X25	622206X25	200	0,671
6X30	622206X30	200	0,801
6X35	622206X35	200	0,909
6X40	622206X40	200	1,016
6X50	622206X50	100	1,232
8x12	622208X12	100	0,809
8X16	622208X16	100	1,011
8X20	622208X20	100	1,136
8X25	622208X25	100	1,292
8X30	622208X30	100	1,448
8X35	622208X35	100	1,680
8X40	622208X40	100	1,872
8X45	622208X45	100	2,064
8X50	622208X50	100	2,256
8X60	622208X60	100	2,640
10X20	622210X20	100	1,924
10X30	622210X30	100	2,417
10X35	622210X35	100	2,664
10X40	622210X40	100	2,910
10X50	622210X50	50	3,635
10X60	622210X60	50	4,238




Inox A2

62 264
ISO14580

Acton

VIS A METAUX TETE CYLINDRIQUE BASSE SIX LOBES

SOCKET HEAD CAP SCREWS 6 LOBES DRIVE LOW HEAD
ZYLINDERSCHRAUBEN INNENSECHSRUND NIEDRIGER KOPF
CABEZA CILINDRICA CON IMPRONTA SEIS LOBULADOS Y CABEZA BAJA



d	M3	M4	M5	M6	M8
dk	5,50	7	8,50	10	13
k	2,40	3,10	3,65	4,40	5,80
s	2,8	3,95	4,5	5,6	7,95
t (min)	1,27	1,66	1,91	2,29	3,05
Pas	0,5	0,7	0,8	1	1,25
b (L<125)	25	38	38	38	38

dxL	Code	Cond.	Sur-cond.	kg/100	dxL	Code	Cond.	Sur-cond.	kg/100
3X6	622643X6	200	20000	0,060	5X16	622645X16	200	3600	0,330
3X8	622643X8	200	20000	0,072	5X20	622645X20	200	3600	0,378
3X10	622643X10	200	20000	0,078	5X25	622645X25	200	3600	0,440
3X12	622643X12	200	7600	0,087	5X30	622645X30	200	1600	0,502
3X16	622643X16	200	7600	0,104	6X10	622646X10	200	3600	0,392
3X20	622643X20	200	7600	0,122	6X12	622646X12	200	3600	0,427
4X6	622644X6	200	7600	0,117	6X16	622646X16	200	3600	0,498
4X8	622644X8	200	7600	0,133	6X20	622646X20	200	3600	0,569
4X10	622644X10	200	7600	0,147	6X25	622646X25	200	1600	0,656
4X12	622644X12	200	7600	0,163	6X30	622646X30	200	1600	0,745
4X16	622644X16	200	7600	0,195	8X16	622648X16	100	1800	0,977
4X20	622644X20	200	7600	0,225	8X20	622648X20	100	1800	1,100
4X25	622644X25	200	3600	0,264	8X25	622648X25	100	800	1,260
4X30	622644X30	200	3600	0,302	8X30	622648X30	100	800	1,420
5X8	622645X8	200	7600	0,230	8X35	622648X35	100	800	1,580
5X10	622645X10	200	7600	0,255	8X40	622648X40	100	800	1,740
5X12	622645X12	200	7600	0,280					

Inox A2

62 203
ISO 10642 - (similar DIN 7991)


Acton

VIS A METAUX TETE FRAISEE SIX PANS CREUX

HEXAGON SOCKET COUNTERSUNK HEAD SCREWS
SENKSCRAUBEN MIT INNENSECHSKANT
TORNILLOS CABEZA AVELLANADA CON HEXAGONO INTERIOR

Disponible en petit conditionnement
Voir chapitre Coffrets / Artinox

ARTINOX
SPECIAL PACKAGING



d	M 2,5*	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20
dk (min)	4,70	5,54	7,53	9,43	11,34	15,24	19,22	23,12	26,52	29,01	36,05
dk (max)	5,00	6,72	8,96	11,20	13,44	17,92	22,40	26,88	30,80	33,60	40,32
k (max)	1,45	1,86	2,48	3,1	3,72	4,96	6,2	7,44	8,4	8,8	10,16
t (min)	1	1,1	1,5	1,9	2,2	3	3,6	4,3	4,5	4,8	5,6
e	1,7	2,3	2,87	3,44	4,58	5,72	6,86	9,14	11,43	11,42	13,71
s	1,5	2	2,5	3	4	5	6	8	10	10	12
Pas	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5
alpha	-	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2,5X5	622032,5X5	200	0,024	5X30	622035X30	200	0,437
2,5X6	622032,5X6	200	0,028	5X35	622035X35	200	0,537
2,5X8	622032,5X8	200	0,032	5X40	622035X40	200	0,612
2,5X10	622032,5X10	200	0,036	5X45	622035X45	200	0,686
2,5X12	622032,5X12	200	0,041	5X50	622035X50	200	0,760
2,5X16	622032,5X16	200	0,052	5X60	622035X60	200	0,909
2,5X20	622032,5X20	200	0,064	5X70	622035X70	200	1,058
3X5	622033X5	200	0,038	5X80	622035X80	200	1,206
3X6	622033X6	200	0,042	6X8	622036X8	200	0,259
3X8	622033X8	200	0,051	6X10	622036X10	200	0,293
3X10	622033X10	200	0,059	6X12	622036X12	200	0,330
3X12	622033X12	200	0,068	6X14	622036X14	200	0,364
3X14	622033X14	200	0,077	6X16	622036X16	200	0,399
3X16	622033X16	200	0,085	6X18	622036X18	200	0,400
3X20	622033X20	200	0,103	6X20	622036X20	200	0,470
3X25	622033X25	200	0,133	6X25	622036X25	200	0,556
3X30	622033X30	200	0,160	6X30	622036X30	200	0,642
3X35	622033X35	200	0,186	6X35	622036X35	200	0,732
3X40	622033X40	200	0,213	6X40	622036X40	200	0,889
4X6	622034X6	200	0,083	6X45	622036X45	100	0,996
4X8	622034X8	200	0,099	6X50	622036X50	100	1,104
4X10	622034X10	200	0,114	6X55	622036X55	100	1,212
4X12	622034X12	200	0,130	6X60	622036X60	100	1,320
4X14	622034X14	200	0,145	6X70	622036X70	100	1,535
4X16	622034X16	200	0,160	6X80	622036X80	100	1,750
4X20	622034X20	200	0,191	6X90	622036X90	100	1,966
4X25	622034X25	200	0,229	6X100	622036X100	100	2,181
4X30	622034X30	200	0,288	6X120	622036X120	100	2,213
4X35	622034X35	200	0,336	8X10	622038X10	200	0,591
4X40	622034X40	200	0,383	8X12	622038X12	200	0,658
4X45	622034X45	200	0,383	8X14	622038X14	100	0,721
4X50	622034X50	200	0,477	8X16	622038X16	100	0,783
4X60	622034X60	100	0,530	8X18	622038X18	100	0,845
5X6	622035X6	200	0,160	8X20	622038X20	100	0,913
5X8	622035X8	200	0,168	8X25	622038X25	100	1,100
5X10	622035X10	200	0,193	8X30	622038X30	100	1,225
5X12	622035X12	200	0,218	8X35	622038X35	100	1,387
5X14	622035X14	200	0,242	8X40	622038X40	100	1,543
5X16	622035X16	200	0,266	8X45	622038X45	100	1,699
5X20	622035X20	200	0,317	8X50	622038X50	100	2,012
5X25	622035X25	200	0,377	8X55	622038X55	100	2,204

PAGE SUIVANTE

VIS A METAUX TETE FRAISEE SIX PANS CREUX

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
8X60	622038X60	100	2,396	12X110	6220312X110	25	9,924
8X70	622038X70	50	2,780	12X120	6220312X120	25	10,792
8X80	622038X80	50	3,164	12X130	6220312X130	25	11,500
8X90	622038X90	50	3,548	12X140	6220312X140	25	10,800
8X100	622038X100	50	3,931	12X150	6220312X150	10	13,305
8X110	622038X110	50	4,315	14X30	6220314X30	25	4,193
8X120	622038X120	50	4,699	14X40	6220314X40	25	5,192
8X130	622038X130	50	5,400	14X50	6220314X50	25	6,171
8X140	622038X140	50	5,700	14X60	6220314X60	25	7,535
8X150	622038X150	50	6,100	14X70	6220314X70	25	8,720
10X16	6220310X16	100	1,332	14X80	6220314X80	25	9,906
10X20	6220310X20	100	1,538	14X100	6220314X100	25	12,277
10X25	6220310X25	100	1,784	16X25	6220316X25	25	4,912
10X30	6220310X30	100	2,031	16X30	6220316X30	25	5,570
10X35	6220310X35	100	2,287	16X35	6220316X35	25	6,252
10X40	6220310X40	100	2,534	16X40	6220316X40	25	6,910
10X45	6220310X45	100	2,780	16X45	6220316X45	25	7,568
10X50	6220310X50	50	3,218	16X50	6220316X50	25	8,225
10X55	6220310X55	50	3,520	16X55	6220316X55	25	8,914
10X60	6220310X60	50	3,821	16X60	6220316X60	25	9,572
10X70	6220310X70	50	4,424	16X70	6220316X70	25	11,421
10X80	6220310X80	50	5,027	16X80	6220316X80	25	12,973
10X90	6220310X90	50	5,631	16X90	6220316X90	25	14,525
10X100	6220310X100	50	6,234	16X100	6220316X100	25	16,077
10X110	6220310X110	50	6,837	16X110	6220316X110	25	17,629
10X120	6220310X120	50	7,440	16X120	6220316X120	25	19,181
10X130	6220310X130	50	8,900	16X130	6220316X130	25	20,591
10X140	6220310X140	50	9,500	16X140	6220316X140	25	22,143
10X150	6220310X150	50	10,100	16X150	6220316X150	25	23,695
12X20	6220312X20	100	2,357	20X40	6220320X40	25	10,880
12X25	6220312X25	100	2,715	20X45	6220320X45	25	11,909
12X30	6220312X30	100	3,072	20X50	6220320X50	25	12,939
12X35	6220312X35	50	3,444	20X60	6220320X60	25	15,047
12X40	6220312X40	50	3,802	20X70	6220320X70	25	17,106
12X45	6220312X45	50	4,160	20X80	6220320X80	25	20,048
12X50	6220312X50	50	4,517	20X90	6220320X90	25	22,474
12X55	6220312X55	50	4,893	20X100	6220320X100	25	24,900
12X60	6220312X60	50	5,584	20X110	6220320X110	10	27,326
12X70	6220312X70	50	6,452	20X120	6220320X120	10	29,751
12X80	6220312X80	50	7,320	20X130	6220320X130	10	31,958
12X90	6220312X90	50	8,188	20X140	6220320X140	10	34,383
12X100	6220312X100	50	9,056	20X150	6220320X150	10	36,809




* Le diamètre M 2.5 n'est pas normé
* Diameter M 2.5 is not standardized

VIS A METAUX TETE FRAISEE SIX PANS CREUX

HEXAGON SOCKET COUNTERSUNK HEAD SCREWS

SENKSCRAUBEN MIT INNENSECHSKANT

TORNILLOS CABEZA AVELLANADA CON HEXAGONO INTERIOR



d	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20
dk (min)	5,54	7,53	9,43	11,34	15,24	19,22	23,12	26,52	29,01	36,05
dk (max)	6,72	8,96	11,20	13,44	17,92	22,40	26,88	30,80	33,60	40,32
k	1,86	2,48	3,1	3,72	4,96	6,2	7,44	8,4	8,8	10,16
t (min)	1,1	1,5	1,9	2,2	3	3,6	4,3	4,5	4,8	5,6
e	2,3	2,87	3,44	4,58	5,72	6,86	9,15	11,43	11,43	13,72
s	2	2,5	3	4	5	6	8	10	10	12
Pas	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5
α	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92	90 - 92

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X6	642033X6	200	0,042	6X14	642036X14	200	0,364
3X8	642033X8	200	0,051	6X16	642036X16	200	0,399
3X10	642033X10	200	0,059	6X18	642036X18	200	0,400
3X12	642033X12	200	0,068	6X20	642036X20	200	0,470
3X14	642033X14	200	0,075	6X25	642036X25	200	0,556
3X16	642033X16	200	0,085	6X30	642036X30	200	0,642
3X20	642033X20	200	0,103	6X35	642036X35	200	0,732
3X25	642033X25	200	0,133	6X40	642036X40	200	0,889
3X30	642033X30	200	0,160	6X45	642036X45	100	0,996
3X35	642033X35	200	0,186	6X50	642036X50	100	1,104
3X40	642033X40	200	0,213	6X60	642036X60	100	1,320
4X6	642034X6	200	0,083	6X70	642036X70	100	1,535
4X8	642034X8	200	0,099	6X80	642036X80	100	1,750
4X10	642034X10	200	0,114	6X90	642036X90	100	1,966
4X12	642034X12	200	0,130	6X100	642036X100	100	2,181
4X14	642034X14	200	0,285	8X10	642038X10	200	0,591
4X16	642034X16	200	0,160	8X12	642038X12	200	0,658
4X20	642034X20	200	0,191	8X16	642038X16	100	0,783
4X25	642034X25	200	0,229	8X20	642038X20	100	0,913
4X30	642034X30	200	0,288	8X25	642038X25	100	1,069
4X35	642034X35	200	0,336	8X30	642038X30	100	1,225
4X40	642034X40	200	0,383	8X35	642038X35	100	1,387
4X50	642034X50	200	0,477	8X40	642038X40	100	1,543
5X8	642035X8	200	0,168	8X45	642038X45	100	1,699
5X10	642035X10	200	0,193	8X50	642038X50	100	2,012
5X12	642035X12	200	0,218	8X60	642038X60	100	2,396
5X14	642035X14	200	0,242	8X70	642038X70	50	2,780
5X16	642035X16	200	0,266	8X80	642038X80	50	3,164
5X20	642035X20	200	0,317	8X90	642038X90	50	3,548
5X25	642035X25	200	0,377	8X100	642038X100	50	3,931
5X30	642035X30	200	0,437	10X16	6420310X16	100	1,332
5X35	642035X35	200	0,537	10X20	6420310X20	100	1,538
5X40	642035X40	200	0,612	10X25	6420310X25	100	1,784
5X45	642035X45	200	0,686	10X30	6420310X30	100	2,031
5X50	642035X50	200	0,760	10X35	6420310X35	100	2,287
5X60	642035X60	200	0,909	10X40	6420310X40	100	2,534
5X70	642035X70	200	0,935	10X45	6420310X45	100	2,780
5X80	642035X80	200	1,062	10X50	6420310X50	50	3,218
6X8	642036X8	200	0,259	10X60	6420310X60	50	3,821
6X10	642036X10	200	0,293	10X70	6420310X70	50	4,424
6X12	642036X12	200	0,330	10X80	6420310X80	50	5,027

PAGE SUIVANTE

Inox A4

64 203
ISO 10642 - (similar DIN 7991)

Acton

VIS A METAUX TETE FRAISEE SIX PANS CREUX

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
10X90	6420310X90	50	5,631	16X35	6420316X35	25	6,252
10X100	6420310X100	50	6,234	16X40	6420316X40	25	6,910
12X20	6420312X20	100	2,357	16X45	6420316X45	25	7,568
12X25	6420312X25	100	2,715	16X50	6420316X50	25	8,225
12X30	6420312X30	100	3,072	16X60	6420316X60	25	9,572
12X35	6420312X35	50	3,444	16X70	6420316X70	25	11,421
12X40	6420312X40	50	3,802	16X80	6420316X80	25	12,973
12X45	6420312X45	50	4,160	16X90	6420316X90	25	14,525
12X50	6420312X50	50	4,517	16X100	6420316X100	25	16,077
12X60	6420312X60	50	5,584	16X110	6420316X110	25	17,629
12X70	6420312X70	50	6,452	16X120	6420316X120	25	19,181
12X80	6420312X80	50	7,320	16X130	6420316X130	25	20,591
12X90	6420312X90	50	8,188	16X140	6420316X140	25	22,143
12X100	6420312X100	50	9,056	16X150	6420316X150	25	23,695
12x110	6420312X110	25	9,378	20X40	6420320X40	25	10,880
14X30/30	6420314X30/30	25	4,193	20X50	6420320X50	25	12,939
14X40/40	6420314X40/40	25	5,192	20X60	6420320X60	25	15,047
14X50/50	6420314X50/50	25	6,171	20X70	6420320X70	25	17,106
14X60/60	6420314X60/60	25	7,535	20X80	6420320X80	25	20,048
14X70/70	6420314X70/70	25	8,720	20X90	6420320X90	25	22,474
14X80/80	6420314X80/80	25	9,906	20X100	6420320X100	25	24,900
14X100/100	6420314X100/100	25	12,277	20X110	6420320X110	10	27,326
14X120	6420314X120	25	14,647	20X120	6420320X120	10	29,751
14X120/120	6420314X120/120	25	14,647	20X130	6420320X130	10	31,958
16X25	6420316X25	25	4,912	20X140	6420320X140	10	34,383
16X30	6420316X30	25	5,570	20X150	6420320X150	10	36,809


Inox A2

62 202
ISO 7380-1

Acton

VIS A METAUX TETE BOMBEE SIX PANS CREUX

HEXAGON SOCKET BUTTON HEAD SCREWS
LINSCHRAUBEN MIT INNENSECHSKANT
TORNILLOS CABEZA ABOMBADA CON HEXAGONO INTERIOR



d	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dk	5,7	7,6	9,5	10,5	14	17,5	21
k	1,65	2,2	2,75	3,3	4,4	5,5	6,6
t (min)	1,03	1,3	1,56	2,08	2,6	3,12	4,16
s	2	2,5	3	4	5	6	8
Pas	0,5	0,7	0,8	1	1,25	1,5	1,75


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X4	622023X4	200	0,032	6X40	622026X40	100	0,871
3X6	622023X6	200	0,052	6X45	622026X45	100	0,957
3X8	622023X8	200	0,060	6X50	622026X50	100	1,043
3X10	622023X10	200	0,069	6X60	622026X60	100	1,215
3X12	622023X12	200	0,077	6X70	622026X70	100	1,375
3X16	622023X16	200	0,094	6X80	622026X80	100	1,919
3X20	622023X20	200	0,111	8X10	622028X10	100	0,767
3X25	622023X25	200	0,133	8X12	622028X12	100	0,830
3X30	622023X30	200	0,154	8X16	622028X16	100	0,954
4X6	622024X6	200	0,110	8X20	622028X20	100	0,980
4X8	622024X8	200	0,125	8X25	622028X25	100	1,235
4X10	622024X10	200	0,140	8X30	622028X30	100	1,391
4X12	622024X12	200	0,155	8X35	622028X35	100	1,547
4X16	622024X16	200	0,185	8X40	622028X40	100	1,703
4X20	622024X20	200	0,215	8X45	622028X45	100	1,859
4X25	622024X25	200	0,253	8X50	622028X50	100	2,014
4X30	622024X30	200	0,290	8X60	622028X60	100	2,326
4X35	622024X35	200	0,327	8X70	622028X70	100	2,638
4X40	622024X40	200	0,365	8X80	622028X80	100	2,950
4X50	622024X50	200	0,412	8X100	622028X100	50	3,380
5X6	622025X6	200	0,204	10X16	6220210X16	100	1,701
5X8	622025X8	200	0,228	10X20	6220210X20	100	1,898
5X10	622025X10	200	0,252	10X25	6220210X25	100	2,144
5X12	622025X12	200	0,276	10X30	6220210X30	100	2,391
5X16	622025X16	200	0,324	10X35	6220210X35	100	2,638
5X20	622025X20	200	0,372	10X40	6220210X40	100	2,884
5X25	622025X25	200	0,432	10X45	6220210X45	50	3,130
5X30	622025X30	200	0,492	10X50	6220210X50	50	3,377
5X35	622025X35	200	0,553	10X60	6220210X60	50	3,870
5X40	622025X40	200	0,613	10X70	6220210X70	50	4,363
5X45	622025X45	200	0,673	10X80	6220210X80	50	4,856
5X50	622025X50	200	0,733	10X90	6220210X90	50	5,349
6X8	622026X8	200	0,321	10X100	6220210X100	50	5,842
6X10	622026X10	200	0,356	12X20	6220212X20	50	2,558
6X12	622026X12	200	0,350	12X25	6220212X25	50	3,316
6X16	622026X16	200	0,459	12X30	6220212X30	50	3,674
6X18	622026X18	200	0,520	12X35	6220212X35	50	4,032
6X20	622026X20	200	0,527	12X40	6220212X40	50	4,389
6X25	622026X25	200	0,613	12x45	6220212X45	50	4,747
6X30	622026X30	200	0,699	12X50	6220212X50	50	5,105
6X35	622026X35	200	0,785	12X60	6220212X60	50	5,820

Inox A4

64 202
ISO 7380-1

VIS A METAUX TETE BOMBEE SIX PANS CREUX

HEXAGON SOCKET BUTTON HEAD SCREWS
LINSCHRAUBEN MIT INNENSECHSKANT
TORNILLOS CABEZA ABOMBADA CON HEXAGONO INTERIOR



d	M 3	M 4	M 5	M 6	M 8	M 10
dk	5,7	7,6	9,5	10,5	14	17,5
k	1,65	2,2	2,75	3,3	4,4	5,5
t (min)	1,03	1,3	1,56	2,08	2,6	3,12
s	2	2,5	3	4	5	6
Pas	0,5	0,7	0,8	1	1,25	1,5


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X6	642023X6	200	0,052	6X8	642026X8	200	0,321
3X8	642023X8	200	0,060	6X10	642026X10	200	0,356
3X10	642023X10	200	0,069	6X12	642026X12	200	0,390
3X12	642023X12	200	0,077	6X16	642026X16	200	0,459
3X16	642023X16	200	0,094	6X20	642026X20	200	0,527
3X20	642023X20	200	0,111	6X25	642026X25	200	0,613
3X25	642023X25	200	0,133	6X30	642026X30	200	0,699
3X30	642023X30	200	0,154	6X35	642026X35	200	0,785
4X8	642024X8	200	0,125	6X40	642026X40	100	0,871
4X10	642024X10	200	0,140	6X50	642026X50	100	1,043
4X12	642024X12	200	0,155	6X60	642026X60	100	1,215
4X16	642024X16	200	0,185	6X80	642026X80	100	1,515
4X20	642024X20	200	0,215	8X12	642028X12	100	0,830
4X25	642024X25	200	0,253	8X16	642028X16	100	0,954
4X30	642024X30	200	0,290	8X20	642028X20	100	1,079
4X35	642024X35	200	0,327	8X25	642028X25	100	1,235
4X40	642024X40	200	0,350	8X30	642028X30	100	1,391
5X8	642025X8	200	0,228	8X35	642028X35	100	1,547
5X10	642025X10	200	0,252	8X40	642028X40	100	1,703
5X12	642025X12	200	0,276	8X50	642028X50	100	2,014
5X16	642025X16	200	0,324	8X60	642028X60	100	2,326
5X20	642025X20	200	0,372	8X70	642028X70	100	2,638
5X25	642025X25	200	0,432	8X80	642028X80	100	2,865
5X30	642025X30	200	0,492	10X35	6420210X35	100	2,638
5X35	642025X35	200	0,553	10X40	6420210X40	100	2,690
5X40	642025X40	200	0,613	10X50	6420210X50	50	3,377
5X50	642025X50	200	0,733	10X60	6420210X60	50	3,870
5X70	642025X70	100	0900	10X80	6420210X80	50	4,856

Inox A2

62 236
ISO 7380-1

VIS A METAUX TETE BOMBEE SIX LOBES

SIX LOBES BUTTON HEAD SCREWS
LINSCHRAUBEN MIT INNENSECHSRUND
TORNILLOS CABEZA ABOMBADA SEIS LOBULADOS



d	3	4	5	6
dk	5,40 - 5,70	7,24 - 7,60	9,14 - 9,50	10,07 - 10,50
k	1,40 - 1,65	1,95 - 2,20	2,50 - 2,75	3,00 - 3,30
tr	1,04 - 1,27	1,30 - 1,66	1,56 - 1,91	2,08 - 2,42
Ø	10	20	25	30
Pas	0,5	0,7	0,8	1

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X12	622363X12	200	0,077	5X20	622365X20	200	0,335
4X8	622364X8	200	0,108	5X30	622365X30	200	0,467
4X10	622364X10	200	0,126	5X40	622365X40	200	0,759
4X12	622364X12	200	0,136	5X50	622365X50	200	0,707
4X16	622364X16	200	0,167	6X10	622366X10	200	0,306
4X20	622364X20	200	0,200	6X12	622366X12	200	0,350
4X30	622364X30	200	0,290	6X16	622366X16	200	0,406
4X40	622364X40	200	0,357	6X20	622366X20	200	0,483
4X50	622364X50	200	0,436	6X30	622366X30	200	0,643
5X10	622365X10	200	0,214	6X40	622366X40	100	0,816
5X12	622365X12	200	0,232	6X50	622366X50	100	1,023
5X16	622365X16	200	0,288	6X60	622366X60	100	1,208


Inox A2

62 225
ISO 7380-2

Acton

VIS A METAUX TETE BOMBEE SIX PANS CREUX A EMBASE

HEXAGON SOCKET BUTTON HEAD SCREWS WITH FLANGE
LINSCHRAUBEN MIT INNEN SECHSKANT UND FLANSCH
TORNILLOS CABEZA ABOMBADA CON HEXAGONO INTERIOR Y COLLAR



d	M 3	M 4	M 5	M 6	M 8	M 10
dk	5,2	7,2	8,8	10	13,2	16,5
k	1,65	2,2	2,75	3,3	4,4	5,5
s	2	2,5	3	4	5	6
e	6,9	9,4	11,8	13,6	17,8	21,9
Pas	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100
3X6	622253X6	200	0,054
3X8	622253X8	200	0,058
3X10	622253X10	200	0,065
3X12	622253X12	200	0,074
3X16	622253X16	200	0,091
3X20	622253X20	200	0,107
4X6	622254X6	200	0,130
4X8	622254X8	200	0,130
4X10	622254X10	200	0,144
4X12	622254X12	200	0,165
4X16	622254X16	200	0,207
4X20	622254X20	200	0,220
5X10	622255X10	200	0,230
5X12	622255X12	200	0,256
5X16	622255X16	200	0,308
5X20	622255X20	200	0,361
5X25	622255X25	200	0,417
5X30	622255X30	200	0,484
6X10	622256X10	200	0,315
6X12	622256X12	200	0,352
6X16	622256X16	200	0,426

d x L	Code	Cond.	kg/100
6X20	622256X20	200	0,502
6X25	622256X25	200	0,568
6X30	622256X30	200	0,658
6X35	622256X35	100	0,768
6X40	622256X40	100	0,854
6X50	622256X50	100	1,040
6X70	622256X70	100	1,140
8X16	622258X16	100	0,792
8X20	622258X20	100	0,946
8X25	622258X25	100	1,060
8X30	622258X30	100	1,260
8X35	622258X35	100	1,460
8X40	622258X40	100	1,660
8X50	622258X50	100	2,060
10X25	6222510X25	50	2,200
10X30	6222510X30	50	2,269
10X35	6222510X35	50	2,496
10X40	6222510X40	50	2,751
10X50	6222510X50	50	3,232
10X60	6222510X60	50	3,712


Inox A2

62 204
ISO 4026 - (similar DIN 913, NFE 27-180, UNI 5923)

Acton

VIS SANS TETE SIX PANS CREUX BOUT PLAT

HEXAGON SOCKET SET SCREWS FLAT POINT
GEWINDESTIFTE MIT INNENSECHSKANT UND KEGELKUPPE
ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA PLANA



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dp	1	1,5	2	2,5	3,5	4	5,5	7	8,5
s	0,9	1,3	1,5	2	2,5	3	4	5	6
e	1,003	1,427	1,73	2,3	2,87	3,44	4,58	5,72	6,86
t (min)	0,8	1,2	1,2	1,5	2	2	3	4	4,8
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100
2X2	622042X2	100	0,030
2X3	622042X3	100	0,040
2X4	622042X4	100	0,060
2X5	622042X5	100	0,100
2X6	622042X6	100	0,100
2X8	622042X8	100	0,013
2X10	622042X10	100	0,017
2X12	622042X12	100	0,020
2,5X3	622042,5X3	100	0,050
2,5X4	622042,5X4	100	0,100
2,5X5	622042,5X5	100	0,012
2,5X6	622042,5X6	100	0,015
2,5X8	622042,5X8	100	0,021
2,5X10	622042,5X10	100	0,027
2,5X12	622042,5X12	100	0,033
2,5X16	622042,5X16	100	0,044
3X3	622043X3	100	0,100
3X4	622043X4	100	0,014
3X5	622043X5	100	0,018
3X6	622043X6	100	0,023
3X8	622043X8	100	0,031
3X10	622043X10	100	0,040
3X12	622043X12	100	0,048
3X16	622043X16	100	0,065
3X20	622043X20	100	0,082
3X25	622043X25	100	0,103
3X30	622043X30	100	0,125
4X3	622044X3	100	0,013
4X4	622044X4	100	0,023
4X5	622044X5	100	0,031
4X6	622044X6	100	0,038
4X8	622044X8	100	0,053
4X10	622044X10	100	0,068
4X12	622044X12	100	0,084
4X16	622044X16	100	0,114
4X20	622044X20	100	0,144
4X25	622044X25	100	0,181
4X30	622044X30	100	0,219
4X35	622044X35	100	0,256
4X40	622044X40	100	0,294
5X4	622045X4	100	0,034
5X5	622045X5	100	0,048
5X6	622045X6	100	0,060
5X8	622045X8	100	0,084

d x L	Code	Cond.	kg/100
5X10	622045X10	100	0,108
5X12	622045X12	100	0,132
5X16	622045X16	100	0,181
5X20	622045X20	100	0,229
5X25	622045X25	100	0,289
5X30	622045X30	100	0,349
5X35	622045X35	100	0,410
5X40	622045X40	100	0,470
5X45	622045X45	100	0,530
5X50	622045X50	100	0,591
6X5	622046X5	100	0,051
6X6	622046X6	100	0,082
6X8	622046X8	100	0,117
6X10	622046X10	100	0,151
6X12	622046X12	100	0,186
6X16	622046X16	100	0,255
6X20	622046X20	100	0,324
6X25	622046X25	100	0,410
6X30	622046X30	100	0,496
6X35	622046X35	100	0,582
6X40	622046X40	100	0,668
6X45	622046X45	100	0,754
6X50	622046X50	100	0,840
6X60	622046X60	100	1,012
8X6	622048X6	100	0,095
8X8	622048X8	100	0,197
8X10	622048X10	100	0,259
8X12	622048X12	100	0,322
8X16	622048X16	100	0,447
8X20	622048X20	100	0,572
8X25	622048X25	100	0,728
8X30	622048X30	100	0,884
8X35	622048X35	100	1,040
8X40	622048X40	100	1,196
8X45	622048X45	100	1,353
8X50	622048X50	100	1,509
8X60	622048X60	100	1,821
8X70	622048X70	100	2,134
8X80	622048X80	100	2,446
10X10	6220410X10	100	0,394
10X12	6220410X12	100	0,493
10X16	6220410X16	100	0,691
10X20	6220410X20	100	0,888
10X25	6220410X25	100	1,135

PAGE SUIVANTE

Inox A2

62 204

ISO 4026 - (similar DIN 913, NFE 27-180, UNI 5923)

Acton

VIS SANS TETE SIX PANS CREUX BOUT PLAT

PAGE PRECEDENTE

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
10X30	6220410X30	100	1,382	12X16	6220412X16	50	0,956
10X35	6220410X35	100	1,629	12X20	6220412X20	50	1,242
10X40	6220410X40	100	1,876	12X25	6220412X25	50	1,601
10X45	6220410X45	100	2,123	12X30	6220412X30	50	1,959
10X50	6220410X50	100	2,370	12X35	6220412X35	50	2,318
10X60	6220410X60	100	2,864	12X40	6220412X40	50	2,676
10X70	6220410X70	50	3,358	12X45	6220412X45	50	3,034
10X80	6220410X80	50	3,852	12X50	6220412X50	50	3,393
10X90	6220410X90	50	4,346	12X60	6220412X60	50	4,110
10X100	6220410X100	50	4,839	12X70	6220412X70	50	4,826
12X12	6220412X12	50	0,669	12X80	6220412X80	50	5,543

Inox A4

64 204

ISO 4026 - (similar DIN 913, NFE 27-180, UNI 5923)


Acton

VIS SANS TETE SIX PANS CREUX BOUT PLAT

HEXAGON SOCKET SET SCREWS FLAT POINT

GEWINDESTIFTE MIT INNENSECHSKANT UND KEGELKUPPE

ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA PLANA



d	M 3	M 4	M 5	M 6	M 8	M 10
dp	2	2,5	3,5	4	5,5	7
s	1,5	2	2,5	3	4	5
e	1,73	2,3	2,87	3,44	4,58	5,72
t (min)	1,2	1,5	2	2	3	4
Pas	0,5	0,7	0,8	1	1,25	1,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X3	642043X3	100	0,100	5X50	642045X50	100	0,591
3X4	642043X4	100	0,014	6X6	642046X6	100	0,082
3X5	642043X5	100	0,018	6X8	642046X8	100	0,117
3X6	642043X6	100	0,023	6X10	642046X10	100	0,151
3X8	642043X8	100	0,031	6X12	642046X12	100	0,186
3X10	642043X10	100	0,040	6X16	642046X16	100	0,255
3X12	642043X12	100	0,048	6X20	642046X20	100	0,324
3X16	642043X16	100	0,065	6X25	642046X25	100	0,410
3X20	642043X20	100	0,082	6X30	642046X30	100	0,496
3X25	642043X25	100	0,103	6X35	642046X35	100	0,582
3X30	642043X30	100	0,125	6X40	642046X40	100	0,668
4X4	642044X4	100	0,023	6X45	642046X45	100	0,754
4X5	642044X5	100	0,031	6X50	642046X50	100	0,840
4X6	642044X6	100	0,038	8X8	642048X8	100	0,197
4X8	642044X8	100	0,053	8X10	642048X10	100	0,259
4X10	642044X10	100	0,068	8X12	642048X12	100	0,322
4X12	642044X12	100	0,084	8X16	642048X16	100	0,447
4X16	642044X16	100	0,114	8X20	642048X20	100	0,572
4X20	642044X20	100	0,144	8X25	642048X25	100	0,728
4X25	642044X25	100	0,181	8X30	642048X30	100	0,884
4X30	642044X30	100	0,219	8X35	642048X35	100	1,040
4X40	642044X40	100	0,294	8X40	642048X40	100	1,196
5X5	642045X5	100	0,048	8X50	642048X50	100	1,509
5X6	642045X6	100	0,060	8X60	642048X60	100	1,821
5X8	642045X8	100	0,084	10X10	6420410X10	100	0,394
5X10	642045X10	100	0,108	10X12	6420410X12	100	0,493
5X12	642045X12	100	0,132	10X16	6420410X16	100	0,691
5X16	642045X16	100	0,181	10X20	6420410X20	100	0,888
5X20	642045X20	100	0,229	10X25	6420410X25	100	1,135
5X25	642045X25	100	0,289	10X30	6420410X30	100	1,382
5X30	642045X30	100	0,349	10X35	6420410X35	100	1,629
5X35	642045X35	100	0,410	10X40	6420410X40	100	1,876
5X40	642045X40	100	0,470	10X50	6420410X50	100	2,370
5X45	642045X45	100	0,530	10X60	6420410X60	100	2,864



Inox A2

62 205

ISO 4027 - (similar DIN 914, NFE 27-181, UNI 5927)


Acton

VIS SANS TETE SIX PANS CREUX BOUT POINTEAU

HEXAGON SOCKET SET SCREWS CONE POINT

GEWINDESTIFTE MIT INNENSECHSKANT UND SPITZE

ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA CONICA



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dt	0,5	0,65	0,75	1	1,25	1,5	2	2,5	3
s	0,9	1,3	1,5	2	2,5	3	4	5	6
e	1,003	1,427	1,73	2,3	2,87	3,44	4,58	5,72	6,86
t (min)	0,8	1,2	1,2	1,5	2	2	3	4	4,8
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X3	622052X3	100	0,040	5X50	622055X50	100	0,591
2X4	622052X4	100	0,013	6X6	622056X6	100	0,082
2X5	622052X5	100	0,088	6X8	622056X8	100	0,117
2X6	622052X6	100	0,010	6X10	622056X10	100	0,151
2X8	622052X8	100	0,013	6X12	622056X12	100	0,186
2X10	622052X10	100	0,017	6X16	622056X16	100	0,255
2X12	622052X12	100	0,020	6X20	622056X20	100	0,324
2,5X3	622052,5X3	100	0,700	6X25	622056X25	100	0,410
2,5X4	622052,5X4	100	0,017	6X30	622056X30	100	0,496
2,5X5	622052,5X5	100	0,012	6X35	622056X35	100	0,582
2,5X6	622052,5X6	100	0,015	6X40	622056X40	100	0,668
2,5X8	622052,5X8	100	0,021	6X45	622056X45	100	0,754
2,5X10	622052,5X10	100	0,027	6X50	622056X50	100	0,840
2,5X12	622052,5X12	100	0,033	8X8	622058X8	100	0,197
3X3	622053X3	100	0,110	8X10	622058X10	100	0,259
3X4	622053X4	100	0,014	8X12	622058X12	100	0,322
3X5	622053X5	100	0,018	8X16	622058X16	100	0,447
3X6	622053X6	100	0,023	8X20	622058X20	100	0,572
3X8	622053X8	100	0,031	8X25	622058X25	100	0,728
3X10	622053X10	100	0,040	8X30	622058X30	100	0,884
3X12	622053X12	100	0,048	8X35	622058X35	100	1,040
3X16	622053X16	100	0,065	8X40	622058X40	100	1,196
3X20	622053X20	100	0,082	8X45	622058X45	100	1,353
3X25	622053X25	100	0,103	8X50	622058X50	100	1,509
4X4	622054X4	100	0,023	8X60	622058X60	100	1,821
4X5	622054X5	100	0,031	10X10	6220510X10	100	0,394
4X6	622054X6	100	0,038	10X12	6220510X12	100	0,493
4X8	622054X8	100	0,053	10X16	6220510X16	100	0,691
4X10	622054X10	100	0,068	10X20	6220510X20	100	0,888
4X12	622054X12	100	0,084	10X25	6220510X25	100	1,135
4X16	622054X16	100	0,114	10X30	6220510X30	100	1,382
4X20	622054X20	100	0,144	10X35	6220510X35	100	1,629
4X25	622054X25	100	0,181	10X40	6220510X40	100	1,876
4X30	622054X30	100	0,219	10X45	6220510X45	100	2,123
5X5	622055X5	100	0,048	10X50	6220510X50	100	2,370
5X6	622055X6	100	0,060	10X60	6220510X60	100	2,864
5X8	622055X8	100	0,084	12X12	6220512X12	50	0,669
5X10	622055X10	100	0,108	12X16	6220512X16	50	0,956
5X12	622055X12	100	0,132	12X20	6220512X20	50	1,242
5X16	622055X16	100	0,181	12X25	6220512X25	50	1,601
5X20	622055X20	100	0,229	12X30	6220512X30	50	1,959
5X25	622055X25	100	0,289	12X35	6220512X35	50	2,318
5X30	622055X30	100	0,349	12X40	6220512X40	50	2,676
5X35	622055X35	100	0,410	12X45	6220512X45	50	3,034
5X40	622055X40	100	0,470	12X50	6220512X50	50	3,393
5X45	622055X45	100	0,530	12X60	6220512X60	50	4,110

Tél. : +33 (0)4 77 73 35 43 - Fax : +33 (0)4 77 73 15 74 - www.acton.fr

Création Acton - Tous droits de reproduction réservés

Inox A4

64 205

ISO 4027 - (similar DIN 914, NFE 27-181, UNI 5927)


Acton

VIS SANS TETE SIX PANS CREUX BOUT POINTEAU

HEXAGON SOCKET SET SCREWS CONE POINT

GEWINDESTIFTE MIT INNENSECHSKANT UND SPITZE

ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA CONICA



d	M 3	M 4	M 5	M 6	M 8
dt	0,75	1	1,25	1,5	2
s	1,5	2	2,5	3	4
e	1,73	2,3	2,87	3,44	4,58
t (min)	1,2	1,5	2	2	3
Pas	0,5	0,7	0,8	1	1,25

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X4	642053X4	100	0,014	5X25	642055X25	100	0,289
3X5	642053X5	100	0,018	5X30	642055X30	100	0,345
3X6	642053X6	100	0,023	5X40	642055X40	100	0,470
3X8	642053X8	100	0,031	6X6	642056X6	100	0,082
3X10	642053X10	100	0,040	6X8	642056X8	100	0,117
3X12	642053X12	100	0,048	6X10	642056X10	100	0,151
3X16	642053X16	100	0,065	6X12	642056X12	100	0,186
3X20	642053X20	100	0,082	6X16	642056X16	100	0,255
4X5	642054X5	100	0,031	6X20	642056X20	100	0,324
4X6	642054X6	100	0,038	6X25	642056X25	100	0,410
4X8	642054X8	100	0,053	6X30	642056X30	100	0,496
4X10	642054X10	100	0,068	6X35	642056X35	100	1,130
4X12	642054X12	100	0,084	6X40	642056X40	100	0,668
4X16	642054X16	100	0,114	8X10	642058X10	100	0,259
4X20	642054X20	100	0,144	8X12	642058X12	100	0,322
4X25	642054X25	100	0,181	8X16	642058X16	100	0,447
4X30	642054X30	100	0,219	8X20	642058X20	100	0,572
5X5	642055X5	100	0,048	8X25	642058X25	100	0,728
5X6	642055X6	100	0,060	8X30	642058X30	100	0,884
5X8	642055X8	100	0,084	8X35	642058X35	100	1,040
5X10	642055X10	100	0,108	8X40	642058X40	100	1,196
5X12	642055X12	100	0,132	8X45	642058X45	100	1,353
5X16	642055X16	100	0,181	8X50	642058X50	100	1,509
5X20	642055X20	100	0,229				

Les côtes d'encombrement (mm) sont susceptibles de varier. Merci de nous consulter en cas de côtes précises. Prix hors taxes - Informations techniques et illustrations non contractuelles.

Dimensions (mm) can change without notice. Please get in contact with us for precise sizes. Prices without taxes - Technical details and pictures are not contractual.



Inox A2


62 206

ISO 4028 - (similar DIN 915, NFE 27-182, UNI 5925)

Acton

VIS SANS TETE SIX PANS CREUX BOUT TETON

HEXAGON SOCKET SET SCREWS DOG POINT
GEWINDESTIFTE MIT INNENSECHSKANT UND ZAPFEN
ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR PUNTA PIVOTE



d	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dp	2	2,5	3,5	4	5,5	7	8,5
s	1,5	2	2,5	3	4	5	6
e	1,73	2,3	2,87	3,44	4,58	5,72	6,86
t (min)	1,2	1,5	2	2	3	4	4,8
I	1	1,25	1,50	1,75	2,25	2,75	3,25
Pas	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X3	622063X3	100	0,100	6X20	622066X20	100	0,324
3X4	622063X4	100	0,014	6X25	622066X25	100	0,410
3X5	622063X5	100	0,018	6X30	622066X30	100	0,496
3X6	622063X6	100	0,023	6X40	622066X40	100	0,668
3X8	622063X8	100	0,031	8X8	622068X8	100	0,197
3X10	622063X10	100	0,040	8X10	622068X10	100	0,259
3X12	622063X12	100	0,048	8X12	622068X12	100	0,322
3X16	622063X16	100	0,065	8X16	622068X16	100	0,447
4X4	622064X4	100	0,023	8X20	622068X20	100	0,572
4X5	622064X5	100	0,031	8X25	622068X25	100	0,728
4X6	622064X6	100	0,038	8X30	622068X30	100	0,884
4X8	622064X8	100	0,053	8X35	622068X35	100	1,040
4X10	622064X10	100	0,068	8X40	622068X40	100	1,196
4X12	622064X12	100	0,084	10X10	6220610X10	100	0,394
4X16	622064X16	100	0,114	10X12	6220610X12	100	0,493
4X20	622064X20	100	0,144	10X16	6220610X16	100	0,691
5X5	622065X5	100	0,048	10X20	6220610X20	100	0,888
5X6	622065X6	100	0,060	10X25	6220610X25	100	1,135
5X8	622065X8	100	0,084	10X30	6220610X30	100	1,382
5X10	622065X10	100	0,108	10X35	6220610X35	100	1,629
5X12	622065X12	100	0,132	10X40	6220610X40	100	1,876
5X16	622065X16	100	0,181	10X50	6220610X50	100	2,370
5X20	622065X20	100	0,229	12X12	6220612X12	100	0,669
5X25	622065X25	100	0,289	12X16	6220612X16	100	0,956
5X30	622065X30	100	0,349	12X20	6220612X20	100	1,242
6X6	622066X6	100	0,082	12X25	6220612X25	100	1,601
6X8	622066X8	100	0,117	12X30	6220612X30	100	1,959
6X10	622066X10	100	0,151	12X40	6220612X40	100	2,676
6X12	622066X12	100	0,186	12X50	6220612X50	100	3,393
6X16	622066X16	100	0,255				

Inox A2


62 207

ISO 4029 - (similar DIN 916, NFE 27-183, UNI 5929)

Acton

VIS SANS TETE SIX PANS CREUX BOUT CUVETTE

HEXAGON SOCKET SET SCREWS CUP POINT
GEWINDESTIFTE MIT INNENSECHSKANT UND RINGSCHNEIDE
ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA HUECA



d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 20
dv	1	1,2	1,4	2	2,5	3	5	6	8	9	10	14
s	0,9	1,3	1,5	2	2,5	3	4	5	6	6	8	10
e	1,003	1,427	1,73	2,3	2,87	3,44	4,58	5,72	6,86	6,86	9,15	11,43
t (min)	0,8	1,2	1,2	1,5	2	2	3	4	4,8	5,6	6,4	8
Pas	0,4	0,45	0,5	0,7	0,8	1	1,25	1,5	1,75	2	2	2,5

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
2X3	622072X3	100	0,004	5X16	622075X16	100	0,181
2X4	622072X4	100	0,060	5X20	622075X20	100	0,229
2X5	622072X5	100	0,100	5X25	622075X25	100	0,289
2X6	622072X6	100	0,010	5X30	622075X30	100	0,349
2X8	622072X8	100	0,013	5X35	622075X35	100	0,410
2X10	622072X10	100	0,017	5X40	622075X40	100	0,470
2X12	622072X12	100	0,020	5X45	622075X45	100	0,530
2,5X3	622072,5X3	100	0,070	5X50	622075X50	100	0,591
2,5X4	622072,5X4	100	0,050	6X5	622076X5	100	0,051
2,5X5	622072,5X5	100	0,012	6X6	622076X6	100	0,082
2,5X6	622072,5X6	100	0,015	6X8	622076X8	100	0,117
2,5X8	622072,5X8	100	0,021	6X10	622076X10	100	0,151
2,5X10	622072,5X10	100	0,027	6X12	622076X12	100	0,186
2,5X12	622072,5X12	100	0,033	6X16	622076X16	100	0,255
3X3	622073X3	100	0,100	6X20	622076X20	100	0,324
3X4	622073X4	100	0,014	6X25	622076X25	100	0,410
3X5	622073X5	100	0,018	6X30	622076X30	100	0,496
3X6	622073X6	100	0,023	6X35	622076X35	100	0,582
3X8	622073X8	100	0,031	6X40	622076X40	100	0,668
3X10	622073X10	100	0,040	6X45	622076X45	100	0,754
3X12	622073X12	100	0,048	6X50	622076X50	100	0,840
3X16	622073X16	100	0,065	6X60	622076X60	100	1,012
3X20	622073X20	100	0,082	8X6	622078X6	100	0,095
3X25	622073X25	100	0,103	8X8	622078X8	100	0,197
3X30	622073X30	100	0,125	8X10	622078X10	100	0,259
4X3	622074X3	100	0,013	8X12	622078X12	100	0,322
4X4	622074X4	100	0,023	8X16	622078X16	100	0,447
4X5	622074X5	100	0,031	8X20	622078X20	100	0,572
4X6	622074X6	100	0,038	8X25	622078X25	100	0,728
4X8	622074X8	100	0,053	8X30	622078X30	100	0,884
4X10	622074X10	100	0,068	8X35	622078X35	100	1,040
4X12	622074X12	100	0,084	8X40	622078X40	100	1,196
4X16	622074X16	100	0,114	8X45	622078X45	100	1,353
4X20	622074X20	100	0,144	8X50	622078X50	100	1,509
4X25	622074X25	100	0,181	8X60	622078X60	100	1,821
4X30	622074X30	100	0,219	8X70	622078X70	100	2,134
4X35	622074X35	100	0,256	10X8	6220710X8	100	0,275
4X40	622074X40	100	0,294	10X10	6220710X10	100	0,394
5X4	622075X4	100	0,034	10X12	6220710X12	100	0,493
5X5	622075X5	100	0,048	10X16	6220710X16	100	0,691
5X6	622075X6	100	0,060	10X20	6220710X20	100	0,888
5X8	622075X8	100	0,084	10X25	6220710X25	100	1,135
5X10	622075X10	100	0,108	10X30	6220710X30	100	1,382
5X12	622075X12	100	0,132	10X35	6220710X35	100	1,629

PAGE SUIVANTE

VIS SANS TETE SIX PANS CREUX BOUT CUVETTE

PAGE PRECEDENTE


d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
10X40	6220710X40	100	1,876	14X50	6220714X50	25	4,692
10X45	6220710X45	100	2,123	14X60	6220714X60	25	5,674
10X50	6220710X50	100	2,370	16X16	6220716X16	25	1,682
10X60	6220710X60	100	2,864	16X20	6220716X20	25	2,209
12X10	6220712X10	50	0,456	16X25	6220716X25	25	2,867
12X12	6220712X12	50	0,669	16X30	6220716X30	25	3,526
12X16	6220712X16	50	0,956	16X35	6220716X35	25	4,185
12X20	6220712X20	50	1,242	16X40	6220716X40	25	4,843
12X25	6220712X25	50	1,601	16X45	6220716X45	25	5,502
12X30	6220712X30	50	1,959	16X50	6220716X50	25	6,161
12X35	6220712X35	50	2,318	16X60	6220716X60	25	7,478
12X40	6220712X40	50	2,676	16X70	6220716X70	25	8,795
12X45	6220712X45	50	3,034	16X80	6220716X80	25	10,112
12X50	6220712X50	50	3,393	16X100	6220716X100	25	12,747
12X60	6220712X60	50	4,110	20X20	6220720X20	25	3,326
12X70	6220712X70	50	4,826	20X25	6220720X25	25	4,356
12X80	6220712X80	50	5,543	20X30	6220720X30	25	5,387
14X20	6220714X20	25	1,748	20X40	6220720X40	25	7,449
14X25	6220714X25	25	2,239	20X50	6220720X50	25	9,511
14X30	6220714X30	25	2,729	20X60	6220720X60	25	11,573
14X35	6220714X35	25	3,220	20X70	6220720X70	25	13,634
14X40	6220714X40	25	3,711	20X80	6220720X80	25	15,696

VIS SANS TETE SIX PANS CREUX BOUT CUVETTE

HEXAGON SOCKET SET SCREWS CUP POINT

GEWINDESTIFTE MIT INNENSECHSKANT UND RINGSCHNEIDE

ESPARRAGOS ROSCADOS CON HEXAGONO INTERIOR, PUNTA HUECA



d	M 3	M 4	M 5	M 6	M 8	M 10	M 12
dv	1,4	2	2,5	3	5	6	8
s	1,5	2	2,5	3	4	5	6
e	1,73	2,3	2,87	3,44	4,58	5,72	6,86
t (min)	1,2	1,5	2	2	3	4	4,8
Pas	0,5	0,7	0,8	1	1,25	1,5	1,75

d x L	Code	Cond.	kg/100	d x L	Code	Cond.	kg/100
3X3	642073X3	100	0,100	6X16	642076X16	100	0,255
3X4	642073X4	100	0,014	6X20	642076X20	100	0,324
3X5	642073X5	100	0,018	6X25	642076X25	100	0,410
3X6	642073X6	100	0,023	6X30	642076X30	100	0,496
3X8	642073X8	100	0,031	6X35	642076X35	100	0,582
3X10	642073X10	100	0,040	6X40	642076X40	100	0,668
3X12	642073X12	100	0,048	6X50	642076X50	100	0,840
3X16	642073X16	100	0,065	8X8	642078X8	100	0,197
3X20	642073X20	100	0,082	8X10	642078X10	100	0,259
4X4	642074X4	100	0,023	8X12	642078X12	100	0,322
4X5	642074X5	100	0,031	8X16	642078X16	100	0,447
4X6	642074X6	100	0,038	8X20	642078X20	100	0,572
4X8	642074X8	100	0,053	8X25	642078X25	100	0,728
4X10	642074X10	100	0,068	8X30	642078X30	100	0,884
4X12	642074X12	100	0,084	8X35	642078X35	100	1,040
4X16	642074X16	100	0,114	8X40	642078X40	100	1,196
4X20	642074X20	100	0,144	8X50	642078X50	100	1,509
4X25	642074X25	100	0,181	10X10	6420710X10	100	0,394
4X30	642074X30	100	0,219	10X12	6420710X12	100	0,493
5X5	642075X5	100	0,048	10X16	6420710X16	100	0,691
5X6	642075X6	100	0,060	10X20	6420710X20	100	0,888
5X8	642075X8	100	0,084	10X25	6420710X25	100	1,135
5X10	642075X10	100	0,108	10X30	6420710X30	100	1,382
5X12	642075X12	100	0,132	10X35	6420710X35	100	1,629
5X16	642075X16	100	0,181	10X40	6420710X40	100	1,876
5X20	642075X20	100	0,229	10X50	6420710X50	100	2,370
5X25	642075X25	100	0,289	12X12	6420712X12	50	0,669
5X30	642075X30	100	0,349	12X16	6420712X16	50	0,956
5X35	642075X35	100	0,410	12X20	6420712X20	50	1,242
5X40	642075X40	100	0,470	12X25	6420712X25	50	1,601
6X6	642076X6	100	0,082	12X30	6420712X30	50	1,959
6X8	642076X8	100	0,117	12X35	6420712X35	50	2,318
6X10	642076X10	100	0,151	12X40	6420712X40	50	2,676
6X12	642076X12	100	0,186	12X50	6420712X50	50	3,393




Inox A2

62 650
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 1 METRE

THREADED RODS - 1 METER LENGTH
GEWINDESTANGEN - 1 METER LANG
VARILLAS ROSCADAS - LARGO 1 METRO




d	Code	Pas	Cond.	kg/100
M 2	626502	0,4	1	1,800
M 2,5	626502,5	0,45	1	3,000
M 3	626503	0,5	1	4,400
M 4	626504	0,7	1	7,800
M 5	626505	0,8	1	12,400
M 6	626506	1	1	17,700
M 7	626507	1	1	25,000
M 8	626508	1,25	1	31,900
M 10	6265010	1,5	1	50,000
M 12	6265012	1,75	1	72,500
M 14	6265014	2	1	95,000
M 16	6265016	2	1	133,000
M 18	6265018	2,5	1	165,000
M 20	6265020	2,5	1	208,000
M 22	6265022	2,5	1	254,000
M 24	6265024	3	1	300,000
M 27	6265027	3	1	385,000
M 30	6265030	3,5	1	475,000
M 33	6265033	3,5	1	590,000
M 36	6265036	4	1	690,000
M 39	6265039	4	1	820,000
M 42	6265042	4,5	1	940,000
M 45	6265045	4,5	1	1100,000
M 48	6265048	5	1	1240,000
M 52	6265052	5	1	1470,000

Inox A4

64 650
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 1 METRE

THREADED RODS - 1 METER LENGTH
GEWINDESTANGEN - 1 METER LANG
VARILLAS ROSCADAS - LARGO 1 METRO



d	Code	Pas	Cond.	kg/100
M 2	646502	0,4	1	1,900
M 2,5	646502,5	0,45	1	3,000
M 3	646503	0,5	1	4,400
M 4	646504	0,7	1	7,800
M 5	646505	0,8	1	12,400
M 6	646506	1	1	17,700
M 8	646508	1,25	1	31,900
M 10	6465010	1,5	1	50,000
M 12	6465012	1,75	1	72,500
M 14	6465014	2	1	95,000
M 16	6465016	2	1	133,000
M 18	6465018	2,5	1	165,000
M 20	6465020	2,5	1	208,000
M 22	6465022	2,5	1	254,000
M 24	6465024	3	1	300,000
M 27	6465027	3	1	385,000
M 30	6465030	3,5	1	475,000
M 33	6465033	3,5	1	590,000
M 36	6465036	4	1	690,000
M 39	6465039	4	1	820,000
M 42	6465042	4,5	1	940,000
M 45	6465045	4,5	1	1100,000
M 48	6465048	5	1	1240,000
M 52	6465052	5	1	1470,000





Inox A4-80

65 650
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 1 METRE

THREADED RODS - 1 METER LENGTH
GEWINDESTANGEN - 1 METER LANG
VARILLAS ROSCADAS - LARGO 1 METRO



d	Code	Pas	Cond.	kg/100
M 6	656506	1	1	17,700
M 8	656508	1,25	1	31,900
M 10	6565010	1,5	1	50,000
M 12	6565012	1,75	1	72,500
M14	6565014	2	1	99,500
M 16	6565016	2	1	133,000
M 20	6565020	2,5	1	208,000
M 24	6565024	3	1	300,000

Inox A4-L

66 650
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 1 METRE

THREADED RODS - 1 METER LENGTH
GEWINDESTANGEN - 1 METER LANG
VARILLAS ROSCADAS - LARGO 1 METRO



d	Code	Pas	Cond.	kg/100
M 6	666506	1	1	17,700
M 8	666508	1,25	1	31,900
M 10	6665010	1,5	1	50,000
M 12	6665012	1,75	1	72,500
M 14	6665014	2	1	97,000
M 16	6665016	2	1	133,000
M 20	6665020	2,5	1	208,000
M 22	6665022	2,5	1	254,000
M 24	6665024	3	1	300,000
M 27	6665027	3	1	385,000
M 30	6665030	3,5	1	475,000

Inox A2

62 651
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 2 METRES

THREADED RODS - 2 METERS LENGTH
GEWINDESTANGEN - 2 METER LANG
VARILLAS ROSCADAS - LARGO 2 METROS



d	Code	Pas	Cond.	kg/100
M 6	626516	1	1	35,400
M 8	626518	1,25	1	63,800
M 10	6265110	1,5	1	100,000
M 12	6265112	1,75	1	145,000
M 14	6265114	2	1	194,000
M 16	6265116	2	1	266,000
M 18	6265118	2,5	1	330,000
M 20	6265120	2,5	1	416,000
M 24	6265124	3	1	600,000

Inox A4

64 651
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 2 METRES

THREADED RODS - 2 METERS LENGTH
GEWINDESTANGEN - 2 METER LANG
VARILLAS ROSCADAS - LARGO 2 METROS



d	Code	Pas	Cond.	kg/100
M 6	646516	1	1	35,400
M 8	646518	1,25	1	63,800
M 10	6465110	1,5	1	100,000
M 12	6465112	1,75	1	145,000
M 14	6465114	2	1	194,000
M 16	6465116	2	1	266,000
M 18	6465118	2,5	1	330,000
M 20	6465120	2,5	1	416,000





Inox A2

62 652
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 3 METRES

THREADED RODS - 3 METERS LENGTH
GEWINDESTANGEN - 3 METER LANG
VARILLAS ROSCADAS - LARGO 3 METROS



d	Code	Pas	Cond.	kg/100
M 6	626526	1	1	53,100
M 8	626528	1,25	1	95,700
M 10	6265210	1,5	1	150,000
M 12	6265212	1,75	1	217,500
M 14	6265214	2	1	291,000
M 16	6265216	2	1	399,000
M 18	6265218	2,5	1	495,000
M 20	6265220	2,5	1	624,000
M 22	6265222	3	1	762,000
M 24	6265224	2,5	1	900,000
M 27	6265227	3	1	1155,000
M 30	6265230	3,5	1	1425,000
M 33	6265233	3,5	1	1770,000
M 36	6265236	4	1	2070,000
M 39	6265239	4	1	2460,000

Inox A4

64 652
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 3 METRES

THREADED RODS - 3 METERS LENGTH
GEWINDESTANGEN - 3 METER LANG
VARILLAS ROSCADAS - LARGO 3 METROS



d	Code	Pas	Cond.	kg/100
M 6	646526	1	1	53,100
M 8	646528	1,25	1	95,700
M 10	6465210	1,5	1	150,000
M 12	6465212	1,75	1	217,500
M 14	6465214	2	1	291,000
M 16	6465216	2	1	399,000
M 18	6465218	2,5	1	495,000
M 20	6465220	2,5	1	624,000
M 24	6465224	3	1	900,000

Inox A2

62 649
DIN 976 - (NFE 25-136)

TIGES FILETEES PAS A GAUCHE - LONGUEUR 1 METRE

THREADED RODS LEFT HAND THREAD - 1 METER LENGTH
GEWINDESTANGEN LINKSGEWINDE - 1 METER LANG
VARILLAS ROSCADAS ROSCA IZQUIERDA - LARGO 1 METRO



d	Code	Pas	Cond.	kg/100
M 6	626496	1	1	17,700
M 8	626498	1,25	1	31,900
M 10	6264910	1,5	1	50,000
M 12	6264912	1,75	1	72,500
M 14	6264914	2	1	97,000
M 16	6264916	2	1	133,000
M 18	6264918	2,5	1	165,000
M 20	6264920	2,5	1	208,000
M 24	6264924	3	1	300,000

AISI 310

62 659
DIN 976 - (NFE 25-136)

TIGES FILETEES - LONGUEUR 1 METRE

THREADED RODS - 1 METER LENGTH
GEWINDESTANGEN - 1 METER LANG
VARILLAS ROSCADAS - LARGO 1 METRO



d	Code	Pas	Cond.	kg/100
M 8	626598	1,25	1	32,000
M 10	6265910	1,5	1	47,500
M 12	6265912	1,75	1	70,400
M 16	6265916	2	1	130,000
M 20	6265920	2,5	1	204,000



Inox réfractaire pour haute température
Refractory stainless steel for high temperature






Inox A2

62 655
UNC (Unified National Coarse)

Acton

TIGES FILETEES -UNC- LONGUEUR 3 PIEDS

THREADED RODS -UNC- 3 FEET LENGTH
GEWINDESTAGEN -UNC- 3 FUSS LANG
VARILLAS ROSCADAS -UNC- LARGO 3 PIES



d nominal	Code	Pas	Cond.	kg/100
1/4	626551/4	20	1	16,000
5/16	626555/16	18	1	27,500
3/8	626553/8	16	1	40,300
1/2	626551/2	13	1	73,200
5/8	626555/8	11	1	114,400
3/4	626553/4	10	1	169,300
1	626551	8	1	311,100

Pas = nombre de filets au pouce / *Threads-inch*
RAPPEL / REMINDER : 1 pied (1 foot) = 305 mm



ÉCROUS

Nuts

